RUGBY PEG 3350- polyethylene glycol 3350 powder, for solution Rugby Laboratories

Rugby Laboratories PEG 3350 Drug Facts

Active ingredient (in each dose)

Polyethylene Glycol 3350, 17 g (cap filled to line)

Purpose

Osmotic Laxative

Use

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 1 to 3 days

Warnings

Allergy Alert: Do not use if you are allergic to polyethylene glycol

Do not use

if you have kidney disease, except under the advice and supervision of a doctor

Ask a doctor before use if you have

- nausea, vomiting or abdominal pain
- a sudden change in bowel habits that lasts over 2 weeks
- irritable bowel syndrome

Ask a doctor or pharmacist before use if you are

taking a prescription drug

When using this product

you may have loose, watery, more frequent stools

Stop use and ask a doctor if

• you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition.

- you get diarrhea
- you need to use a laxative for longer than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not take more than directed unless advised by your doctor
- the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line (white section in cap)
- adults and children 17 years of age and older:
- use once a day
- fill to top of white section in cap which is marked to indicate the correct dose (17 g)
- stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature)
 then drink
- do not combine with starch-based thickeners used for difficulty swallowing
- ensure that the powder is fully dissolved before drinking
- do not drink if there any clumps
- do not use no more than 7 days
- children 16 years of age or under: ask a doctor

Other information

- store at 20°-25°C (68°-77°F)
- tamper-evident: do not use if printed foil seal under cap is missing, open or broken

Inactive ingredients

none

Questions or comments?

1-800-645-2158

Principal Display Panel

Rugby®

Compare to the active ingredient in MiraLAX®

PEG 3350

Polyethylene Glycol 3350

Powder for Solution

Osmotic Laxative

Relieves Occasional Constipation (Irregularity)

Softens Stool

Unflavored Grit Free Powder

NET WT 17.9 OZ (510 g)

30 Once-Daily Doses



NDC 0536-1052-27

Compare to the active ingredient in MiraLAX®*

PEG 3350

Polyethylene Glycol 3350 Powder for Solution

Osmotic Laxative

Relieves Occasional Constipation (Irregularity)
Softens Stool
Unflavored Grit Free Powder

NET WT 17.9 OZ (510 g) 30 Once-Daily Doses

: 306Da at F2

Polyethylene Glycol 3350 increases frequency of bowel movements and softens the stool.

Dissolves in Any Beverage

Drug Facts

Active ingredient (in each dose) Polyethylene Glycol 3350,

Purpose

17 g (cap filled to line).....

...Osmotic Laxative

Use ■ relieves occasional constipation (irregularity)
■ generally produces a bowel movement in 1 to 3 days

Warnings

Allergy alert: Do not use if you are allergic to polyethylene glycol

Do not use if you have kidney disease, except under the advice and supervision of a doctor

Ask a doctor before use if you have ■ nausea, vomiting or abdominal pain ■ a sudden change in bowel habits that lasts over 2 weeks ■ irritable bowel syndrome

Ask a doctor or pharmacist before use if you are taking a prescription drug

When using this product you may have loose, watery, more frequent stools

Stop use and ask a doctor if ■ you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition. ■ you get diarrhea ■ you need to use a laxative for longer than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Drug Facts (continued)

■ adults and children 17 years of age and older: ■ use once a day ■ fill to top of white section in cap which is marked to indicate the correct dose (17 g) ■ stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink ■ do not combine with starch-based thickeners used for difficulty swallowing ■ ensure that the powder is fully dissolved before drinking ■ do not drink if there are any clumps ■ do not use more than 7 days ■ children 16 years of age or under: ask a doctor

Other information ■ store at 20°-25°C (68°-77°F)

■ tamper-evident: do not use if printed foil seal under cap is missing, open or broken

Inactive ingredients none

Questions or comments? 1-800-645-2158

Sugar Free


*This product is not manufactured or distributed by Bayer HealthCare LLC, distributor of MiraLAX®.


Dist, by: RUGBY® LABORATORIES Indianapolis, IN 46268 www.rugbylaboratories.com

Rev. 03/22 R-05 Re-order No. 370618



Directions = do not take more than directed unless





RUGBY PEG 3350

polyethylene glycol 3350 powder, for solution

Product Information

Contains

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0536-1052
Flouder Lybe	HOMAN OTC DIVOG	itelli code (Source)	1100.0000-1002

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POLYETHYLENE GLYCOL 3350 (UNII: G2M7P15E5P) (POLYETHYLENE GLYCOL 3350 - UNII:G2M7P15E5P)	POLYETHYLENE GLYCOL 3350	17 g in 17 g

Product Characteristics

Color WHITE Score
Shape Size
Flavor Imprint Code

Packaging Marketing Start Marketing End Package Description Item Code Date Date 1 NDC:0536-1052- 238 g in 1 BOTTLE; Type 0: Not a Combination 01/05/2015 Product NDC:0536-1052- 510 g in 1 BOTTLE; Type 0: Not a Combination 01/05/2015 Product 3 NDC:0536-1052- 850 g in 1 BOTTLE; Type 0: Not a Combination 01/05/2015 Product

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
ANDA	ANDA090685	01/05/2015			

Labeler - Rugby Laboratories (079246066)

Revised: 10/2022 Rugby Laboratories