

**MAXIMUM STRENGTH MUCUS RELIEF SEVERE CONGESTION AND COUGH-**  
**dextromethorphan hydrobromide, guaifenesin, and phenylephrine**  
**hydrochloride liquid**  
**Wal-Mart Stores, Inc.,**  
**Reference Label Set Id: 7f4ccd7c-9b17-428b-8cdf-42237728f9b2**

-----  
**equate Maximum Strength Mucus Relief Severe Congestion and Cough 6 FL OZ**

***Drug Facts***

<b><i>Active ingredients (in each 20 mL)</i></b>	<b><i>Purposes</i></b>
Dextromethorphan HBr 20 mg	Cough suppressant
Guaifenesin 400 mg	Expectorant
Phenylephrine HCl 10 mg	Nasal decongestant

**Uses**

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
  - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
  - the intensity of coughing
  - the impulse to cough to help you get to sleep
  - nasal congestion due to a cold

**Warnings**

**Do not use**

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, chronic

- bronchitis or emphysema
- cough that occurs with too much phlegm (mucus)

## **When using this product**

**do not use more than directed**

## **Stop use and ask a doctor if**

- nervousness, dizziness or sleeplessness occur
- symptoms do not get better within 7 days or occur with fever
- cough lasts more than 7 days, comes back, or occurs with fever, rash or headache that lasts. These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

## **Directions**

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- do not use dosing cup with other products
- dose as follows or as directed by a doctor
- mL = milliliter
- **Adults and children 12 years of age and older:** 20 mL in dosing cup provided every 4 hours.
- **Children under 12 years of age:** Do not use.

## **Other information**

- each 20 mL contains: **sodium 8 mg**
- low sodium
- store at room temperature
- do not refrigerate
- dosing cup provided

## **Inactive ingredients**

anhydrous citric acid, edetate disodium, FD&C Blue #1, FD&C red #40, natural and artificial flavors, potassium citrate, propylene glycol, propyl gallate, purified water, sodium benzoate, sorbitol, sucralose, xanthan gum

## **Questions or comments?**

**1-866-287-1915**

## **PRINCIPAL DISPLAY PANEL**

NDC 49035-774-06

**Compare to Mucinex® Fast- Max® Maximum Strength Severe Congestion & Cough Active Ingredients\***

**Maximum Strength‡**

### **Severe Congestion & Cough**

Dextromethorphan HBr - Cough Suppressant

Guaifenesin - Expectorant

Phenylephrine HCl - Nasal Decongestant

MAXIMUM STRENGTH

- **Controls cough**
- **Relieves nasal and chest congestion**
- **Thins & loosens mucus**

For Ages 12+

6 FL OZ (180 mL)

**TAMPER EVIDENT: do not use if printed seal under cap is broken or missing.**


‡Maximum Strength per 4 hour dose.

**Distributed by: Walmart Inc.,**

**Bentonville, AR 72716**

**Satisfaction guaranteed - Or we will replace it or give you your money back. For questions or comments or to report an undesired reaction or side effect, please call 1-888-287-1915.**

\*This product is not manufactured or distributed by Reckitt Benckiser, the owner of the registered trademark Mucinex® Fast -Max® Maximum Strength Severe Congestion & Cough.



# MAXIMUM STRENGTH MUCUS RELIEF SEVERE CONGESTION AND COUGH

dextromethorphan hydrobromide, guaifenesin, and phenylephrine hydrochloride liquid

## Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:49035-774

Route of Administration		ORAL		
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
dextromethorphan hydrobromide (UNII: 9D2RTI9KYH) (dextromethorphan - UNII:7355X3ROTS)		dextromethorphan hydrobromide	20 mg in 20 mL	
guaifenesin (UNII: 495W7451VQ) (guaifenesin - UNII:495W7451VQ)		guaifenesin	400 mg in 20 mL	
phenylephrine hydrochloride (UNII: 04JA59TNSJ) (phenylephrine - UNII:1WS297W6MV)		phenylephrine hydrochloride	10 mg in 20 mL	
Inactive Ingredients				
Ingredient Name		Strength		
anhydrous citric acid (UNII: XF417D3PSL)				
edetate disodium (UNII: 7FLD91C86K)				
FD&C Blue NO. 1 (UNII: H3R47K3TBD)				
FD&C Red NO. 40 (UNII: WZB9127XOA)				
POTASSIUM CITRATE (UNII: EE90ONI6FF)				
propylene glycol (UNII: 6DC9Q167V3)				
propyl gallate (UNII: 8D4SNN7V92)				
water (UNII: 059QF0KO0R)				
sodium benzoate (UNII: OJ245FE5EU)				
sorbitol (UNII: 506T60A25R)				
sucralose (UNII: 96K6UQ3ZD4)				
xanthan gum (UNII: TTV12P4NEE)				
Product Characteristics				
Color	BLUE	Score		
Shape		Size		
Flavor		Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49035-774-06	180 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/01/2018	
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012		05/01/2018	

Revised: 12/2023

Wal-Mart Stores, Inc.,