

**POISON IVY- xerophyllum asphodeloides, aconitum nap., anacardium orientale, apis mel., bryonia, cantharis, croton, graphites, grindelia, mezereum, nux vom., ranunc. bulb., rhus toxicodendron, sarsaparilla, sulphur, echinacea, rumex crisp., taraxacum, urtica ur. pellet  
Newton Laboratories, Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----  
**Poison 2498P**

**INDICATIONS & USAGE SECTION**

Formulated for symptoms associated with poison ivy, oak and sumac such as itching, burning, pain, swelling and blistering.

**DOSAGE & ADMINISTRATION SECTION**

**Directions:** Ages 12 and up, take 6 pellets by mouth (ages 0 to 11, give 3 pellets) as needed or as directed by a health professional. Under age 2, crush/dissolve pellets in purified water. Sensitive persons begin with 1 pellet and gradually increase to full dose.

**OTC - ACTIVE INGREDIENT SECTION**

Equal parts of Echinacea 6x, Rumex crispus 6x, Taraxacum officinale 6x, Urtica urens 6x, Aconitum napellus 15x, Anacardium 15x, Apis mellifica 15x, Bryonia 15x, Cantharis 15x, Croton tiglium 15x, Graphites 15x, Grindelia 15x, Mezereum 15x, Nux vomica 15x, Ranunculus bulbosus 15x, Rhus toxicodendron 15x, Sarsaparilla 15x, Sulphur 15x, Xerophyllum asphodeloides 30x.

**OTC - PURPOSE SECTION**

Formulated for symptoms associated with poison ivy, oak and sumac such as itching, burning, pain, swelling and blistering.

**INACTIVE INGREDIENT SECTION**

**Inactive Ingredients:** Gluten-free, non-GMO, organic beet-derived sucrose (lactose-free) pellets.

**QUESTIONS SECTION**

newtonlabs.net – Questions? 800.448.7256

Newton Laboratories, Inc. FDA Est # 1051203 - Conyers, GA 30013

**OTC - PREGNANCY OR BREAST FEEDING SECTION**

If **pregnant or breast-feeding**, ask a doctor before use.

**WARNINGS SECTION**

**WARNINGS: Keep out of reach of children. Do not use** if tamper-evident seal is broken or missing. If symptoms worsen or persist for more than a few days, consult a doctor. If **pregnant or breast-feeding**, ask a doctor before use.

**OTC - KEEP OUT OF REACH OF CHILDREN SECTION**

**Keep out of reach of children.**

**PACKAGE LABEL**

**newtonlabs.net ~ Questions? 800.448.7256**  
 Newton Laboratories, Inc. FDA Est# 1051203 • Conners, GA, 30013  
**Label statements have not been reviewed by the FDA.**

**WARNINGS: Keep out of reach of children. Do not use if tamper-evident seal is broken or missing. If symptoms worsen or persist for more than a few days, consult a doctor. If pregnant or breast-feeding, ask a doctor before use.**

**NEWTON homeopathics™**  
 Since 1987

NDC# 55714-2498-1

**Poison Ivy**

Formulated for symptoms associated with poison ivy, oak and sumac such as itching, burning, pain, swelling and blistering.

**1 OZ (28 G)**

**Directions:** Ages 12 and up, take 6 pellets by mouth (ages 0 to 11, give 3 pellets) as needed or as directed by a health professional. Under age 2, crush/dissolve pellets in purified water. Sensitive persons begin with 1 pellet and gradually increase to full dose.

**Active Ingredients:** Equal parts of Echinacea 6x, Rumex crisp. 6x, Taraxacum 6x, Urtica ur. 6x, Aconitum nap. 15x, Anacardium 15x, Apis mel. 15x, Bryonia 15x, Cantharis 15x, Croton 15x, Graphites 15x, Grindelia 15x, Mezereum 15x, Nux vom. 15x, Ranunc. bulb. 15x, Rhus tox. 15x, Sarsaparilla 15x, Sulphur 15x, Xerophyllum 30x.

**Inactive Ingredients:** Gluten-free, non-GMO, organic beet-derived sucrose (lactose-free) pellets.

Stock# N028 Lot#

**POISON IVY**

xerophyllum asphodeloides, aconitum nap., anacardium orientale, apis mel., bryonia, cantharis, croton, graphites, grindelia, mezereum, nux vom., ranunc. bulb., rhus toxicodendron, sarsaparilla, sulphur, echinacea, rumex crisp., taraxacum, urtica ur. pellet

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55714-2498
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>XEROPHYLLUM ASPHODELOIDES</b> (UNII: 9I4XB1GP2B) (XEROPHYLLUM ASPHODELOIDES - UNII:9I4XB1GP2B)	XEROPHYLLUM ASPHODELOIDES	30 [hp_X] in 1 g
<b>ACONITUM NAPELLUS</b> (UNII: U0NQ8555JD) (ACONITUM NAPELLUS - UNII:U0NQ8555JD)	ACONITUM NAPELLUS	15 [hp_X] in 1 g
<b>SEMECARPUS ANACARDIUM JUICE</b> (UNII: Y0F0BU8RDU) (SEMECARPUS ANACARDIUM JUICE - UNII:Y0F0BU8RDU)	SEMECARPUS ANACARDIUM JUICE	15 [hp_X] in 1 g
<b>APIS MELLIFERA</b> (UNII: 7S82P3R43Z) (APIS MELLIFERA - UNII:7S82P3R43Z)	APIS MELLIFERA	15 [hp_X] in 1 g
<b>BRYONIA ALBA ROOT</b> (UNII: T7J046YI2B) (BRYONIA ALBA ROOT - UNII:T7J046YI2B)	BRYONIA ALBA ROOT	15 [hp_X] in 1 g
<b>LYTTA VESICATORIA</b> (UNII: 3Q034RO3BT) (LYTTA VESICATORIA - UNII:3Q034RO3BT)	LYTTA VESICATORIA	15 [hp_X]

UNII:3Q034RO3BT)	LITTA VESICATORIA	in 1 g
<b>CROTON TIGLIUM SEED</b> (UNII: 0HK2GZK66E) (CROTON TIGLIUM SEED - UNII:0HK2GZK66E)	CROTON TIGLIUM SEED	15 [hp_X] in 1 g
<b>GRAPHITE</b> (UNII: 4QQN74LH4O) (GRAPHITE - UNII:4QQN74LH4O)	GRAPHITE	15 [hp_X] in 1 g
<b>GRINDELIA HIRSUTULA FLOWERING TOP</b> (UNII: IDB0NAZ6AI) (GRINDELIA HIRSUTULA FLOWERING TOP - UNII:IDB0NAZ6AI)	GRINDELIA HIRSUTULA FLOWERING TOP	15 [hp_X] in 1 g
<b>DAPHNE MEZEREUM BARK</b> (UNII: X2N6E405GV) (DAPHNE MEZEREUM BARK - UNII:X2N6E405GV)	DAPHNE MEZEREUM BARK	15 [hp_X] in 1 g
<b>STRYCHNOS NUX-VOMICA SEED</b> (UNII: 269XH13919) (STRYCHNOS NUX-VOMICA SEED - UNII:269XH13919)	STRYCHNOS NUX-VOMICA SEED	15 [hp_X] in 1 g
<b>RANUNCULUS BULBOSUS</b> (UNII: AEQ8NXJ0MB) (RANUNCULUS BULBOSUS - UNII:AEQ8NXJ0MB)	RANUNCULUS BULBOSUS	15 [hp_X] in 1 g
<b>TOXICODENDRON PUBESCENS LEAF</b> (UNII: 6IO182RP7A) (TOXICODENDRON PUBESCENS LEAF - UNII:6IO182RP7A)	TOXICODENDRON PUBESCENS LEAF	15 [hp_X] in 1 g
<b>SMILAX ORNATA ROOT</b> (UNII: 2H1576D5WG) (SMILAX ORNATA ROOT - UNII:2H1576D5WG)	SMILAX ORNATA ROOT	15 [hp_X] in 1 g
<b>SULFUR</b> (UNII: 70FD1KFU70) (SULFUR - UNII:70FD1KFU70)	SULFUR	15 [hp_X] in 1 g
<b>ECHINACEA, UNSPECIFIED</b> (UNII: 4N9P6CC1DX) (ECHINACEA, UNSPECIFIED - UNII:4N9P6CC1DX)	ECHINACEA, UNSPECIFIED	6 [hp_X] in 1 g
<b>RUMEX CRISPUS ROOT</b> (UNII: 9N1RM2S62C) (RUMEX CRISPUS ROOT - UNII:9N1RM2S62C)	RUMEX CRISPUS ROOT	6 [hp_X] in 1 g
<b>TARAXACUM OFFICINALE</b> (UNII: 39981FM375) (TARAXACUM OFFICINALE - UNII:39981FM375)	TARAXACUM OFFICINALE	6 [hp_X] in 1 g
<b>URTICA URENS</b> (UNII: IHN2NQ5OF9) (URTICA URENS - UNII:IHN2NQ5OF9)	URTICA URENS	6 [hp_X] in 1 g

### Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55714-2498-1	28 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	01/01/2019	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		01/01/2019	

**Labeler** - Newton Laboratories, Inc. (788793610)

**Registrant** - Newton Laboratories, Inc. (788793610)

### Establishment

Name	Address	ID/FEI	Business Operations
------	---------	--------	---------------------

Revised: 1/2020

Newton Laboratories, Inc.