

CLINIQUE SMART CUSTOM REPAIR MOISTURIZER BROAD SPECTRUM SPF 15 - COMBINATION/OILY TO OILY- avobenzone and octisalate cream
CLINIQUE LABORATORIES LLC

CLINIQUE SMART CUSTOM REPAIR MOISTURIZER BROAD SPECTRUM SPF 15 - COMBINATION/OILY TO OILY

Drug Facts

Active ingredients

Avobenzone 3%

Octisalate 5%

Purpose

Sunscreen

Use

helps prevent sunburn

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.**

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m.-2 p.m.
- wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: ask a doctor

Inactive ingredients

water\aquaeau•butyloctyl salicylate•glycerin•polyester-8• polysorbate 60•cetyl alcohol•butylene glycol•sorbitan stearate•dimethicone•tridecyl stearate•peg-100 stearate• saccharomyces/xylinum/black tea ferment•sodium hyaluro-nate•astrocaryum murumuru seed butter•tridecyl trimellitate• dipentaerythrityl hexacaprylate/hexacaprate•algae extract• plankton extract•laminaria saccharina extract•whey protein\lactis protein\protéine du petit-lait•sigesbeckia orientalis (st. paul's wort) extract•acetyl glucosamine•glycine soja (soybean) protein•centaurium erythraea (centaury) extract•styrene/acrylates copolymer•cetyl palmitate•acrylates/c10-30 alkyl acrylate crosspolymer•polyethylene•acetyl hexapeptide-8•biotin• aminopropyl ascorbyl phosphate•sorbitan palmitate•sorbitan olivate•ethylhexylglycerin•caffeine•tocopheryl acetate•sodium polyacrylate•trehalose•peg-8 laurate•ergothioneine•lecithin• calcium chloride•hydroxyethylcellulose•sodium benzoate• tocopherol•citric acid•sodium hydroxide•pentylene glycol•sodium citrate•disodium edta•potassium sorbate•phenoxyethanol•chlorphenesin• yellow 5 (ci 19140)•red 4 (ci 14700) [iln48788]

Other information

protect the product in this container from excessive heat and direct sun

PRINCIPAL DISPLAY PANEL - 50 ml Jar Carton

de-aging

CLINIQUE

clinique smart

broad spectrum SPF 15

custom-repair moisturizer

COMBINATION OILY TO OILY

NET WT. 1.7 OZ./50 ml e

de-aging



CLINIQUE

clinique smart

broad spectrum SPF 15
custom-repair moisturizer

COMBINATION OILY TO OILY

POIDS NET WT. 1.7 OZ./50 ml e

Allergy Tested. 100% Fragrance Free.

Our smart daytime moisturizer helps visibly repair lines and wrinkles, brightens, firms and imparts radiance— as needed, where needed. Smart hydration technology helps skin attract and retain moisture. UVA/UVB protection helps shield against environmental damage. Oil-free. With continued use, skin looks fresh, firm, alive with youth.

Drug Facts

Active ingredients

Avobenzone 3.0%
Octisalate 5.0%

Purpose

Sunscreen

Use

helps prevent sunburn

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs ▶

UPC/FPO

clinique.com



© CLINIQUE LABORATORIES, DIST. NEW YORK, N.Y. 10022
WLB LTD, GU 30 D, UK • WLB N, OBERLIN BE 2260
NEW YORK • LONDON • PARIS MADE IN U.S.A. ZSXH

3,4
SKIN TYPES
COMBINATION/OILY TO OILY

Drug Facts (continued)

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating

• Sun Protection Measures.

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: ask a doctor

Inactive ingredients

water/aqua/eau • butyloctyl salicylate • glycerin • polyester-8 • polysorbate 60 • cetyl alcohol • butylene glycol • sorbitan stearate • dimethicone • tridecyl stearate • peg-100 stearate • saccharomyces/xylinum/black tea ferment • sodium hyaluro-

Drug Facts (continued)

nate • astrocaryum murumuru seed butter • tridecyl trimellitate • dipentaerythryl hexacaprylate/hexacaprate • algae extract • plankton extract • laminaria saccharina extract • whey protein/lactis protein/protéine du petit-lait • sigesbeckia orientalis (st. paul's wort) extract • acetyl glucosamine • glycine soja (soybean) protein • centaurium erythraea (centaury) extract • styrene/acrylates copolymer • cetyl palmitate • acrylates/c10-30 alkyl acrylate crosspolymer • polyethylene • acetyl hexapeptide-8 • biotin • aminopropyl ascorbyl phosphate • sorbitan palmitate • sorbitan olivate • ethylhexylglycerin • caffeine • tocopheryl acetate • sodium polyacrylate • trehalose • peg-8 laurate • ergothioneine • lecithin • calcium chloride • hydroxyethylcellulose • sodium benzoate • tocopherol • citric acid • sodium hydroxide • pentylene glycol • sodium citrate • disodium edta • potassium sorbate • phenoxyethanol • chlorphenesin • yellow 5 (ci 19140) • red 4 (ci 14700) [ln48788]

Other information

protect the product in this container from excessive heat and direct sun

FSC/
FPO

9mm W x 14mm H

Z5XH-01-111A

CLINIQUE SMART CUSTOM REPAIR MOISTURIZER BROAD SPECTRUM SPF 15 - COMBINATION/OILY TO OILY

avobenzone and octisalate cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49527-050
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
POLYSORBATE 60 (UNII: CAL22UVI4M)	
GLYCERIN (UNII: PDC6A3C0OX)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
SORBITAN MONOSTEARATE (UNII: NVZ4I0H58X)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
TRIDECYL STEARATE (UNII: A8OE252M6L)	
PEG-100 STEARATE (UNII: YD01N1999R)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
ASTROCARYUM MURUMURU SEED BUTTER (UNII: 12V64UPU6R)	
TRIDECYL TRIMELLITATE (UNII: FY36J270ES)	
DIPENTAERYTHRITYL HEXACAPRYLATE/HEXACAPRATE (UNII: 554N82UWWW)	
AGAR, UNSPECIFIED (UNII: 89T130HQ2B)	
TAMARIND SEED (UNII: 6AHP8A7OML)	
N-ACETYLGLUCOSAMINE (UNII: V956696549)	
SOY PROTEIN (UNII: R44IWB3RN5)	
CENTAURIUM ERYTHRAEA (UNII: 57X4TSH58S)	
CETYL PALMITATE (UNII: 5ZA2S6B08X)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
ACETYL HEXAPEPTIDE-8 (UNII: L4EL31FWL)	
BIOTIN (UNII: 6SO6U10H04)	
AMINOPROPYL ASCORBYL PHOSPHATE (UNII: 290O2PQ83R)	
SORBITAN MONOPALMITATE (UNII: 77K6Z421KU)	
SORBITAN OLIVATE (UNII: MDL271E3GR)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
CAFFEINE (UNII: 3G6A5W338E)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
TREHALOSE (UNII: B8WCK70T7I)	
ERGOTHIONEINE (UNII: BDZ3DQM98W)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	

PHENOXYETHANOL (UNII: HIE492ZZ3T)
CHLORPHENESIN (UNII: I670DAL4SZ)
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)
FD&C RED NO. 4 (UNII: X3W0AM1JLX)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
CITRIC ACID ACETATE (UNII: DSO12WL7AU)
TOCOPHEROL (UNII: ROZB2556P8)
HYDROXYETHYL CELLULOSE (100 MPA.S AT 2%) (UNII: R33S7TK2EP)
CALCIUM CHLORIDE (UNII: M4I0D6VV5M)
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)
PEG-8 LAURATE (UNII: 762O8IWA10)
SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JN12J)
CARBOMER INTERPOLYMER TYPE A (ALLYL SUCROSE CROSSLINKED) (UNII: 59TL3WG5CO)
BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW) (UNII: JZ1374NL9E)
SIGESBECKIA ORIENTALIS FLOWERING TOP (UNII: 6UL878YAR7)
WHEY (UNII: 8617Z5FMF6)
SACCHARINA LATISSIMA (UNII: 68CMP2MB55)
WATER (UNII: 059QF0KO0R)
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49527-050-01	1 in 1 CARTON	12/01/2015	
1		50 mL in 1 JAR; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/01/2015	

Labeler - CLINIQUE LABORATORIES LLC (044475127)

Registrant - Estee Lauder Companies Inc. (790802086)

Establishment

Name	Address	ID/FEI	Business Operations
Estee Lauder Cosmetics Ltd.		202952982	manufacture(49527-050)

Establishment

Name	Address	ID/FEI	Business Operations
Estee Lauder Cosmetics Ltd.		204132062	pack(49527-050) , label(49527-050)

Establishment

Name	Address	ID/FEI	Business Operations
The Estee Lauder Inc		802599436	manufacture(49527-050) , pack(49527-050) , label(49527-050)

Revised: 10/2023

CLINIQUE LABORATORIES LLC