

DG MAXIMUM STRENGTH REDNESS RELIEF- glycerin, naphazoline hcl solution
Dolgenercorp, Inc

DG Health Maximum Strength Redness Relief (PLD)

Active ingredients

Glycerin 0.5%

Naphazoline hydrochloride 0.03%

Purposes

Glycerin ----Lubricant

Naphazoline hydrochloride ----Redness reliever

Uses

- For the relief of redness of the eye due to minor eye irritations
- For the temporary relief of burning and irritation due to dryness of the eye
- For use as a protectant against further irritation or dryness of the eye

Warnings

For external use only

Do not use if solution changes color or becomes cloudy

Ask a doctor before use if you have narrow angle glaucoma

When using this product

- To avoid contamination, do not touch tip of container to any surface
- Replace cap after using
- Overuse may produce increased redness of the eye
- Pupils may become enlarged temporarily

Stop use and ask a doctor if

- you experience eye pain
- you experience changes in vision
- you experience continued redness or irritation of the eye
- the condition worsens or persists for more than 72 hours

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Instill 1 or 2 drops in the affected eye(s) up to 4 times daily.

Other information

- store at room temperature
- remove contact lenses before using
- **Tamper Evident:** Do not use this product if imprinted neckband is missing or broken.

Inactive ingredients

benzalkonium chloride, boric acid, edetate disodium, purified water, sodium borate

Sterile

Redness Relief
Maximum Strength
Lubricant/Redness
Reliever Eye Drops

• Relieves dryness, burning, irritation
• Soothes & moisturizes • Fast-acting

DG | health

Drug Facts
(continued)

Directions
Instill 1 or 2 drops in the affected eye(s) up to 4 times daily.

Other information

- store at room temperature
- remove contact lenses before using
- **Tamper Evident:** Do not use this product if imprinted neckband is missing or broken.

Inactive ingredients
benzalkonium chloride, boric acid, edetate disodium, purified water, sodium borate

Compare to the active ingredients of Clear Eyes® Maximum Redness Relief*

Maximum Strength Redness Relief
Lubricant/Redness Reliever Eye Drops

- Relieves dryness, burning, irritation
- Soothes & moisturizes
- Fast-acting

Sterile
0.5 FL OZ (15 mL)

Drug Facts

Active ingredients **Purposes**
Glycerin 0.5% Lubricant
Naphazoline hydrochloride 0.03% Redness reliever

Uses

- For the relief of redness of the eye due to minor eye irritations.
- For the temporary relief of burning and irritation due to dryness of the eye.
- For use as a protectant against further irritation or dryness of the eye.

Warnings
For external use only

Do not use if solution changes color or becomes cloudy

Ask a doctor before use if you have narrow angle glaucoma

When using this product

- To avoid contamination, do not touch tip of container to any surface
- Replace cap after using
- Overuse may produce increased redness of the eye
- Pupils may become enlarged temporarily

Stop use and ask a doctor if

- you experience eye pain
- you experience changes in vision
- you experience continued redness or irritation of the eye
- the condition worsens or persists for more than 72 hours

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. ▶

100% Satisfaction Guaranteed!
(888) 309-9030

A STERILE BUFFERED SOLUTION

Tamper Evident. Do not use this product if imprinted neckband is missing or broken.

*This product is not manufactured or distributed by Prestige Brands, Inc., owner of the registered trademark Clear Eyes® Maximum Redness Relief.

DISTRIBUTED BY
DOLGENCORP, LLC
100 MISSION RIDGE
GOODLETTSVILLE, TN
37072
MADE IN U.S.A.

A0041
0 95072 05755 7

DG MAXIMUM STRENGTH REDNESS RELIEF

glycerin, naphazoline hcl solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55910-870
Route of Administration	OPHTHALMIC		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	0.5 g in 100 mL
NAPHAZOLINE HYDROCHLORIDE (UNII: MZ1131787D) (NAPHAZOLINE - UNII:H231GF11BV)	NAPHAZOLINE HYDROCHLORIDE	0.03 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength

BORIC ACID (UNII: R57ZHV85D4)	
SODIUM BORATE (UNII: 91MBZ8H3QO)	
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
WATER (UNII: 059QF0KO0R)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55910-870-01	1 in 1 CARTON	01/31/2020	
1		15 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M018	01/31/2020	

Labeler - Dolgencorp, Inc (068331990)

Registrant - K.C. Pharmaceuticals, Inc. (174450460)

Establishment

Name	Address	ID/FEI	Business Operations
K.C. Pharmaceuticals, Inc.		174450460	manufacture(55910-870) , pack(55910-870) , label(55910-870)

Revised: 12/2023

Dolgencorp, Inc