MUCUS RELIEF SINUS SEVERE CONGESTION RELIEF- acetaminophen, guaifenes in, and phenylephrine hydrochloride tablet, coated HEB

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

HEB - 1167 - 2018-1229

Drug Facts

Active ingredients (in each caplet)	Purpose
Acetaminophen 325 mg	Pain reliever
Guaifenesin 200 mg	Expectorant
Phenylephrine HCl 5 mg	Nasal decongestant

Uses

- temporarily relieves:
 - nasal congestion
 - headache
 - minor aches and pains
 - sinus congestion and pressure
- promotes nasal and/or sinus drainage
- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

Warnings

Liver warning

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 12 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks daily while using this product

Allergy alert

acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- liver disease
- heart disease
- diabetes
- high blood pressure
- thyroid disease
- trouble urinating due to an enlarged prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough that occurs with too much phlegm (mucus)

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

When using this product do not use more than directed

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- pain, nasal congestion, or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or persistent headache

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning

Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed (see Overdose warning)
- do not take more than 12 caplets in any 24-hour period
- adults and children 12 years and older: take 2 caplets every 4 hours
- children under 12 years of age: do not use

Other information

- store between 20-25°C (68-77°F) in a dry place
- retain outer package for complete product information

Inactive ingredients

colloidal silicon dioxide, croscarmellose sodium, crospovidone, FD&C red #40 aluminum lake, FD&C yellow #6 aluminum lake, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, pregelatinized starch, stearic acid, talc, titanium dioxide

PRINCIPAL DISPLAY PANEL

Compare to Mucinex® Sinus-MaxTM Severe Congestion Relief Caplets active ingredients†

NDC 37808-367-02

H-E-B

Maximum Strength*

Mucus & Sinus Relief Severe

Acetaminophen/Pain Reliever

 $Guaifenes in \, / \, Expector ant$

Phenylephrine / Nasal Decongestant

Congestion Relief

For Ages 12+

Relief of:

- Sinus Pressure Headache
- Thins and Loosens Mucus

20 Caplets

DO NOT USE IF BLISTER UNITS ARE TORN OR BROKEN

*Per 4-hour dose, dose every 4 hours

Severe Congestion Relief Caplets. This product is not manufactured or distributed by Reckitt Benckiser, distributor of Mucinex® Sinus-MaxTM

646 S. FLORES ST., SAN ANTONIO, TX 78204 DISTRIBUTED BY H-E-B®



24-hour period adults and children 12 years and older: take 2

caplets every 4 hours

do not take more than 12 caplets in any

Maximum Strength Mucus &

Sinus Relie

H·E·B

Drug Facts (continued)

Purpose

Active ingredients (in each caplet)

Drug Facts

persistent or chronic cough such as occurs with smoking, asthma, dhronic bronchitis, or emphysem Ask a doctor or pharmacist before use if y are taking the blood thinning drug warfarin

■ minor aches and pains Guaifenesin 200 mg....... Phenylephrine HCl 5 mg...

nervousness, dizziness, or sleeplessness occu pain, nasal congestion, or cough gets worse or lasts more than 7 days

■ fever gets worse or lasts more than 3 days ■ redness or swelling is present ■ new symptoms occur

cough comes back or occurs with rash or

pregnant or breast-feeding, ask a healt

hese could be signs of a serious condition

Overdose warning: Taking more than the

eep out of reach of children.

 sinus congestion and pressure promotes nasal and/or sinus drainage helps (cosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs nasal congestion

Warnings iver waming: This product contains acetaminophe

severe liver damage may occur if you take more than 12 caplets in 24 hours, which is the

with other drugs containing acetaminophen
 3 or more alcoholic drinks daily while using

Allergy alert: Acetaminophen may cause severe reactions. Symptoms may include:

ritical for adults as well as for children even

Directions a do not take more than

a skin reaction occurs, stop use and seek medica with any other drug containing acetaminophen

sure whether a drug contains acetaminopher

the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stoppiny

Other information store between 20-25°C (68-77°F) in a dry place

Ask a doctor before use if you have adiabete pharmacist before taking this product.

■ liver disease
■ high blood pressure
■ thyroid dise
■ thyroid dise cough that occurs with too much F116702HEB_R1

H-E-B)

Mucus & Sinus Relief

Compare to Mucinex* Sinus Max™Severe Congestion Relief Caplets active ingredients*

(H-E-B

Maximum Strength*

Mucus & Sinus Relief Save

Acetaminophen / Pain Reliever Guaifenesin / Expectorant Phenylephrine HCI / Nasal Decongestant

For Ages 12+ Relief of:

- Sinus Congestion Headache
- Thins and Loosens Mucus

20 CAPLETS

actual

MUCUS RELIEF SINUS SEVERE CONGESTION RELIEF

acetaminophen, guaifenesin, and phenylephrine hydrochloride tablet, coated

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37808-367
Route of Administration	ORAL		

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
ACETAMINO PHEN (UNII: 36209 ITL9 D) (ACETAMINO PHEN - UNII: 36209 ITL9 D)	ACETAMINOPHEN	325 mg		
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	200 mg		
PHENYLEPHRINE HYDRO CHLO RIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg		

Inactive Ingredients		
Ingredient Name	Strength	
SILICON DIO XIDE (UNII: ETJ7Z6XBU4)		
CROSCARMELLOSE SODIUM (UNII: M28 OL1HH48)		
CROSPO VIDO NE (UNII: 2S7830E561)		
FD&C RED NO. 40 (UNII: WZB9127XOA)		
ALUMINUM OXIDE (UNII: LMI26O6933)		
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)		
MAGNESIUM STEARATE (UNII: 70097M6I30)		
MALTO DEXTRIN (UNII: 7CVR7L4A2D)		
CELLULOSE, MICRO CRYSTALLINE (UNII: OP1R32D61U)		
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)		
POLYVINYL ALCOHOL (UNII: 532B59J990)		
PO VIDO NE (UNII: FZ989GH94E)		
STARCH, PREGELATINIZED CORN (UNII: O8232NY3SJ)		
STEARIC ACID (UNII: 4ELV7Z65AP)		
TALC (UNII: 7SEV7J4R1U)		
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP)		

Product Characteristics				
Color	orange	Score	no score	
Shape	OVAL	Size	19 mm	
Flavor		Imprint Code	AAA;1166	
Contains				

	Packaging					
Ш	# Item Code	Package Description	Marketing Start Date	Marketing End Date		
	NDC:37808-367- 02	2 in 1 CARTON	0 4/0 1/20 15			
	1	10 in 1 BLISTER PACK; Type 0: Not a Combination Product				

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	0 4/0 1/20 15	

Labeler - HEB (007924756)

Revised: 12/2018 HEB