

MUCOSA GUIFENESIN- guaifenesin tablet
Magno-Humphries, Inc.

Mucosa Guifenesin

Drug Facts

Active ingredient (in each tablet)

Guaifenesin 400 mg

Purpose

Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive to rid the bronchial passageway of bothersome mucus

Warnings

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by excessive phlegm (mucus)

When using this product

- do not exceed recommended dosage
- do not use for more than 7 days

Stop use and ask a doctor if

- cough lasts for more than 7 days, recurs, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

Adults and children 12 years of age and older:	Take one tablet every 4 hours with a full glass of water while symptoms persist. Do not exceed 6 doses in 24 hours.
Children under 12 years of age:	Do not use

Other information

- store at controlled room temperature 15° to 30°C (59° to 86°F)

Inactive ingredients

croscarmellose sodium, dicalcium phosphate, microcrystalline cellulose, silicon dioxide, stearic acid.

Questions?

call toll-free 1-800-935-6737

Package Labeling:



NDC 54257-776-21



Compare to the active ingredient in Mucinex®*

Mucosa

Guaifenesin 400 mg Each

EXPECTORANT

- Immediate Acting
- Relieves Chest Congestion
- Thins and Loosens Mucus

60 TABLETS

DO NOT USE IF PRINTED SEAL UNDER CAP IS MISSING OR DAMAGED

Drug Facts

Active ingredient (in each tablet)	Purpose
Guaifenesin 400 mg.....	Expectorant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive to rid the bronchial passageway of bothersome mucus

Warnings

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by excessive phlegm (mucus)

When using this product

- do not exceed recommended dosage
- do not use for more than 7 days

Stop use and ask a doctor if

- cough lasts for more than 7 days, recurs, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

LIFT HERE

PEEL FOR DIRECTIONS

G7760-060-01-1

Drug Facts (continued)

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

Adults and children 12 years of age and older:	Take one tablet every 4 hours with a full glass of water while symptoms persist. Do not exceed 6 doses in 24 hours.
Children under 12 years of age:	Do not use

Other information

- store at controlled room temperature 15° to 30°C (59° to 86°F)

Inactive ingredients

croscarmellose sodium, dicalcium phosphate, microcrystalline cellulose, silicon dioxide, stearic acid.

Questions? call toll-free 1-800-935-6737

*This product is not manufactured or distributed by the owner of the registered trademark Mucinex®

Distributed by:
Magno-Humphries Labs
 Tigard, OR 97223 U.S.A.

Visit our website:
www.magno-humphries.com

MUCOSA GUIFENESIN

guaifenesin tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:54257-776
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	400 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
ANHYDROUS DIBASIC CALCIUM PHOSPHATE (UNII: L11K75P92))	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	white	Score	2 pieces
Shape	OVAL	Size	17mm
Flavor		Imprint Code	AH370
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:54257-776-21	60 in 1 BOTTLE; Type 0: Not a Combination Product	01/24/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	01/24/2020	

Labeler - Magno-Humphries, Inc. (063251433)