

AVON SUN SUNSCREEN- homosalate, octinoxate, octisalate, oxybenzone, avobenzone, octocrylene aerosol, spray

New Avon LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Active ingredients

HOMOSALATE 8.00%.....

OCTINOXATE 7.5%.....

OCTISALATE 4.75%.....

OXYBENZONE 4.75%.....

AVOBENZONE 2.85%.....

OCTOCRYLENE 2.56%.....

Purpose

.....Sunscreen

.....Sunscreen

.....Sunscreen

.....Sunscreen

.....Sunscreen

.....Sunscreen

Uses

- helps prevent sunburn

Warnings

For external use only

Do not use on damaged or broken skin

When using this product

- keep out of eyes. Rinse with water to remove.
- keep away from face to avoid breathing it.

Stop use and ask a doctor if rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

☐**Flammable**☐, contents under pressure. Keep away from flame, fire or extreme heat. Do not place in hot water or near radiators, stove, or other sources of heat. Do not use in presence of open flame or sparks. Do not store at temperatures above 120F (50C). Do not tamper with valve closure or puncture or incinerate can.

Directions

- spray generously and spread evenly by hand 15 minutes before sun exposure
- hold container 4 to 6 inches from skin to apply
- do not spray directly into face
- Spray on hands, then apply to face

- do not apply in windy conditions
- use in well-ventilated areas
- children under 6 months of age: ask a doctor
- Reapply after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses

Other information

- protect the product in this container from excessive heat and direct sun

Inactive Ingredients:

SD ALCOHOL 40-B, C12-15 ALKYL BENZOATE, PPG-2 MYRISTYL ETHER PROPIONATE, DIMETHICONE, GLYCERIN, ACRYLATES/OCTYLACRYLAMIDE COPOLYMER, POLYESTER-8, DILAURYL THIODIPROPIONATE, KAEMPFERIA GALANGA ROOT EXTRACT, GLYCINE SOJA (SOYBEAN) SEED EXTRACT, PHAEODACTYLUM TRICORNUTUM EXTRACT, ORYZANOL, FOENICULUM VULGARE (FENNEL) FRUIT EXTRACT, DAUCUS CAROTA SATIVA (CARROT) ROOT EXTRACT, TOCOPHEROL, CAPRYLIC/CAPRIC TRIGLYCERIDE, CAPRYLYL GLYCOL, PARFUM/FRAGRANCE, WATER/EAU

Questions?

Call toll free 1-800-FOR-AVON

Drug Facts

Active Ingredients	Purpose
HOMOSALATE 8.00%	Sunscreen
OCTINOXATE 7.5%	Sunscreen
OCTISALATE 4.75%	Sunscreen
OXYBENZONE 4.75%	Sunscreen
AVOBENZONE 2.85%	Sunscreen
OCTOCRYLENE 2.56%	Sunscreen

Uses
• helps prevent sunburn

Warnings
For external use only

Do not use on damaged or broken skin

When using this product
• keep out of eyes. Rinse with water to remove. • keep away from face to avoid breathing it.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.
If swallowed, get medical help or contact a Poison Control Center right away.

Flammable, contents under pressure. Keep away from flame, fire, or extreme heat. Do not place in hot water or near radiators, stove, or other sources of heat. Do not use in presence of open flame or sparks. Do not store at temperatures above 120°F (50°C). Do not tamper with valve closure or puncture or incinerate can.

May stain some fabrics.

Directions
• spray generously and spread evenly by hand 15 minutes before sun exposure • hold container 4 to 6 inches from skin to apply
• do not spray directly into face. • Spray on hands, then apply to face • do not apply in windy conditions
• use in well-ventilated areas • children under 6 months of age: ask a doctor
• Reapply after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
• limit time in the sun, especially from 10 a.m.-2 p.m.
• wear long-sleeved shirts, pants, hats, and sunglasses.

Other Information
• protect the product in this container from excessive heat and direct sun

Inactive Ingredients: SD ALCOHOL 40-8, CI-145 ALKYL BENZOATE, PPG-2 MYRISTYL ETHER PROPIONATE, DIMETHICONE, GLYCERIN, ACRYLATES/OCTYLACRYLAMIDE COPOLYMER, POLYESTER-8, DILAURYL THIODIPROPIONATE, KAEMPPERIA GALANGA ROOT EXTRACT, GLYCINE SOJA (SOYBEAN) SEED EXTRACT, PHAEODACTYLUM TRICORNUTUM EXTRACT, ORYZANOL, FOENICULUM VULGARE (FENNEL) FRUIT EXTRACT, DAUCUS CAROTA SATIVA (CARROT) ROOT EXTRACT, TOCOPHEROL, CAPRYLIC/CAPRIC TRIGLYCERIDE, CAPRYLYL GLYCOL, PARFUM/FRAGRANCE, WATER/EAU.

Questions? Call toll free 1-800-FOR-AVON

MADE IN THE USA. AVON PRODUCTS, INC. NEW YORK, NY 10017. © 2013 AVON

Copy Limit
Height: 108 mm
Width: 157 mm

Backgrounds Bleed to
Outside Dimensions

AVON SUN SUNSCREEN

homosalate, octinoxate, octisalate, oxybenzone, avobenzone, octocrylene aerosol, spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10096-0296
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	80 mg in 1 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	75 mg in 1 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	47.5 mg in 1 g
OXYBENZONE (UNII: 950OS7VE0Y) (OXYBENZONE - UNII:950OS7VE0Y)	OXYBENZONE	47.5 mg in 1 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	28.5 mg in 1 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	25.6 mg in 1 g

Packaging

	Marketing Start	Marketing End
--	-----------------	---------------

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10096-0296-1	136.5 g in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	03/26/2013	

Labeler - New Avon LLC (080143520)

Establishment			
Name	Address	ID/FEI	Business Operations
Accra Pac, Inc.		024213616	manufacture(10096-0296)

Revised: 2/2016

New Avon LLC