

SALICYLIC ACID- wart remover gel gel
Walgreen Company

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Walgreens Wart Remover Gel

Active ingredient

Salicylic acid 17%w/w

Purpose

Wart remover

Uses

- for the removal of common and plantar warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface.
- Plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern.

Warnings

For external use only.

Flammable

keep away from fire and flame

Do not use

- on moles, birth marks and warts with hair growing from them
- on mucous membranes such as nose, anus, genitals and lips
- on irritated, infected or reddened skin
- on genital warts and warts on the face
- if you are diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist

When using this product

- if product gets into the eyes, flush with water for 15 minutes
- avoid inhaling vapors

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

if discomfort persists

see your doctor or podiatrist.

Directions

- after washing affected area, soak wart in for 5 minutes in comfortably warm water
- dry area thoroughly
- apply one drop of gel at a time to sufficiently cover each wart
- let dry
- repeat this procedure once or twice daily (until wart is removed) for up to 12 weeks

Other information

store between 59°F to 86°F (15°C to 30°C)

Inactive ingredients

camphor, castor oil, ethyl acetate, hydroxypropyl cellulose, hypophosphorous acid, isopropyl alcohol, nitrocellulose, polysorbate 80, SDA 3C ethyl alcohol

Questions?

call 1-866-964-0939

Principle Display Panel

Walgreens

NEW

MAXIMUM STRENGTH

Wart Remover

Gel

Salicylic Acid

- Safely removes common & plantar warts
- Convenient & easy
- No-drip formula

NET WT .25 OZ (7 g)



MAXIMUM STRENGTH

Wart Remover Gel



WALGREENS PHARMACIST RECOMMENDED*

NEW

MAXIMUM STRENGTH

Wart Remover Gel

Salicylic Acid

- Safely removes common & plantar warts
- Convenient & easy
- No-drip formula

NET WT .25 OZ (7 g)

Compare to Compound W® active ingredient**



Actual Size



† Walgreens Pharmacist Survey Study, November, 2010.
** This product is not manufactured or distributed by Mediatech Products, Inc., owner of the registered trademark Compound W®.

DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
walgreens.com ©2012 Walgreen Co.
MADE IN U.S.A.

Drug Facts

Active ingredient	Purpose
Salicylic acid 17% w/w.....	Wart remover

Use ■ for the removal of common and plantar warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance on the surface ■ the plantar wart is recognized by its location only on the bottom of the foot, its tenderness, and the interruption of the footprint pattern.

Warnings

For external use only. Flammable - keep away from fire and flame.

Do not use ■ if you are diabetic or have poor blood circulation, except under the advise and supervision of a doctor or podiatrist

Do not use on

- moles, birthmarks and warts with hair growing from them
- mucous membranes such as nose, anus, genitals and lips
- irritated, infected or reddened skin
- genital warts and warts on the face

When using this product ■ if product gets into the eye, flush with water for 15 minutes ■ avoid inhaling vapors

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

If discomfort persists see your doctor or podiatrist.

Directions

- after washing affected area, soak wart for 5 minutes in comfortably warm water ■ dry area thoroughly
- gently squeeze a drop of gel from tube and apply to wart. Apply one drop at a time to sufficiently cover each wart. ■ let dry
- repeat this procedure once or twice daily (until wart is removed) for up to 12 weeks

Other information store between 59° and 86°F (15° and 30°C)

Inactive ingredients camphor, castor oil, ethyl acetate, hydroxypropyl cellulose, hypophosphorous acid, isopropyl alcohol, nitrocellulose, polysorbate 80, SDA 3C ethyl alcohol

Questions? Call 1-866-964-0939

BWRGW-1

ORG0612

SALICYLIC ACID

wart remover gel gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-0219
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	0.17 g in 7 g

Inactive Ingredients

Ingredient Name	Strength
CAMPHOR (NATURAL) (UNII: N20HL7Q941)	
ALCOHOL (UNII: 3K9958V90M)	
ETHYL ACETATE (UNII: 76845O8NMZ)	
HYPOPHOSPHOROUS ACID (UNII: 8B1RL9B4ZJ)	
HYDROXYPROPYL CELLULOSE (1600000 WAMW) (UNII: RFW2ET671P)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
PYROXYLIN (UNII: KYR8BR2X6O)	
CASTOR OIL (UNII: D5340Y2I9G)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0219-25	7 g in 1 TUBE; Type 0: Not a Combination Product	08/24/2012	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part358B	08/24/2012	

Labeler - Walgreen Company (008965063)

Revised: 7/2021

Walgreen Company