SALICYLIC ACID- wart remover gel gel Walgreen Company

Walgreens Wart Remover Gel

Active ingredient

Salicylic acid 17%w/w

Purpose

Wart remover

Uses

- for the removal of common and plantar warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface.
- Plantar wart is recognized by its location only on the bottom of the foot, its tenderness and the interruption of the footprint pattern.

Warnings

For external use only.

Flammable

keep away from fire and flame

Do not use

- on moles, birth marks and warts with hair growing from them
- on mucous membranes such as nose, anus, genitals and lips
- on irritated, infected or reddened skin
- on genital warts and warts on the face
- if you are diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist

When using this product

- if product gets into the eyes, flush with water for 15 minutes
- avoid inhaling vapors

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

if discomfort persists

see your doctor or podiatrist.

Directions

- after washing affected area, soak wart in for 5 minutes in comfortably warm water
- dry area thoroughly
- apply one drop of gel at a time to sufficiently cover each wart
- let dry
- repeat this procedure once or twice daily (until wart is removed) for up to 12 weeks

Other information

store between 59°F to 86°F (15°C to 30°C)

Inactive ingredients

camphor, castor oil, ethyl acetate, hydroxypropyl cellulose, hypophosphorous acid, isopropyl alcohol, nitrocellulose, polysorbate 80, SDA 3C ethyl alcohol

Questions?

call 1-866-964-0939

Principle Display Panel

Walgreens

NEW

MAXIMUM STRENGTH

Wart Remover

Gel

Salicylic Acid

- Safely removes common & plantar warts
- Convenient & easy
- No-drip formula

NET WT .25 OZ (7 g)



Route of Administration

TOPICAL

Item Code (Source)

NDC:0363-0219

| | tive Ingredie | ent/Active Moi | ety | | | | |
|-----------------------|--|--|--|------------|--------------------|-------|-------------------|
| | | Ingredier | nt Name | | Basis of Str | ength | Strength |
| SA | ALICYLIC ACID (UNII: 0414PZ4LPZ) (SALICYLIC ACID - UNII:041 | | | PZ4LPZ) | SALICYLIC ACID | | 0.17 g in 7 g |
| | | | | | | | |
| In | active Ingred | lients | | | | | |
| | | | Ingredient Name | | | | Strength |
| CA | MPHOR (NATURA | L) (UNII: N20HL7Q9 | 941) | | | | |
| AL | COHOL (UNII: 3K9 | 958V90M) | | | | | |
| ET | HYL ACETATE (U | NII: 7684508NMZ) | | | | | |
| HY | POPHOSPHOROU | JS ACID (UNII: 8B1 | RL9B4ZJ) | | | | |
| HY | DROXYPROPYL C | ELLULOSE (1600 | 000 WAMW) (UNII: RFW2E | T671P) | | | |
| PO | LYSORBATE 80 (| UNII: 60ZP39ZG8H |) | | | | |
| PY | ROXYLIN (UNII: K) | | | | | | |
| • • | | RODRZAUU) | | | | | |
| | STOR OIL (UNII: [| | | | | | |
| | | | | | | | |
| | | | | | | | |
| CA | | | | | | | |
| CA | STOR OIL (UNII: E | 05340Y2I9G) | e Description | | ting Start Date | | eting End Date |
| CA Pa # | stor oil (UNII: E Ickaging Item Code | 05340Y2I9G) Packag | e Description e 0: Not a Combination | | Date | | - |
| CA Pa # | STOR OIL (UNII: E Ackaging Item Code NDC:0363-0219- | 05340Y2I9G) Packag 7 g in 1 TUBE; Type | • | C | Date | | |
| CA P <i>a</i> # | stor oil (UNII: E ackaging Item Code NDC:0363-0219- 25 | 95340Y2I9G) Packag 7 g in 1 TUBE; Type Product | e 0: Not a Combination | C | Date | | - |
| CA P <i>a</i> # | stor oil (UNII: E ackaging Item Code NDC:0363-0219- 25 | 05340Y2I9G) Packag 7 g in 1 TUBE; Type | e 0: Not a Combination | C | Date | | |
| CA P <i>a</i> # | stor oil (UNII: E ackaging Item Code NDC:0363-0219- 25 | Packag 7 g in 1 TUBE; Type Product | e 0: Not a Combination | 08/24/2012 | Date | | - |

Labeler - Walgreen Company (008965063)

Revised: 2/2024

Walgreen Company