

STOMACH RELIEF MAXIMUM STRENGTH- bismuth subsalicylate liquid

CVS Pharmacy

Drug Facts

Active ingredient (in each 15 mL dose)

Bismuth subsalicylate 525 mg

Purpose

Upset stomach reliever/Antidiarrheal

Uses

relieves

- travelers' diarrhea
- diarrhea
- upset stomach due to overindulgence in food and drink, including:
 - heartburn
 - indigestion
 - nausea
 - gas
 - fullness
 - belching

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Contains salicylate. Do not take if you are

- allergic to salicylates (including aspirin)
- taking other salicylate products

Do not use

if you have

- an ulcer
- a bleeding problem
- bloody or black stool

Ask a doctor before use if you have

- fever
- mucus in the stool

Ask a doctor or pharmacist before use if you are

taking any drug for

- diabetes
- gout
- arthritis
- anticoagulation (thinning the blood)

When using this product

a temporary, but harmless, darkening of the stool and/or tongue may occur.

Stop use and ask a doctor if

- symptoms get worse or last more than 2 days
- ringing in the ears or loss of hearing occurs
- diarrhea lasts more than 2 days

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- do not take more than 8 doses (120 mL) in 24 hours
- use until diarrhea stops but not more than 2 days
- drink plenty of clear fluids to help prevent dehydration caused by diarrhea
- mL = milliliter
- shake well before using
- measure only with dosing cup provided. Do not use any other dosing device
- keep dosing cup with product
- adults and children 12 years and over:
 - 15 mL (1 dose) every 1/2 or 30 mL (2 doses) every hour as needed
diarrhea/traveler's diarrhea
 - 15 mL (1 dose) every 1/2 hour as needed for overindulgence (upset stomach, heartburn, indigestion, nausea)
- children under 12 years of age: ask a doctor

Other information

- **each 15 mL contains:** sodium 5 mg
- **each 15 mL contains:** salicylate 206 mg
- low sodium
- keep tightly closed

- protect from freezing
- avoid excessive heat (over 104°F or 40°C)

Inactive ingredients

benzoic acid, D&C red #22, D&C red #28, flavor, glycerin, purified water, sucralose, xanthan gum

Questions or comments?

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

Principal Display Panel

Compare to the active ingredient in Pepto-Bismol® Ultra*

MAXIMUM STRENGTH

Stomach Relief

BISMUTH SUBSALICYLATE 525 mg PER 15 mL

Upset Stomach Reliever/Antidiarrheal

(Bismuth Subsalsicylate 525 mg)

Soothing Relief For 5 Symptoms:

- Heartburn
- Indigestion
- Upset stomach
- Diarrhea
- Nausea

FL OZ (mL)

*This product is not manufactured or distributed by The Procter & Gamble Company. Pepto-Bismol® is a registered trademark of The Procter & Gamble Company.

TAMPER EVIDENT; DO NOT USE IF PRINTED SAFETY SEAL AROUND DOSAGE CUP OR UNDER CAP IS BROKEN OR MISSING.

Distributed by:

CVS Pharmacy, Inc.

One CVS Drive

Woonsocket, RI 02895

Package Label



Compare to the active ingredient in Pepto-Bismol® Ultra*
NDC 69842-229-12

MAXIMUM STRENGTH Stomach Relief

**BISMUTH SUBSALICYLATE,
525 mg/15 mL**

Upset stomach reliever/
Antidiarrheal

Relieves 5 symptoms

- Nausea
- Heartburn
- Indigestion
- Upset stomach
- Diarrhea

2x
CONCENTRATED
FORMULA*

PLD-A494A LB009946

12 FL OZ (354 mL)

Drug Facts

Active ingredient

(in each 15 mL dose)

Bismuth subsalicylate 525 mg Upset stomach
reliever/Antidiarrheal

Purpose

Uses

- relieves ■ diarrhea ■ traveler's diarrhea
- upset stomach due to overindulgence in food and drink,
including ■ heartburn ■ gas ■ indigestion
- nausea ■ fullness ■ belching


*This product is not manufactured or distributed by The Procter & Gamble Company. Pepto-Bismol® is a registered trademark of The Procter & Gamble Company. vs. Original Pepto-Bismol®

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND DOSAGE CUP OR UNDER CAP IS BROKEN OR MISSING.

Distributed by: CVS Pharmacy, Inc.
One CVS Drive, Woonsocket, RI 02886
© 2024 CVS/pharmacy
CVS.com® 1-800-SHOP CVS

V-10679

100% money back guaranteed.
CVS.com/returnpolicy



100% recycled plastic
with 25% post-consumer
recycled content



PLASTIC BOTTLE
PLASTIC CUP

100% recycled plastic
with 25% post-consumer
recycled content

#120402



0 50428 25260 4

PLD-A494A LB009961

PEEL CORNER FOR MORE DRUG FACTS

Drug Facts (continued)

Warnings

Eye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Contains salicylate.

Do not take if you are:

- allergic to salicylates (including aspirin)
- taking other salicylate products

Do not use if you have:

- an ulcer
- a bleeding problem
- bloody or black stool

Ask a doctor before use if you have:

- fever
- mucus in the stool

Ask a doctor or pharmacist before use if you are taking any drug for


Drug Facts (continued)

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- do not take more than 8 doses (120 mL) in 24 hours
- use until diarrhea stops but not more than 2 days
- drink plenty of clear fluids to help prevent dehydration caused by diarrhea
- mL = milliliter
- shake well before using
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- adults and children 12 years and over:
 - 15 mL (1 dose) every 30 minutes or 30 mL (2 doses) every hour as needed for diarrhea/traveler's diarrhea
 - 15 mL (1 dose) every 30 minutes as needed for overindulgence (upset stomach, heartburn, indigestion, nausea)
- children under 12 years of age: ask a doctor



CVS HEALTH Stomach Relief

STOMACH RELIEF MAXIMUM STRENGTH

bismuth subsalicylate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69842-229
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BISMUTH SUBSALICYLATE (UNII: 62TEY51RR1) (BISMUTH CATION - UNII:ZS9CD1I8YE, SALICYLIC ACID - UNII:O414PZ4LPZ)	BISMUTH SUBSALICYLATE	525 mg in 15 mL

Inactive Ingredients

Ingredient Name	Strength
BENZOIC ACID (UNII: 8SKN0B0MIM)	
D&C RED NO. 22 (UNII: 1678RKX8RT)	
D&C RED NO. 28 (UNII: 767IP0Y5NH)	
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0KO0R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-229-12	355 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	01/31/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M008	01/31/2020	

Labeler - CVS Pharmacy (062312574)

Revised: 6/2024

CVS Pharmacy