

BOVA PRO 105 - iodine spray
AgroChem Inc

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click [here](#).

Bova Pro 105 Spray Concentrate

CONCENTRATE/MUST BE DILUTED FOR USE! NOTE: PRODUCT MAY SEPARATE IN STORAGE/

MIX THOROUGHLY BEFORE USING. (1:4 Mix by Volume)

AVOID FREEZING -

PRODUCT WILL BECOME

THICKER WITH COLD ☐

☐ **BovaPro Teat Spray is an aid in the prevention of organisms which may cause mastitis.** ☐

INGREDIENTS: WHEN MIXED FOR USE

Active Ingredient - Iodine 1.0%

Emollients - 5.0%

☐ **WARNING: keep away from children. If accidentally swallowed or taken internally, contact physician immediately.**

IMPORTANT: THIS IS A CONCENTRATE AND MUST BE DILUTED WITH WATER PRIOR TO USE. Mix one part concentrate to four parts of clean soft water. (mix by volume) ☐

DIRECTIONS FOR USE: Immediately after each cow is milked, spray, dip or foam teats with a (1:4) diluted solution of BovaPro 105 concentrated Teat Spray. The solution should be applied to the teat up to the base of the udder. At the end of lactation, the teats should be sprayed, dipped or foamed with BovaPro

Teat Spray for four days after last milking. If the solution is visibly dirty or contains sediment, use fresh solution.

BovaPro Concentrate 105 Teat Spray (1:4)

CONCENTRATE / MUST BE DILUTED FOR USE! NOTE: PRODUCT MAY SEPARATE IN STORAGE / MIX THOROUGHLY BEFORE USING. (1:4 Mix by Volume)

AVOID FREEZING - PRODUCT WILL BECOME THICKER WITH COLD.

BovaPro Teat Spray is an aid in the prevention of organisms which may cause mastitis.

INGREDIENTS: WHEN MIXED FOR USE

Active Ingredient - Iodine 1.0%
Emollients - 5.0 %

Lot#
Expiration date:

Container:



AgroChem

3 Duplainville Rd.
Saratoga Springs, NY 12866
(518) 226-4850

WARNING: keep away from children. If accidentally swallowed or taken internally, contact physician immediately.

IMPORTANT: THIS IS A CONCENTRATE AND MUST BE DILUTED WITH WATER PRIOR TO USE. Mix one part concentrate to four parts of clean soft water. (mix by volume)

DIRECTIONS FOR USE: Immediately after each cow is milked, spray, dip or foam teats with a (1:4) diluted solution of BovaPro 105 concentrated Teat Spray. The solution should be applied to the teat up to the base of the udder. At the end of lactation, the teats should be sprayed, dipped or foamed with BovaPro Teat Spray for four days after last milking. If the solution is visibly dirty or contains sediment, use fresh solution.

BOVA PRO 105

iodine spray

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:17307-1051
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	.01 kg in 1 kg

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	.025 kg in 1 kg
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	.025 kg in 1 kg
WATER (UNII: 059QF0KO0R)	.025 kg in 1 kg

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:17307-1051-1	19 kg in 1 CONTAINER		
2	NDC:17307-1051-2	57 kg in 1 DRUM		
3	NDC:17307-1051-3	208 kg in 1 DRUM		
4	NDC:17307-1051-4	1040 kg in 1 CONTAINER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		08/01/2013	

Labeler - AgroChem Inc (805427700)

Establishment

Name	Address	ID/FEI	Business Operations
AgroChem Inc		805427700	manufacture, api manufacture

Revised: 8/2013

AgroChem Inc