

**PAIN RELIEVER- aspirin tablet, coated**  
**Spirit Pharmaceuticals LLC**

-----  
**Pain Reliever**

***Drug Facts***

***Active Ingredient (in each tablet)***

Aspirin 325 mg (NSAID)\*\*

\*\*nonsteroidal anti-inflammatory drug

***Purpose***

Pain reliever

***Uses***

temporarily relieves minor aches and pains due to: • headache • minor arthritis pain • toothache • menstrual pain • colds • or as recommended by a doctor

***Warnings***

**Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

**Allergy alert:** Aspirin may cause a severe allergic reaction which may include: • hives • shock • facial swelling • asthma (wheezing)

**Stomach bleeding warning:** This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you • are age 60 or older • have had stomach ulcers or bleeding problems • take a blood thinning (anticoagulant) or steroid drug • take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others) • have 3 or more alcoholic drinks every day while using this product • take more or for a longer time than directed

**Do not use**

if you have ever had an allergic reaction to aspirin or any other pain reliever/fever reducer

**Ask a doctor before use if you**

- stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you are taking a diuretic
- you have asthma

### **Ask a doctor or pharmacist before use if you are**

if you are taking a prescription drug for diabetes, gout, or arthritis

### **Stop use and ask a doctor if**

- an allergic reaction occurs. Seek medical help right away.
- you experience any of the following signs of stomach bleeding:
  - feel faint
  - vomit blood
  - have bloody or black stools
  - fever gets worse or lasts for more than 3 days
  - have stomach pain that does not get better
  - pain gets worse or lasts more than 10 days
  - redness or swelling is present
  - any new symptoms appear
  - ringing in the ears or a loss of hearing occurs.

These could be signs of a serious condition.

### **If pregnant or breast-feeding,**

ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

### ***Directions***

- adults and children 12 years of age and over: take 1 to 2 tablets every 4 hours, while symptoms persist. Drink a full glass of water with each dose.
- do not take more than 12 tablets in 24 hours unless directed by a doctor
- children under 12 years of age: ask a doctor

### ***Other information***

- store between 20–25°C (68–77°F)

### ***Inactive ingredients***

Corn starch, croscarmellose sodium, D&C Yellow No. 10 Aluminum Lake, FD&C Yellow No. 6 Aluminum Lake, hypromellose, methacrylic acid copolymer, microcrystalline cellulose, mineral oil, polysorbate 80, simethicone, sodium hydroxide, sodium lauryl sulfate, talc, titanium dioxide, triethyl citrate

***Questions or comments?***

1-888-333-9792

**Distributed by:**

Cabinet Health P.B.C.

**Pouch**

PACKAGE NOT CHILD-RESISTANT



CABINET:

## Pain Reliever

Compare to the active ingredient in:  
Ecotrin® Regular Strength\*

**Active ingredient:**

ASPIRIN 325 MG (NSAID)\*\*

\*\*NONSTEROIDAL ANTI-INFLAMMATORY DRUG

**Relieves:**

Aches and Pains  
Headaches  
Backaches  
Menstrual Cramps

COMPOSTABLE REFILL POUCH

**Includes:**

50 x  Coated Tablet

1 x Magnetic Label

1 x Drug Facts Booklet

Certified



CABINET: The Sustainable Healthcare Co.™

### **PAIN RELIEVER**

aspirin tablet, coated

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:68210-4178
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>ASPIRIN</b> (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	325 mg

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>D&amp;C YELLOW NO. 10</b> (UNII: 35SW5USQ3G)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>METHACRYLIC ACID</b> (UNII: 1CS02G8656)	
<b>METHACRYLIC ACID - ETHYL ACRYLATE COPOLYMER (1:2)</b> (UNII: XRK36F13ZZ)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>MINERAL OIL</b> (UNII: T5L8T28FGP)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	
<b>SODIUM LAURYL SULFATE</b> (UNII: 368GB5141J)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>TRIETHYL CITRATE</b> (UNII: 8Z96QXD6UM)	

## Product Characteristics

<b>Color</b>	orange	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	T
<b>Contains</b>			

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:68210-4178-5	50 in 1 POUCH; Type 0: Not a Combination Product	11/23/2021	

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
---------------------------	---	-----------------------------	---------------------------

OTC Monograph Drug M013

11/23/2021

**Labeler** - Spirit Pharmaceuticals LLC (179621011)

Revised: 12/2023

Spirit Pharmaceuticals LLC