

**SINUS PE CONGESTION DAYTIME NIGHTTIME- diphenhydramine hcl,  
phenylephrine hcl  
Meijer Distribution, Inc.**

-----  
**Meijer 44-453485**

***Active ingredient (in each tablet) (Sinus Day)***

Phenylephrine HCl 10 mg

***Purpose***

Nasal decongestant

***Active ingredients (in each tablet) (Sinus Night)***

Diphenhydramine HCl 25 mg

Phenylephrine HCl 10 mg

***Purpose***

Antihistamine

Nasal decongestant

***Uses***

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
  - nasal congestion
  - sneezing (***Nighttime only***)
  - runny nose (***Nighttime only***)
  - itchy, watery eyes (***Nighttime only***)
  - itching of the nose or throat (***Nighttime only***)
- temporarily relieves these symptoms due to the common cold:
  - nasal congestion
  - sneezing (***Nighttime only***)
  - runny nose (***Nighttime only***)
- temporarily relieves sinus congestion and pressure

***Warnings***

**Do not use**

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- with any other product containing diphenhydramine, even one used on skin (***Nighttime only***)

**Ask a doctor before use if you have**

- heart disease
- diabetes

- thyroid disease
- high blood pressure
- difficulty in urination due to enlargement of the prostate gland
- a breathing problem such as emphysema or chronic bronchitis (**Nighttime only**)
- glaucoma (**Nighttime only**)

**Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers. (**Nighttime only**)

**When using this product**

- **do not exceed recommended dosage**
- excitability may occur, especially in children (**Nighttime only**)
- marked drowsiness may occur (**Nighttime only**)
- alcohol, sedatives, and tranquilizers may increase drowsiness (**Nighttime only**)
- avoid alcoholic beverages (**Nighttime only**)
- use caution when driving a motor vehicle or operating machinery (**Nighttime only**)

**Stop use and ask a doctor if**

- symptoms do not improve within 7 days or occur with fever
- nervousness, dizziness, or sleeplessness occur

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

**Read each section carefully. Do not take DAYTIME and NIGHTTIME products at the same time.**

**Directions**

- adults and children 12 years and over
  - take 1 tablet every 4 hours
  - do not take more than 6 tablets in 24 hours
- children under 12 years: do not use

**Other information**

- **each tablet contains:** calcium 25 mg (**Nighttime only**)
- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

**Inactive ingredients (Daytime only)**

croscarmellose sodium, dextrose monohydrate, dibasic calcium phosphate dihydrate, FD&C red #40, lecithin, magnesium stearate, maltodextrin, microcrystalline cellulose, silicon dioxide, sodium carboxymethylcellulose, sodium citrate dihydrate, titanium dioxide

**Inactive ingredients (Nighttime only)**

croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C blue #1 aluminum

lake, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, silicon dioxide, stearic acid, titanium dioxide, triacetin

**Questions or comments?**

**1-800-426-9391**

**Principal display panel**

**meijer®**

**COMBO PACK**

20 TABLETS TOTAL

NDC 79481-4534-1

COMPARE TO  
DAYTIME SUDAFED PE®  
SINUS CONGESTION ACTIVE INGREDIENT\*  
COMPARE TO  
NIGHTTIME SUDAFED PE®  
SINUS CONGESTION  
ACTIVE INGREDIENTS\*

<p><b>NON-DROWSY</b> <b>Daytime</b> <b>Sinus PE Congestion</b> <b>PHENYLEPHRINE HCl 10 mg</b> NASAL DECONGESTANT Pseudoephedrine Free Relieves Nasal Congestion <b>12</b> Tablets actual size</p>	<p><b>Nighttime</b> <b>Sinus PE Congestion</b> <b>DIPHENHYDRAMINE HCl 25 mg</b> <b>PHENYLEPHRINE HCl 10 mg</b> Antihistamine Nasal Decongestant Pseudoephedrine Free Relieves Nasal Congestion, Runny Nose <b>8</b> Tablets actual size</p>
---	---

**TAMPER EVIDENT: DO NOT USE IF  
PACKAGE IS OPENED OR IF BLISTER  
UNIT IS TORN, BROKEN OR SHOWS  
ANY SIGNS OF TAMPERING**

This product is not manufactured  
or distributed by Kenvue Inc., owner  
of the registered trademark Sudafed  
PE® Sinus Congestion Daytime  
and Nighttime.

50844 ORG082045348509

DIST. BY MEIJER  
DISTRUBUTION, INC.  
GRAND RAPIDS, MI 49544  
www.meijer.com

**Do not take the Daytime and Nighttime  
tablets at the same time.**

50844 ORG082045348509  
www.meijer.com  
GRAND RAPIDS, MI 49544  
DIST. BY MEIJER DISTRIBUTION, INC.

This product is not manufactured or distributed by Kenvue Inc., owner of the registered trademark Suddafed PE® Sinus Congestion Daytime and Nighttime.

5229167  
9 13733 97364 7

Do not take the Daytime and Nighttime tablets at the same time.

**Drug Facts** KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

Active ingredient (in each tablet)	Purpose
Phenylephrine HCl 10 mg	Nasal decongestant
<b>Active ingredients (in each tablet)</b>	<b>Purpose</b>
Diphenhydramine HCl 25 mg	Antihistamine
Phenylephrine HCl 10 mg	Nasal decongestant

**Uses**

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
  - nasal congestion
  - sneezing (Nighttime only)
  - runny nose (Nighttime only)
  - itchy, watery eyes (Nighttime only)
  - itching of the nose or throat (Nighttime only)
- temporarily relieves these symptoms due to the common cold:
  - nasal congestion
  - sneezing (Nighttime only)
  - runny nose (Nighttime only)
- temporarily relieves sinus congestion and pressure

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER IS TORN OR BROKEN. ALL SIGNS OF TAMPERING.

**Drug Facts (continued)**

**Warnings**

Do not use

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- with any other product containing diphenhydramine, even one used on skin (Nighttime only)

**Ask a doctor before use if you have**

- heart disease
- diabetes
- thyroid disease
- high blood pressure
- difficulty in urination due to enlargement of the prostate gland
- a breathing problem such as emphysema or chronic bronchitis (Nighttime only)
- glaucoma (Nighttime only)

**Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers. (Nighttime only)**

No print area  
Lot no./Exp date

**PEEL HERE FOR MORE DRUG FACTS**

50844 ORG082045348509

Do not take the Daytime and Nighttime tablets at the same time.

**meijer**  
NON-DROWSY  
**Daytime Sinus PE Congestion**

**Nighttime Sinus PE Congestion**

**meijer** **COMBO PACK** 20 TABLETS TOTAL

**NON-DROWSY Daytime Sinus PE Congestion**

**PHENYLEPHRINE HCl 10 mg**

Nasal Decongestant

Pseudoephedrine Free

Relieves Nasal Congestion

 actual size
 

12 Tablets

**Nighttime Sinus PE Congestion**

**DIPHENHYDRAMINE HCl 25 mg**  
**PHENYLEPHRINE HCl 10 mg**

Antihistamine  
Nasal Decongestant

Pseudoephedrine Free

Relieves Nasal Congestion,  
Runny Nose

 actual size
 

8 Tablets

**COMPARE TO DAYTIME SUDAFED PE® SINUS CONGESTION ACTIVE INGREDIENTS\***

**COMPARE TO NIGHTTIME SUDAFED PE® SINUS CONGESTION ACTIVE INGREDIENTS\***

**BOTTOM (INNER)**

**Drug Facts (continued)**

**When using this product**

- do not exceed recommended dosage
- excitability may occur, especially in children (Nighttime only)
- marked drowsiness may occur (Nighttime only)
- alcohol, sedatives, and tranquilizers may increase drowsiness (Nighttime only)
- avoid alcoholic beverages (Nighttime only)
- use caution when driving a motor vehicle or operating machinery (Nighttime only)

**Stop use and ask a doctor if**

- symptoms do not improve within 7 days or occur with fever
- nervousness, dizziness, or sleeplessness occur

**If pregnant or breast-feeding, ask a health professional before use.**

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Read each section carefully. Do not take DAYTIME and NIGHTTIME products at the same time.**

**Drug Facts (continued)**

**Directions**

- adults and children 12 years and over
- take 1 tablet every 4 hours
- do not take more than 6 tablets in 24 hours
- children under 12 years: do not use

**Other information**

- each tablet contains: calcium 25 mg (Nighttime only)
- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

**Inactive ingredients (Daytime only)**

croscarmellose sodium, dextrose monohydrate, dibasic calcium phosphate dihydrate, FD&C red #40, lecithin, magnesium stearate, maltodextrin, microcrystalline cellulose, silicon dioxide, sodium carboxymethylcellulose, sodium citrate dihydrate, titanium dioxide

**Drug Facts (continued)**

**Inactive ingredients (Nighttime only)**

croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C blue #1 aluminum lake, hydroxypropylcellulose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, silicon dioxide, stearic acid, titanium dioxide, triacetin

**(Questions or comments?) 1-800-426-9391**

\*This product is not manufactured or distributed by Kenvue Inc., owner of the registered trademark Suddafed PE® Sinus Congestion Daytime and Nighttime.

**DIST. BY MEIJER DISTRIBUTION, INC. GRAND RAPIDS, MI 49544 www.meijer.com**

ITEM 5229167-024-001  
50844  
ORG082045348509  
R-1214-453485-09DF

**OUR QUALITY GUARANTEE**

Do not take the Daytime and Nighttime tablets at the same time.

**meijer 44-453485**

<b>SINUS PE CONGESTION DAYTIME NIGHTTIME</b>			
diphenhydramine hcl, phenylephrine hcl kit			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:79481-4534

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79481-4534-1	1 in 1 CARTON; Type 0: Not a Combination Product	07/05/2023	

**Quantity of Parts**

Part #	Package Quantity	Total Product Quantity
Part 1	1 BLISTER PACK	12
Part 2	1 BLISTER PACK	8

**Part 1 of 2****SINUS PE CONGESTION DAYTIME**

phenylephrine hcl tablet, film coated

**Product Information**

Item Code (Source)	NDC:79481-7453
Route of Administration	ORAL

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg

**Inactive Ingredients**

Ingredient Name	Strength
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
DEXTRROSE MONOHYDRATE (UNII: LX22YL083G)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K679OBS311)	
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

**Product Characteristics**

Color	red	Score	no score
Shape	ROUND	Size	7mm
Flavor		Imprint Code	44;453
Contains			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79481-7453-2	12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	07/05/2023	

## Part 2 of 2

### SINUS PE CONGESTION NIGHTTIME

diphenhydramine hcl, phenylephrine hcl tablet, film coated

## Product Information

Item Code (Source)	NDC:79481-7485
Route of Administration	ORAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>DIBASIC CALCIUM PHOSPHATE DIHYDRATE</b> (UNII: 07TSZ97GEP)	
<b>FD&amp;C BLUE NO. 1 ALUMINUM LAKE</b> (UNII: J9EQA3S2JM)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYDEXTROSE</b> (UNII: VH2XOU12IE)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>TRIACETIN</b> (UNII: XHX3C3X673)	

## Product Characteristics

Color	blue	Score	no score
Shape	OVAL	Size	11mm
Flavor		Imprint Code	44;485
Contains			

<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79481-7485-3	8 in 1 BLISTER PACK; Type 0: Not a Combination Product		

  

<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	07/05/2023	

  

<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	07/05/2023	

**Labeler** - Meijer Distribution, Inc. (006959555)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(79481-4534) , pack(79481-4534)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(79481-4534)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	manufacture(79481-4534)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(79481-4534)

Revised: 7/2023

Meijer Distribution, Inc.