

**BLT SKIN CREAM- benzocaine, lidocaine, tetracaine cream**  
**M2B Pharma LLC**

-----  
**BLT Skin Cream**

**DRUG FACTS**

**Active ingredient**

Benzocaine 20%

**Purpose**

Topical anesthetic

**Active ingredient**

Lidocaine 4%

**Purpose**

Topical analgesic

**Active ingredient**

Tetracaine 1%

**Purpose**

Topical analgesic

**Uses**

For temporary relief of pain

**Warnings**

**For external use only**

**Do not use**

- On wounds or damaged, broken or irritated skin
- In large quantities
- At the same time as other topical analgesics or anesthetics
- If you are currently taking medication to control heart rate or rhythm or if you have

any type of heart disease

- If you are allergic to PABA, benzocaine, lidocaine, tetracaine or other sulfonamides (sulfa) type drugs
- If you are under the age of 17

### **When using this product**

- Use only as directed. Read and follow all directions and warnings on this label.
- Avoid contact with eyes or mucous membrane
- Do not bandage or cover with any type of clear occlusive dressing
- Do not apply local heat (such as heating pad) to area of use

### **Stop use and ask a doctor if**

- If redness or skin irritation is present at application site
- Condition worsens
- Symptoms persist for more than 7 days or clear up and occur again within a few days
- You have any heart conditions

### **If pregnant or breast-feeding,**

ask a health professional before use.

### **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

#### **Adults and children over 17 years of age:**

- Apply to affected area of pain no more than 3-4 times per day. Do not cover with any occlusive dressing

#### **Do not use on children 17 years and younger without consulting a doctor.**

### **Other Information**

- Store at 20-25 degrees C (68-77 degrees F).
- Store away from heat, sunlight, and excessive heat or humidity

### **Inactive Ingredients**

behentrimonium chloride, caprylic/capric triglyceride, cetearyl alcohol, citric acid, dimethyl isosorbide, ethylhexylglycerin, PEG-150 distearate, phenoxyethanol, polyquaternium-37, water

### **Questions?**

1-877-760-1881

[www.bltskincream.com](http://www.bltskincream.com)

# Principal Display Panel

Lot# 21441  
Expiration date: 11/24/2023  
Distributed by:  
M2B Pharma,  
St. Petersburg, FL 33707



## BLT SKIN CREAM

Benzocaine + Lidocaine + Tetracaine

Net Wt. 1 oz (30g)

NDC 73341-001-30

### Drug Facts

#### Active Ingredients

Active Ingredients	Purpose
Benzocaine 20%	Topical anesthetic
Lidocaine 4%	Topical anesthetic
Tetracaine 1%	Topical anesthetic

Tamper evident: Do not use if seal is broken or missing



<p><b>Drug Facts (continued)</b></p> <p><b>Use</b> For temporary relief of pain</p> <p><b>Warnings</b></p> <p>For external use only</p> <ul style="list-style-type: none"> <li>on wounds or damaged, broken or irritated skin</li> <li>in large quantities</li> <li>at the same time as other topical analgesics or anesthetics</li> <li>if you are currently taking medication to control heart rate or rhythm or if you have any type of heart disease</li> <li>if you are allergic to PABA, benzocaine, lidocaine, tetracaine or other sulfonamides (sulfa) type drugs</li> <li>if you are under the age of 17</li> </ul> <p><b>When using this product</b></p> <ul style="list-style-type: none"> <li>use only as directed. Read and follow all directions and warnings on this label</li> <li>avoid contact with eyes or mucous membranes</li> <li>do not bandage or cover with any type of occlusive dressing</li> <li>do not apply local heat (such as heating pad) to area of use</li> </ul> <p><b>Stop use and ask a doctor if</b></p> <ul style="list-style-type: none"> <li>redness or skin irritation is present at application site</li> <li>condition worsens</li> <li>symptoms persist for more than 7 days or clear up and occur again within a few days</li> <li>you have any heart conditions</li> </ul> <p><b>If pregnant or breastfeeding, ask a healthcare professional before use.</b></p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p>	<p><b>Directions</b></p> <p>Adults and children 17 years and over:</p> <ul style="list-style-type: none"> <li>apply to affected area of pain no more than 3-4 times per day. Do not cover with any occlusive dressing</li> </ul> <p>Do not use on children 17 years and younger, without consulting a doctor.</p> <p><b>Other information</b></p> <ul style="list-style-type: none"> <li>store at 20-25 degrees C (68-77 degrees F). Store away from heat, sunlight, and excessive heat or humidity</li> </ul> <p><b>Inactive ingredients</b></p> <p>behentrimonium chloride, caprylic/capric triglyceride, cetearyl alcohol, citric acid, dimethyl isosorbide, ethylhexylglycerin, PEG-150 distearate, phenoxyethanol, polyquaternium-37, water</p> <p><b>Questions? 1-877-760-1881</b> <a href="http://www.bltskincream.com">www.bltskincream.com</a></p>	<p><b>Directions</b></p> <p>Adults and children 17 years and over:</p> <ul style="list-style-type: none"> <li>apply to affected area of pain no more than 3-4 times per day. Do not cover with any occlusive dressing</li> </ul> <p>Do not use on children 17 years and younger, without consulting a doctor.</p> <p><b>Other information</b></p> <ul style="list-style-type: none"> <li>store at 20-25 degrees C (68-77 degrees F). Store away from heat, sunlight, and excessive heat or humidity</li> </ul> <p><b>Inactive ingredients</b></p> <p>behentrimonium chloride, caprylic/capric triglyceride, cetearyl alcohol, citric acid, dimethyl isosorbide, ethylhexylglycerin, PEG-150 distearate, phenoxyethanol, polyquaternium-37, water</p> <p><b>Questions? 1-877-760-1881</b> <a href="http://www.bltskincream.com">www.bltskincream.com</a></p>
--	---	---

#### Drug Facts (continued)

**When using this product**

- use only as directed. Read and follow all directions and warnings on this label
- avoid contact with eyes or mucous membrane
- do not bandage or cover with any type of occlusive dressing
- do not apply local heat (such as heating pad) to area of use

**Stop use and ask a doctor if**

- redness or skin irritation is present at application site
- condition worsens
- symptoms persist for more than 7 days or clear up and occur again within a few days
- you have any heart conditions

**If pregnant or breastfeeding, ask a healthcare professional before use.**

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Drug Facts (continued)

**Directions**

Adults and children 17 years and over:

- apply to affected area of pain no more than 3-4 times per day. Do not cover with any occlusive dressing

Do not use on children 17 years and younger, without consulting a doctor.

**Other information**

- store at 20-25 degrees C (68-77 degrees F). Store away from heat, sunlight, and excessive heat or humidity

**Inactive ingredients**

behentrimonium chloride, caprylic/capric triglyceride, cetearyl alcohol, citric acid, dimethyl isosorbide, ethylhexylglycerin, PEG-150 distearate, phenoxyethanol, polyquaternium-37, water

**Questions? 1-877-760-1881**  
[www.bltskincream.com](http://www.bltskincream.com)

## BLT SKIN CREAM

Benzocaine + Lidocaine + Tetracaine

Net Wt 1 oz (30 g)

NDC# 73341-001-30

**M2B**

Distributed by:  
M2B Pharma  
St. Petersburg, FL 33707  
[www.bltskincream.com](http://www.bltskincream.com)



GTIN: 00373341001303  
Lot/Batch: 21441  
Expiration: 11-24-2023

## BLT SKIN CREAM

benzocaine, lidocaine, tetracaine cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:73341-001
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BENZOCAINE</b> (UNII: U3RSY48JW5) (BENZOCAINE - UNII:U3RSY48JW5)	BENZOCAINE	0.2 g in 1 g
<b>TETRACAINE</b> (UNII: 0619F35CGV) (TETRACAINE - UNII:0619F35CGV)	TETRACAINE	0.01 g in 1 g
<b>LIDOCAINE</b> (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.04 g in 1 g

## Inactive Ingredients

Ingredient Name	Strength
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>DIMETHYL ISOSORBIDE</b> (UNII: SA6A6V432S)	
<b>POLYQUATERNIUM 37 (200 MPA.S)</b> (UNII: 67C1D6YV24)	
<b>BEHENTRIMONIUM CHLORIDE</b> (UNII: X7GNG3S47T)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>PEG-150 DISTEARATE</b> (UNII: 6F36Q0I0AC)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73341-001-30	30 g in 1 JAR; Type 0: Not a Combination Product	02/04/2020	
2	NDC:73341-001-01	454 g in 1 JAR; Type 0: Not a Combination Product	12/23/2020	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	02/04/2020	

**Labeler** - M2B Pharma LLC (117182771)

Revised: 10/2023

M2B Pharma LLC