

SODIUM BICARBONATE- sodium bicarbonate tablet
Westminster Pharmaceuticals, LLC

Sodium Bicarbonate

Drug Facts

Active ingredient (in each tablet)

Sodium Bicarbonate 10 gr (650 mg)

Purpose

Antacid

Uses

relieves

- acid indigestion
- heartburn
- sour stomach
- upset stomach associated with these symptoms

Warnings

Do not use this product if you are on a sodium-restricted diet unless directed by a doctor. Do not take more than 24 tablets for adults up to 60 years of age (or 12 tablets for adults 60 years of age and older) in a 24 hour period nor use maximum dosage for more than 2 weeks, except under the advice and supervision of a physician. As with any drug, if you are pregnant or nursing a baby, seek advice of a health professional before using this product.

Stomach Warning

TO AVOID SERIOUS INJURY, DO NOT TAKE UNTIL TABLET IS COMPLETELY DISSOLVED IT IS VERY IMPORTANT NOT TO TAKE THIS PRODUCT WHEN OVERLY FULL FROM FOOD OR DRINK.

Consult a doctor if severe stomach pain occurs after taking this product.

Drug Interaction Precaution

Ask a physician or pharmacist before use if you are presently taking a prescription drug.
Antacids may interact with certain prescription drugs.

KEEP THIS AND ALL DRUGS OUT OF THE REACH OF CHILDREN. In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.

Directions

Adults

Take 1 tablet, dissolved in a glass of water, as needed. Maximum daily dose for adults up to 60 years of age is 24 tablets. Maximum daily dose for adults 60 years of age or older is 12 tablets. Dissolve completely in water before drinking.

DO NOT EXCEED RECOMMENDED DOSE. Not recommended for children.

Other information

- each tablet contains: sodium 178 mg (7.74 mEq)
- store at room temperature 15°-30°C (59°-86°F) in a well-closed container as defined in the USP

Inactive ingredients

Microcrystalline cellulose and stearic acid

Questions or comments?

Call 1-844-221-7294 M-F (9 a.m. to 5 p.m. EST)

PRINCIPAL DISPLAY PANEL - 1000 Tablet Bottle Label

NDC 69367-258-10

Sodium Bicarbonate
Tablets, USP

10 gr (650 mg)

ANTACID

THIS PACKAGE FOR HOUSEHOLDS
WITHOUT YOUNG CHILDREN.

1000 Tablets

Westminster
Pharmaceuticals

NDC 69367-258-10

Sodium Bicarbonate Tablets, USP

10 gr (650 mg)
ANTACID

 THIS PACKAGE FOR HOUSEHOLDS
WITHOUT YOUNG CHILDREN.

1000 Tablets

WP Westminster
Pharmaceuticals

 TAMPER EVIDENT: DO NOT USE IF IMPRINTED
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

Drug Facts

Active ingredient (in each tablet)

Sodium Bicarbonate 10 gr (650 mg)

Purpose

Antacid

Uses

relieves • acid indigestion • heartburn • sour stomach • upset stomach associated with these symptoms

Warnings

Do not use this product if you are on a sodium-restricted diet unless directed by a doctor. Do not take more than 24 tablets for adults up to 60 years of age (or 12 tablets for adults 60 years of age and older) in a 24 hour period nor use maximum dosage for more than 2 weeks, except under the advice and supervision of a physician. As with any drug, if you are pregnant or nursing a baby, seek advice of a health professional before using this product.

Stomach Warning: TO AVOID SERIOUS INJURY, DO NOT TAKE UNTIL TABLET IS COMPLETELY DISSOLVED IT IS VERY IMPORTANT NOT TO TAKE THIS PRODUCT WHEN OVERLY FULL FROM FOOD OR DRINK.

Consult a doctor if severe stomach pain occurs after taking this product.

Drug Interaction Precaution: Ask a physician or pharmacist before use if you are presently taking a prescription drug. **Antacids may interact with certain prescription drugs.**

KEEP THIS AND ALL DRUGS OUT OF THE REACH OF CHILDREN. In case of accidental overdose, seek professional assistance or contact a Poison Control Center immediately.


Directions

Adults: take 1 tablet, dissolved in a glass of water, as needed. Maximum daily dose for adults up to 60 years of age is 24 tablets. Maximum daily dose for adults 60 years of age or older is 12 tablets. Dissolve completely in water before drinking. **DO NOT EXCEED RECOMMENDED DOSE.** Not recommended for children.

Other information • each tablet contains: sodium 178 mg (7.74 mEq) • store at room temperature 15°-30°C (59°-86°F) in a well-closed container as defined in the USP

Inactive ingredients Microcrystalline cellulose and stearic acid

Questions or comments? Call 1-844-221-7294 M-F (9 a.m. to 5 p.m. EST)

 Manufactured for:
Westminster Pharmaceuticals, LLC
Nashville, TN 37217
Rev. 09/22


SODIUM BICARBONATE

sodium bicarbonate tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69367-258
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO) (BICARBONATE ION - UNII:HN1Z RA3Q20)	SODIUM BICARBONATE	650 mg

Inactive Ingredients

Ingredient Name	Strength
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
STEARIC ACID (UNII: 4ELV7Z 65AP)	

Product Characteristics

Color	WHITE	Score	no score
Shape	ROUND	Size	10mm
Flavor		Imprint Code	S65
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69367-258-10	1000 in 1 BOTTLE; Type 0: Not a Combination Product	10/10/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M001	10/10/2022	

Labeler - Westminster Pharmaceuticals, LLC (079516651)

Revised: 10/2022

Westminster Pharmaceuticals, LLC