REFRESH TEARS PF- carboxymethylcellulose sodium, glycerin solution/ drops Allergan, Inc.

REFRESH TEARS PF Drug Facts

Active ingredients

Carboxymethylcellulose sodium 0.5%

Glycerin 0.9%

Purpose

Eye lubricant

Eye lubricant

Uses

- For the temporary relief of burning, irritation, and discomfort due to dryness of the eye or exposure to wind or sun.
- For use as a protectant against further irritation or to relieve dryness of the eye.

Warnings

- For external use only.
- To avoid contamination, do not touch tip of container to any surface.
 Replace cap after using.
- If solution changes color, do not use.

Stop use and ask a doctor if

you experience eye pain, changes in vision, continued redness or irritation of the eye, or if the condition worsens or persists for more than 72 hours.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Instill 1 or 2 drops in the affected eye(s) as needed.
- Prior to first use, please read the "Instructions For Use" inside this carton.

Other information

- Use only if tape seals on top and bottom flaps are intact.
- Use before expiration date marked on container.
- Discard 90 days after opening.

- Store at 59°-77°F (15°-25°C).
- RETAIN THIS CARTON AND THE INSERT FOR FUTURE REFERENCE.

Inactive ingredients

Boric acid; calcium chloride dihydrate; erythritol; levocarnitine; magnesium chloride hexahydrate; potassium chloride; purified water; sodium borate decahydrate; and sodium citrate dihydrate.

Questions or comments?

1.800.678.1605

refresheyedrops.com

v1.0DFL1101

PRINCIPAL DISPLAY PANEL

NDC 0023-3110-10

PRESERVATIVE-FREE

Refresh Tears® PF Lubricating Eye Drops



REFRESH TEARS PF

carboxymethylcellulose sodium, glycerin solution/ drops

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0023-3110	
Route of Administration	OPHTHALMIC			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K6790BS311) (CARBOXYMETHYLCELLULOSE - UNII:05JZ17B19X)	CARBOXYMETHYLCELLULOSE SODIUM	5 mg in 1 mL		
GLYCERIN (UNII: PDC6A3C0OX) (GLYCERIN - UNII:PDC6A3C0OX)	GLYCERIN	9 mg in 1 mL		

Inactive Ingredients		
Ingredient Name	Strength	
BORIC ACID (UNII: R57ZHV85D4)		
CALCIUM CHLORIDE (UNII: M4I0D6VV5M)		
ERYTHRITOL (UNII: RA96B954X6)		
LEVOCARNITINE (UNII: 0G389FZZ9M)		
MAGNESIUM CHLORIDE (UNII: 02F3473H9O)		
POTASSIUM CHLORIDE (UNII: 660YQ98I10)		
WATER (UNII: 059QF0KO0R)		
SODIUM BORATE (UNII: 91MBZ8H3QO)		
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)		

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0023- 3110-10	1 in 1 CARTON	03/01/2024	
1		10 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		
2	NDC:0023- 3110-35	1 in 1 CARTON	03/01/2024	
2		10 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		
3	NDC:0023- 3110-50	1 in 1 CARTON	03/01/2024	
3		3.5 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M018	03/01/2024		

Labeler - Allergan, Inc. (144796497)

Revised: 3/2024 Allergan, Inc.