

EAR WAX RMVL RITE AID- carbamide peroxide 6.5% liquid
Rite Aid

Rite Aid Earwax Bottle

Active ingredient

Carbamide peroxide 6.5%

Purpose

Earwax removal aid

Uses

For occasional use as an aid to soften, loosen and remove excessive earwax

Warnings

Ask doctor before use if you have • ear drainage or discharge • ear pain • irritation or rash in ear • dizziness • an injury or perforation (hole) of the eardrum • recently had ear surgery

When using this product avoid contact with eyes

Stop use and ask a doctor if you need to use for more than four days • excessive earwax remains after use of this product

Keep out of reach of the children

If product is swallowed, get medical help or contact a Poison Control Center right away

Directions For use in the ear only.

Adults and children over 12 years of age:

- tilt head sideways and place 5 to 10 drops into ear
- tip of applicator should not enter ear canal
- keep drops in ear for several minutes by keeping head tilted or placing cotton in the ear
- use twice daily for up to 4 days if needed, or as directed by a doctor
- any wax remaining after treatment may be removed by gently flushing the ear with warm water, using a soft rubber bulb ear syringe

Children under 12 years of age: consult a doctor.

Citric Acid, Flavor, Glycerin, Propylene Glycol, Sodium Lauroyl Sarcosinate, Sodium Stannate, Water

Rite Aid Earwax Kit

Drug Facts

Active ingredient	Purpose
Carbamide Peroxide 6.5%.....	Earwax removal aid

Use For occasional use as an aid to soften, loosen and remove excessive earwax.

Warnings

Do not use ■ if you have ear drainage or discharge, ear pain, irritation, or rash in the ear or are dizzy; consult a doctor ■ if you have an injury or perforation (hole) of the ear or after ear surgery, unless directed by a doctor ■ for more than 4 consecutive days. If excessive earwax remains after use of this product, consult a doctor.

When using this product avoid contact with the eyes

Stop use and ask a doctor if ■ you need to use for more than four days ■ excessive earwax remains after a four day treatment with this product

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions**FOR USE IN THE EAR ONLY**

Remove any hearing aids before use

Adults and children over 12 yrs of age: tilt head to the side and place 5 to 10 drops into the ear canal.

■ Tip of applicator should not enter into the ear canal

■ Keep drops in ear for several minutes by keeping head tilted sideways or placing cotton in the ear.

■ Use twice daily for up to 4 days if needed, or as directed by a doctor ■ Any wax remaining after treatment may be removed by gently flushing the ear with warm water, using a soft rubber bulb ear syringe.

Children under 12 yrs of age: Consult a physician.

Continued ▶

* This product is not manufactured or distributed by Prestige Brands Inc., owner of the registered trademark Debrox®.

DISTRIBUTED BY: RITE AID
30 HUNTER LANE, CAMP HILL, PA 17011
www.riteaid.com

(Drug Facts continued)**Other information**

■ do not store above 77°F (25°C) ■ store bottle in outer carton ■ product foams on contact with earwax due to the release of oxygen. There may be an associated "cracking" sound. ■ keep cap on bottle when not in use

Inactive ingredients

Citric Acid, Flavor, Glycerin, Propylene Glycol, Sodium Lauryl Sarcosinate, Sodium Stannate, Purified Water.

IMPORTANT

Keep this carton for future reference on full labeling.

SATISFACTION**GUARANTEE:**

If you're not satisfied, we'll happily refund your money.

**EARWAX
REMOVAL
DROPS**

carbamide peroxide 6.5%

Compare to the active ingredient in **Debrox® Ear Drops***

FREE | **GLUTEN**
F R M | **FREE**

**EARWAX
REMOVAL
DROPS**

carbamide peroxide 6.5%

safe, gentle,
non-irritating

easily cleanses ear
with microfoam action



0.5 FL OZ (15 mL)

SEALED FOR YOUR PROTECTION. DO NOT USE IF SHRINKBAND ON BOTTLE IS BROKEN OR MISSING AT TIME OF PURCHASE.



ACTUAL SIZE
BOTTLE



EARWAX REMOVAL DROPS

carbamide
peroxide 6.5%



0.5 FL OZ
(15 mL)

DO NOT USE IF SHRINK BAND ON BOTTLE IS BROKEN OR MISSING.

Drug Facts

Active ingredient

Carbamide peroxide 6.5% non USP* Earwax removal aid
*pH differs from USP specifications

Purpose

Earwax removal aid

Use For occasional use as an aid to soften, loosen and remove excessive earwax.

Warnings

Ask a doctor before use if you have ■ ear drainage or discharge ■ ear pain, irritation, or rash in the ear ■ recently had ear surgery ■ dizziness ■ an injury or perforation (hole) of the eardrum

When using this product avoid contact with the eyes

Stop use and ask a doctor if ■ you need to use for more than four days ■ excessive earwax remains after a four day treatment with this product

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions FOR USE IN THE EAR ONLY. Remove any hearing aids before use

Adults and children over 12 yrs of age: tilt head to the side and place 5 to 10 drops into the ear canal. ■ Tip of applicator should not enter into the ear canal ■ Keep drops in ear for several minutes by keeping head tilted sideways or placing cotton in the ear. ■ Use twice daily for up to 4 days if needed, or as directed by a doctor ■ Any wax remaining after treatment may be removed by gently flushing the ear with warm water using a soft rubber bulb ear syringe.

Children under 12 yrs of age: Consult a physician.

Inactive ingredients Citric Acid, Flavor, Glycerin, Propylene Glycol, Sodium Lauryl Sarcosinate, Sodium Stannate, Purified Water.

RETAIN OUTER CARTON FOR FULL LABELING.

DISTRIBUTED BY: MTE-AID, 200 NEWBERRY COMMONS, ETTES, PA 17319 www.mteaid.com R12202Z

EARWAX REMOVAL DROPS

carbamide peroxide 6.5%

Compare to the active
ingredient in **Debrox® Ear Drops***

EARWAX REMOVAL DROPS

carbamide peroxide 6.5%

safe, gentle,
non-irritating

easily cleanses ear
with microfoam action

SEALED FOR YOUR
PROTECTION.
DO NOT USE IF
SHRINKBAND
ON BOTTLE IS
BROKEN OR MISSING
AT TIME OF
PURCHASE.



(Drug Facts continued)

Other information

■ do not store above 77°F (25°C) ■ store bottle in outer carton ■ product foams on contact with earwax due to the release of oxygen. There may be an associated "crackling" sound. ■ keep cap on bottle when not in use

Inactive ingredients

Citric Acid, Flavor, Glycerin, Propylene Glycol, Sodium Lauroyl Sarcosinate, Sodium Stannate, Purified Water.

IMPORTANT

Keep this carton for future reference on full labeling.

**SATISFACTION
GUARANTEE:**
If you're not satisfied,
we'll happily refund
your money.

Drug Facts

Active ingredient	Purpose
Carbamide Peroxide 6.5%.....	Earwax removal aid

Use For occasional use as an aid to soften, loosen and remove excessive earwax.

Warnings

For external use only

Ask a doctor before use if you have ■ ear drainage or discharge ■ ear pain, irritation, or rash in the ear ■ recently had ear surgery ■ dizziness ■ an injury or perforation (hole) of the eardrum

When using this product avoid contact with the eyes. Stop use and ask a doctor if ■ you need to use for more than four days ■ excessive earwax remains after a four day treatment with this product

Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

FOR USE IN THE EAR ONLY

Remove any hearing aids before use

Adults and children over 12 yrs of age: tilt head to the side and place 5 to 10 drops into the ear canal.

■ Tip of applicator should not enter into the ear canal

■ Keep drops in ear for several minutes by keeping head tilted sideways or placing cotton in the ear.

■ Use twice daily for up to 4 days if needed, or as directed by a doctor ■ Any wax remaining after treatment may be removed by gently flushing the ear with warm water, using a soft rubber bulb ear syringe.

Children under 12 yrs of age: Consult a physician.

Continued▶

* This product is not manufactured or distributed by Prestige Brands Inc., owner of the registered trademark Debrox®.

DISTRIBUTED BY: RITE AID
30 HUNTER LANE, CAMP HILL, PA 17011
www.riteaid.com



PHARMACY

0.5 FL OZ (15 mL)

Knockout for
Date Code Area



0 11822 03491 3



EAR WAX RMVL RITE AID

carbamide peroxide 6.5% liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-1224
Route of Administration	AURICULAR (OTIC)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CARBAMIDE PEROXIDE (UNII: 31PZ2VAU81) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	CARBAMIDE PEROXIDE	6.5 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	

SODIUM LAUROYL SARCOSINATE (UNII: 632GS99618)	
SODIUM STANNATE (UNII: NJ7C1V83KG)	
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-1224-1	15 mL in 1 BOTTLE; Type 0: Not a Combination Product	10/04/2011	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M014	10/04/2011	

Labeler - Rite Aid (014578892)

Registrant - Pharma Nobis, LLC (118564114)

Establishment

Name	Address	ID/FEI	Business Operations
Pharma Nobis, LLC		118564114	manufacture(11822-1224) , label(11822-1224)

Revised: 12/2023

Rite Aid