# PAIN RELIEVER PM EXTRA STRENGTH- acetaminophen, diphenhydramine hcl tablet, coated CVS Pharmacy

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

### **Drug Facts**

# Active ingredients (in each geltab) Acetaminophen 500 mg

Diphenhydramine HCI 25 mg

# **Purpose**

#### Pain reliever

Nighttime sleep-aid

#### **Uses**

temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness

# **Warnings**

**Liver warning**: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away

#### Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any other product containing diphenhydramine, even one used on skin

- in children under 12 years of age
- if you have ever had an allergic reaction to this product or any of its ingredients

# Ask a doctor before use if you have

- liver disease
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland
- glaucoma

# Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

# When using this product

- drowsiness will occur
- avoid alcoholic drinks
- do not drive a motor vehicle or operate machinery

# Stop use and ask a doctor if

- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness.
- new symptoms occur
- redness or swelling is present
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

These could be signs of a serious condition.

# If pregnant or breast-feeding,

ask a health professional before use.

# Keep out of reach of children.

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away: Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

#### **Directions**

- do not take more than directed (see overdose warning)
- adults and children 12 years and over: take 2 geltabs at bedtime. Do not take more than 2 geltabs of this product in 24 hours.
- children under 12 years: do not use

#### Other information

- store at 20-25°C (68-86°F)
- avoid high humidity and excessive heat

## **Inactive ingredients**

corn starch, croscarmellose sodium\*, D&C red #27 aluminum lake, edible black ink, FD&C blue #1 aluminum lake, gelatin, glycerin, hypromellose, maltodextrin, microcrystalline cellulose, polyethylene glycol, povidone, purified water, silicon dioxide, sodium starch glycolate\*, stearic acid, titanium dioxide

## Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

# **Principal Display Panel**

Compare to the active ingredients in Extra Strength Tylenol® PM<sup>†</sup>

#### **EXTRA STRENGTH**

Acetaminophen PM

ACETAMINOPHEN, 500 mg

DIPHENHYDRAMINE HCI, 25 mg

Pain reliever; Nighttime Sleep-aid

For Ages 12 & Over

Non-habit forming

**GELTABS** 

<sup>†</sup>This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Extra Strength Tylenol® PM.

# TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

# KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Distributed by: CVS Pharmacy, Inc.

One CVS Drive, Woonsocket, RI 02895

©2018 CVS/pharmacy

CVS.com®

#### **Product Label**

<sup>\*</sup>contains one or more of these ingredients



Drug Facts (continued)
When using this product acrossing will occur avoid acrossing will occur avoid actoriol of rinks of on of drive a moder weblicle or operate machinery of or ord drive a moder weblicle or operate.
Stop use and ask a doctor if  sleoplessness persists continuously for more than 2 weeks.  Insomina may be a symptom of a serious undertying medical illness.
meny opmittiens occur redness or swelling is present pain get worse or disa more than 10 days feere gets worse or disas more than 3 days These could be signs of a serious condition.
If pregnant or breast-feeding, ask a health professional before
use.  Operatose warning: In case of overdose, get medical help or ornates a beston control to beson Control Caster (1-800-2522-(1222) right away. Louist, medical attention is critical for eatilities as well as for children even if you do not notice any signs or symptoms.
Directions  a on not take more than directed (see Overdose warning) a adults and oitiner 12 years and over take 2 geltals at betime. Do not take more than 2 geltals of this product in 24 hours. a children under 12 years: do not use
Other information store between 20-25°C (68-77°F) a void high humidity and excessive heat
Inactive ingredients com starch, crossamellose sodum. Plack rest 27 almanum lake delibe black ink. FDBC blue #1 aluminum lake, gelatin, giyosrin, hypomellose, natlocestrin, mucconystaline reluitose, polyethiene giyos. povidore, punited waters, island colidorie, sodum starch giyoclata", stearic acid, tratanium dioxide curone of these ingredients
Questions or comments? Call 1-877-753-3936 Monday-Friday 9AM-5PM EST

# **CVS HEALTH Extra Strength Acetaminophen PM**

# PAIN RELIEVER PM EXTRA STRENGTH

acetaminophen, diphenhydramine hcl tablet, coated

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69842-460
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	500 mg	
<b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg	

Inactive Ingredients		
Ingredient Name	Strength	
STARCH, CORN (UNII: O8232NY3SJ)		
<b>D&amp;C RED NO. 27</b> (UNII: 2LRS185U6K)		
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)		
GELATIN (UNII: 2G86QN327L)		
GLYCERIN (UNII: PDC6A3C0OX)		
HYPROMELLOSES (UNII: 3NXW29V3WO)		
MALTODEXTRIN (UNII: 7CVR7L4A2D)		
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)		
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)		
POVIDONE (UNII: FZ989GH94E)		

· · · · · · · · · · · · · · · · · · ·	
WATER (UNII: 059QF0KO0R)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	
ALUMINUM OXIDE (UNII: LMI26O6933)	

Product Characteristics			
Color	white, blue	Score	no score
Shape	ROUND	Size	13mm
Flavor		Imprint Code	BP50
Contains			

l	P	Packaging			
#		Item Code	Package Description	Marketing Start Date	Marketing End Date
	1	NDC:69842- 460-10	100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/31/2018	03/31/2025

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	03/31/2018	03/31/2025

# Labeler - CVS Pharmacy (062312574)

Revised: 11/2022 CVS Pharmacy