

LAURA MERCIER TINTED MOISTURIZER ILLUMINATING BROAD SPECTRUM SPF 20 SUNSCREEN 5N1 BRONZE RADIANCE- avobenzene and octinoxate cream
LAURA MERCIER TINTED MOISTURIZER ILLUMINATING BROAD SPECTRUM SPF 20 SUNSCREEN 4N1 GOLDEN RADIANCE- avobenzene and octinoxate cream
LAURA MERCIER TINTED MOISTURIZER ILLUMINATING BROAD SPECTRUM SPF 20 SUNSCREEN 3N1 WARM RADIANCE- avobenzene and octinoxate cream
LAURA MERCIER TINTED MOISTURIZER ILLUMINATING BROAD SPECTRUM SPF 20 SUNSCREEN 2N1 NATURAL RADIANCE- avobenzene and octinoxate cream
LAURA MERCIER TINTED MOISTURIZER ILLUMINATING BROAD SPECTRUM SPF 20 SUNSCREEN 1N1 BARE RADIANCE- avobenzene and octinoxate cream
Laura Mercier Cosmetics

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

**Laura Mercier Tinted Moisturizer
Illuminating Broad Spectrum SPF 20 Sunscreen**

Drug Facts

Active ingredients

Avobenzene (2.0%), Octinoxate (7.5%)

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
 - apply liberally 15 minutes before sun exposure
 - use a water resistant sunscreen if swimming or sweating
 - reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15

or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months of age: Ask a doctor

Other information

Protect the product in this container from excessive heat and direct sun.

Inactive ingredients

Water, Dimethicone, Mica, Cetearyl Alcohol, Hydrogenated Polyisobutene, Xylitylglucoside, PEG-40 Castor Oil, Polyglyceryl-4 Isostearate, Cyclopentasiloxane, Potassium Cetyl Phosphate, Hexyl Laurate, Anhydroxylitol, Tocopheryl Acetate, Cetyl PEG/PPG-10/1 Dimethicone, Xylitol, Polysorbate 60, Phenoxyethanol, Butylene Glycol, Tribehenin, Sodium Dehydroacetate, Sodium Hyaluronate, Allantoin, Camellia Sinensis Leaf Extract, Copper Gluconate, Carbomer, Hydrogenated Olive Oil, Butyrospermum Parkii (Shea) Butter, Aminomethyl Propanol, Tetrasodium EDTA, Magnesium Aluminum Silicate, Sodium Ascorbate, Dipotassium Glycyrrhizate, Tin Oxide. May Contain: Titanium Dioxide, Iron Oxides.

Questions or comments?

Call **1-888-637-2437**, M – F 9am – 5pm CST.

PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - Bronze Radiance

laura mercier

TINTED MOISTURIZER

ILLUMINATING

BROAD SPECTRUM

SPF 20 SUNSCREEN

50 mL / 1.7 FL. OZ. LIQ. US

5M1
BRONZE RADIANCE

laura mercier

TINTED MOISTURIZER
ILLUMINATING
BROAD SPECTRUM
SPF 20 SUNSCREEN

50 mL / 1.7 FL. OZ. LIQ. US

Laura Mercier's Tinted Moisturizer—illuminating—is a perfect blend of skincare and makeup. It hydrates skin with barely-there pigments and a luminous glow. This lighter shade provides ideal protection from the sun's harmful and damaging rays with Broad Spectrum UVB/UVA SPF 20 Sunscreen. Perfect for all skin types.

DERMATOLOGIST TESTED.
NON-COMEDOGENIC.

laura mercier®
LAURAMERCIER COSMETICS
NEW YORK, NY 10150 DIST.
Inflamed Acne™ - MADE IN USA

12703736



8491260 1

Drug Facts
Active Ingredients
Avobenzone (2.0%), Octinoxate (7.5%)
Purpose
Sunscreen

Uses • helps prevent sunburn
• if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Drug Facts (continued)
Stop use and ask a doctor if rash occurs.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
For sunscreen use:
• apply liberally 15 minutes before sun exposure
• use a water resistant sunscreen if swimming or sweating
• reapply at least every 2 hours
Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
• limit time in the sun, especially from 10 a.m. – 2 p.m.
• wear long-sleeved shirts, pants, hats, and sunglasses
• Children under 6 months of age: Ask a doctor

Other Information
Protect the product in this container from excessive heat and direct sun.

Drug Facts (continued)
Other Information
Inactive Ingredients Water, Dimethicone, Cetearyl Alcohol, Hydrogenated Polyisobutene, Xylitolglucoside, PEG-40 Glycerol, Polyglyceryl-4 laurate, Octopentasiloxane, Mica, Potassium Cetyl Phosphate, Hexyl Laurate, Anhydroxylitol, Tocopheryl Acetate, Cetyl PEG/Pg-10/1 Dimethicone, Xylitol, Polyorbate 60, Phenoxethanol, Butylene Glycol, Triphenyls, Sodium Dihydroascorbate, Sodium Hyaluronate, Alantholol, Camellia Sinenis Leaf Extract, Copper Gluconate, Carboron, Silica, Hydrogenated Olive Oil, Butyrospermum Parkii (Shea) Butter, Antioxidant Propylol, Tetrasodium EDTA, Magnesium Aluminum Silicate, Sodium Ascorbate, Dipotassium Glycyrrhizate, May Contain Iron Oxides, Copper Powder, Titanium Dioxide.

Questions or comments?
Call 1-888-637-6457, M – F 9am – 5pm CST.



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - Golden Radiance

laura mercier

TINTED MOISTURIZER
ILLUMINATING
BROAD SPECTRUM
SPF 20 SUNSCREEN

50 mL / 1.7 FL. OZ. LIQ. US

4M1
GOLDEN RADIANCE

laura mercier

Laura Mercier's Tinted Moisturizer—Illuminating—is a perfect blend of skincare and makeup. It hydrates skin with rarely-there colour for a luminous glow. This lightweight formula provides ideal protection from the sun's harmful and damaging rays with Broad Spectrum UVB/UVA SPF 20 Sunscreen. Perfect for all skin types.

THE TECHNIQUE: Apply to clean skin with Laura's foundation sponge or with fingertips. Blend with foundation for an instant boost. For best results, use a Laura Mercier foundation primer before application.

DERMATOLOGIST TESTED.
NON-COMEDOGENIC.

laura mercier®
LAURA MERCIER COSMETICS
NEW YORK, NY 10150 DIST.
lauramercier.com • MADE IN USA

**TINTED MOISTURIZER
ILLUMINATING**
BROAD SPECTRUM
SPF 20 SUNSCREEN

50 mL / 1.7 FL. OZ. LIQ. US

12703735



88454513

Drug Facts

Active Ingredients
Avobenzone (2.0%), Octinoxate (7.5%)

Purpose
Sunscreen

Uses • helps prevent sunburn
• if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Drug Facts (continued)

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
 - apply liberally 15 minutes before sun exposure
 - use a water resistant sunscreen if swimming or sweating
 - reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - Children under 6 months of age: Ask a doctor

Drug Facts (continued)

Warnings
For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Drug Facts (continued)

Other Information

Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients: Water, Dimethicone, Mica, Cetyl Alcohol, Hydrogenated Polyisobutene, Xylitolglucoside, PEG-40 Castor Oil, Polyhydroxy-4-Isobutylate, Cyclopentasiloxane, Petasium Octyl Phosphate, Hexyl Laurate, Arhydroxylicol, Tocopheryl Acetate, Cetyl PEG-PPG-10/1 Dimethicone, Xylitol, Polysorbate 80, Phenoxystenol, Butylene Glycol, Tribehentyl, Sodium Dihydroacetate, Sodium Hyaluronate, Allantoin, Camellia Sinensis Leaf Extract, Copper gluconate, Capriome, Hydrogenated Olive Oil, Butyrospermum Perse (Shea) Butter, Aminomethyl Propanol, Tetraacetic EDTA, Magnesium Aluminum Silicate, Sodium Ascorbate, Dipotassium Glycyrrizate, Tin Oxide, Methyl Cellulose, Titanium Dioxide, Iron Oxides.

Questions or comments?

Call 1-888-437-2437, M-F 9am - 5pm CST.



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - Warm Radiance

laura mercier

TINTED MOISTURIZER
ILLUMINATING
BROAD SPECTRUM
SPF 20 SUNSCREEN

50 mL / 1.7 FL. OZ. LIQ. US

3M
WARM RADIANCE

laura mercier

**TINTED MOISTURIZER
ILLUMINATING
BROAD SPECTRUM
SPF 20 SUNSCREEN**

50 mL / 1.7 FL. OZ. LIQ. US

Laura Mercier's Tinted Moisturizer—illuminate, hydrate and protect. It hydrates skin with barely-there colour for a luminous glow. This lightweight formula provides ideal protection from the sun's harmful and damaging rays with Broad Spectrum UVB/UVA SPF 20 Sunscreen. Perfect for all skin types.

DERMATOLOGIST TESTED.
NON-COMEDOGENIC.

laura mercier®
LAURAMERCIER COSMETICS
NEW YORK, NY 10150 DIST.
www.lauramercier.com • MADE IN USA

12703734



1324597

Drug Facts
Active Ingredients
Avobenzone (2.0%), Octinoxate (7.5%)
Purpose
Sunscreen

Uses • helps prevent sunburn
• if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Drug Facts (continued)

Stop use and ask a doctor if rash occurs.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
• For sunscreen use:
• apply liberally 15 minutes before sun exposure
• use a water resistant sunscreen if swimming or sweating
• reapply at least every 2 hours
• **Sun Protection Measurement.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
• limit time in the sun, especially from 10 a.m. – 2 p.m.
• wear long-sleeved shirts, pants, hats, and sunglasses
• Children under 6 months of age: Ask a doctor

Drug Facts (continued)
Warnings
For external use only.
Do not use on damaged or broken skin.
When using this product keep out of eyes. Rinse with water to remove.

Drug Facts (continued)

Other information
Protect the product in this container from excessive heat and direct sun.

Inactive ingredients: Water, Dimethicone, Mica, Cetyl Alcohol, Hydrogenated Polyisobutene, Xylitol/Glyceride, PEG-40 Castor Oil, Polyglyceryl-4 Isostearate, Cyclopentasiloxane, Potassium Octyl Phosphate, Hexyl Laurate, Aminomethylol, Tocopheryl Acetate, Cetyl PEG/PPG-10/1 Dimethicone, Xylitol, Polysorbate 80, Phenylethanol, Butylene Glycol, Triethanol, Sodium Dodecylsulfate, Sodium Hyaluronate, Allantoin, Camellia Sinensis Leaf Extract, Copper gluconate, Carbomer, Hydrogenated Olive Oil, Butyrospermum Perfr (Shea) Butter, Aminomethyl Propanol, Tetraacetic EDTA, Magnesium Aluminum Silicate, Sodium Ascorbate, Dipotassium Glycyrrhizate, Tin Oxide, Methyl Camphor, Titanium Dioxide, Iron Oxide.

Questions or comments?
Call 1-888-437-2427, M-F 9am - 5pm CST.



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - Natural Radiance

laura mercier

TINTED MOISTURIZER
ILLUMINATING
BROAD SPECTRUM
SPF 20 SUNSCREEN
50 mL / 1.7 FL. OZ. LIQ. US

2H1
NATURAL RADIANCE

laura mercier

TINTED MOISTURIZER
ILLUMINATING
BROAD SPECTRUM
SPF 20 SUNSCREEN

50 mL / 1.7 FL. OZ. LIQ. US

Laura Mercier Tinted Moisturizer is a perfect blend of skincare and makeup. It hydrates skin with barely-there colour for a luminous radiant complexion. This lightweight formula provides ideal protection from the sun's harmful damaging rays with Broad Spectrum UVA/UVB SPF 20 Sunscreen. Perfect for all skin types.

THE TECHNIQUE: Apply to clean skin with Laura's foundation sponge or with fingertips. Blend with foundation for an instant boost. For best results, use a Laura Mercier foundation primer before application.

DERMATOLOGIST TESTED,
NON-COMEDOGENIC.

laura mercier®
LAURA MERCIER COSMETICS
NEW YORK, NY, USA
laura@lauramercier.com | MADE IN USA

12703733



12345-4321

Drug Facts

Active Ingredients
Avobenzone (2.0%), Octinoxate (7.5%)

Purpose
Sunscreen

Uses • helps prevent sunburn
• if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Drug Facts (continued)

Stop use and ask a doctor if rash occurs.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
 - apply liberally 15 minutes before sun exposure
 - use a water resistant sunscreen if swimming or sweating
 - reapply at least every 2 hours
- **Sun Protection Measure.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - Children under 6 months of age: Ask a doctor

Drug Facts (continued)

Warnings
For external use only.

Do not use on damaged or broken skin.
When using this product, keep out of eyes. Rinse with water to remove.

Drug Facts (continued)

Other Information

Protect the product in this container from excessive heat and direct sun.

Inactive ingredients: Water, Dimethicone, Mica, Cetyl Alcohol, Hydrogenated Polyisobutane, Xylitylglucoside, PEG-40 Glycerol, Polyglyceryl-4 Isostearate, Cyclopentasiloxane, Potassium Cetyl Phosphate, Hexyl Laurate, Arhydroxytol (Cocetyl) Acetate, Cetyl PEG/PPG-10/1 Dimethicone, Xylitol, Polyacrylate 80, Pentaerythrityl, Butylene Glycol, Tribehnenin, Sodium Dihydroascorbate, Sodium Hyaluronate, Allantoin, Camellia Sinensis Leaf Extract, Copper Gluconate, Capborate, Hydrogenated Olive Oil, Baryoxyperium Purid (Shea) Butter, Aminomethyl Propanol, Tetrasodium EDTA, Magnesium Aluminum Silicate, Sodium Ascorbate, Dipotassium Glycyrrhizate, Tin Oxide, Methylparaben, Titanium Dioxide, Iron Oxides.

Questions or comments?

Call 1-800-637-2437, M - F 9am - 5pm CST.



PRINCIPAL DISPLAY PANEL - 50 mL Tube Carton - Bare Radiance

laura mercier

TINTED MOISTURIZER

ILLUMINATING

BROAD SPECTRUM

SPF 20 SUNSCREEN

50 mL / 1.7 FL. OZ. LIQ. US

101
BARE RADIANCE

laura mercier

Laura Mercier Tinted Moisturizer is a perfect blend of skincare and makeup. It hydrates skin with barely-there colour for a luminous radiance. This lightweight formula provides ideal protection from the sun's harmful damaging rays with Broad Spectrum UVB/UVA SPF 20 Sunscreen. Perfect for all skin types.

THE TECHNIQUE: Apply to clean skin with Laura's foundation sponge or with fingertips. Blend with foundation for an instant boost. For best results, use a Laura Mercier foundation primer before application.

TINTED MOISTURIZER
ILLUMINATING
BROAD SPECTRUM
SPF 20 SUNSCREEN

50 mL / 1.7 FL. OZ. LIQ. US

DERMATOLOGIST TESTED.
NON-COMEDOGENIC.

laura mercier®
LAURAMERCIER COSMETICS
NEW YORK, NY 10150, U.S.A.
lauramercier.com · MADE IN U.S.A.

12703731



969-94631

Drug Facts

Active Ingredients

Azobenzene (2.0%), Octinoxate (7.5%)

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Broad Spectrum*), decreases the risk of skin cancer and early skin aging caused by the sun.

Drug Facts (continued)

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- For sunscreen use:
- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - Children under 6 months of age: Ask a doctor

Drug Facts (continued)

Warnings

For external use only.

Do not use on damaged or broken skin.

When using this product, keep out of eyes. Rinse with water to remove.

Drug Facts (continued)

Other Information

Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

Water, Dimethicone, Mica, Cetearyl Alcohol, Hydrogenated Polyisobutene, Xylitylglucoside, PEG-40 Castor Oil, Polyglyceryl-4 isostearate, Octopentylbenzene, Potassium Cetyl Phosphate, Hexyl Laurate, Anhydroxylitol, Tocopheryl Acetate, Cetyl PEG/PPG-10/1 Dimethicone, Xylitol, Polyacrylate 60, Phenylethanol, Butylene Glycol, Tribehentyl, Sodium Dihydroacetate, Sodium Hyaluronate, Allantoin, Camellia Sinensis Leaf Extract, Copper Gluconate, Carbomer, Hydrogenated Olive Oil, Baryoxyperium Puril (Shea) Butter, Aminomethyl Propand, Tetrasodium EDTA, Magnesium Aluminum Silicate, Sodium Ascorbate, Dipotassium Glycyrrhizate, Tin Oxide, May Contain: Titanium Dioxide, Iron Oxides.

Questions or comments?

Call 1-888-437-2427, M – F 9am – 5pm CST.



LAURA MERCIER TINTED MOISTURIZER ILLUMINATING BROAD SPECTRUM SPF 20 SUNSCREEN 5N1 BRONZE RADIANCE

avobenzone and octinoxate cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-369
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1000 mg in 50 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3750 mg in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
MICA (UNII: V8A1AW0880)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
XYLITYLGLUCOSIDE (UNII: O0IEZ166FB)	
PEG-40 CASTOR OIL (UNII: 4ERD2076EF)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
POTASSIUM CETYL PHOSPHATE (UNII: 03KCY6P7UT)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
ANHYDROXYLITOL (UNII: 8XWR7NN42F)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
XYLITOL (UNII: VCQ006KQ1E)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
TRIBEHENIN (UNII: 8OC9U7TQZ0)	
SODIUM DEHYDRO ACETATE (UNII: 8W46YN971G)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
ALLANTOIN (UNII: 344S277G0Z)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
COPPER GLUCONATE (UNII: RV823G6G67)	
HYDROGENATED OLIVE OIL (UNII: 53839415GI)	
SHEA BUTTER (UNII: K49155WL9Y)	
AMINOMETHYLPROPANOL (UNII: LU49E6626Q)	
EDETATE SODIUM (UNII: MP1J8420LU)	

MAGNESIUM ALUMINUM SILICATE (UNII: 6M3P64V0NC)	
SODIUM ASCORBATE (UNII: S033EH8359)	
GLYCYRRHIZINATE DIPO TASSIUM (UNII: CA2Y0FE3FX)	
STANNIC OXIDE (UNII: KM7N50LOS6)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERROUS OXIDE (UNII: G7036X8B5H)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-369-60	1 in 1 CARTON	11/29/2010	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	11/29/2010	

LAURA MERCIER TINTED MOISTURIZER ILLUMINATING BROAD SPECTRUM SPF 20 SUNSCREEN 4N1 GOLDEN RADIANCE

avobenzone and octinoxate cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-370
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1000 mg in 50 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3750 mg in 50 mL

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
MICA (UNII: V8A1AW0880)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
XYLITYLGLUCOSIDE (UNII: O0IEZ166FB)	
PEG-40 CASTOR OIL (UNII: 4ERD2076EF)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
POTASSIUM CETYL PHOSPHATE (UNII: 03KCY6P7UT)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	

ANHYDRO XYLITOL (UNII: 8XWR7NN42F)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
XYLITOL (UNII: VCQ006KQ1E)
POLYSORBATE 60 (UNII: CAL22UVI4M)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
TRIBEHENIN (UNII: 8OC9U7TQZ0)
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
ALLANTOIN (UNII: 344S277G0Z)
GREEN TEA LEAF (UNII: W2ZU1RY8B0)
COPPER GLUCONATE (UNII: RV823G6G67)
HYDROGENATED OLIVE OIL (UNII: 53839415GI)
SHEA BUTTER (UNII: K49155WL9Y)
AMINOMETHYLPROPANOL (UNII: LU49E6626Q)
EDETATE SODIUM (UNII: MP1J8420LU)
MAGNESIUM ALUMINUM SILICATE (UNII: 6M3P64V0NC)
SODIUM ASCORBATE (UNII: S033EH8359)
GLYCYRRHIZINATE DIPO TASSIUM (UNII: CA2Y0FE3FX)
STANNIC OXIDE (UNII: KM7N50LOS6)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERROUS OXIDE (UNII: G7036X8B5H)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-370-60	1 in 1 CARTON	11/29/2010	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	11/29/2010	

LAURA MERCIER TINTED MOISTURIZER ILLUMINATING BROAD SPECTRUM SPF 20 SUNSCREEN 3N1 WARM RADIANCE

avobenzone and octinoxate cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-371
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1000 mg in 50 mL

OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)

OCTINOXATE

3750 mg in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
MICA (UNII: V8A1AW0880)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
XYLITYLGLUCOSIDE (UNII: O0IEZ166FB)	
PEG-40 CASTOR OIL (UNII: 4ERD2076EF)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
POTASSIUM CETYL PHOSPHATE (UNII: 03KCY6P7UT)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
ANHYDROXYLITOL (UNII: 8XWR7NN42F)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
XYLITOL (UNII: VCQ006KQ1E)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
TRIBEHENIN (UNII: 8OC9U7TQZ0)	
SODIUM DEHYDRO ACETATE (UNII: 8W46YN971G)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
ALLANTOIN (UNII: 344S277G0Z)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
COPPER GLUCONATE (UNII: RV823G6G67)	
HYDROGENATED OLIVE OIL (UNII: 53839415GI)	
SHEA BUTTER (UNII: K49155WL9Y)	
AMINOMETHYLPROPANOL (UNII: LU49E6626Q)	
EDETATE SODIUM (UNII: MP1J8420LU)	
MAGNESIUM ALUMINUM SILICATE (UNII: 6M3P64V0NC)	
SODIUM ASCORBATE (UNII: S033EH8359)	
GLYCYRRHIZINATE DIPO TASSIUM (UNII: CA2Y0FE3FX)	
STANNIC OXIDE (UNII: KM7N50LOS6)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERROUS OXIDE (UNII: G7036X8B5H)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-371-60	1 in 1 CARTON	11/29/2010	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	11/29/2010	

LAURA MERCIER TINTED MOISTURIZER ILLUMINATING BROAD SPECTRUM SPF 20 SUNSCREEN 2N1 NATURAL RADIANCE

avobenzone and octinoxate cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-372
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1000 mg in 50 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3750 mg in 50 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
MICA (UNII: V8A1AW0880)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
XYLITYLGLUCOSIDE (UNII: O0IEZ166FB)	
PEG-40 CASTOR OIL (UNII: 4ERD2076EF)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
POTASSIUM CETYL PHOSPHATE (UNII: 03KCY6P7UT)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
ANHYDROXYLITOL (UNII: 8XWR7NN42F)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
XYLITOL (UNII: VCQ006KQ1E)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
TRIBEHENIN (UNII: 8OC9U7TQZ0)	
SODIUM DEHYDRO ACETATE (UNII: 8W46YN971G)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
ALLANTOIN (UNII: 344S277G0Z)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
COPPER GLUCONATE (UNII: RV823G6G67)	
HYDROGENATED OLIVE OIL (UNII: 53839415GI)	
SHEA BUTTER (UNII: K49155WL9Y)	
AMINOMETHYLPROPANOL (UNII: LU49E6626Q)	
EDETATE SODIUM (UNII: MPLJ8420LU)	
MAGNESIUM ALUMINUM SILICATE (UNII: 6M3P64V0NC)	
SODIUM ASCORBATE (UNII: S033EH8359)	
GLYCYRRHIZINATE DIPO TASSIUM (UNII: CA2Y0FE3FX)	
STANNIC OXIDE (UNII: KM7N50LOS6)	

TITANIUM DIOXIDE (UNII: 15FIX9V2JP)				
FERROUS OXIDE (UNII: G7036X8B5H)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-372-60	1 in 1 CARTON	07/10/2015	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC MONOGRAPH NOT FINAL	part352	07/10/2015		

LAURA MERCIER TINTED MOISTURIZER ILLUMINATING BROAD SPECTRUM SPF 20 SUNSCREEN 1N1 BARE RADIANCE
avobenzone and octinoxate cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-373
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1000 mg in 50 mL	
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3750 mg in 50 mL	
Inactive Ingredients			
Ingredient Name	Strength		
WATER (UNII: 059QF0KO0R)			
DIMETHICONE (UNII: 92RU3N3Y1O)			
MICA (UNII: V8A1AW0880)			
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)			
HYDROGENATED POLYBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)			
XYLITYLGLUCOSIDE (UNII: O0IEZ166FB)			
PEG-40 CASTOR OIL (UNII: 4ERD2076EF)			
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)			
POTASSIUM CETYL PHOSPHATE (UNII: 03KCY6P7UT)			
HEXYL LAURATE (UNII: 4CG9F9W01Q)			
ANHYDROXYLITOL (UNII: 8XWR7NN42F)			
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)			
XYLITOL (UNII: VCQ006KQ1E)			
POLYSORBATE 60 (UNII: CAL22UVI4M)			
PHENOXYETHANOL (UNII: HIE492ZZ3T)			

BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
TRIBEHENIN (UNII: 8OC9U7TQZ0)	
SODIUM DEHYDRO ACETATE (UNII: 8W46YN971G)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
ALLANTOIN (UNII: 344S277G0Z)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
COPPER GLUCONATE (UNII: RV823G6G67)	
HYDROGENATED OLIVE OIL (UNII: 53839415GI)	
SHEA BUTTER (UNII: K49155WL9Y)	
AMINOMETHYLPROPANOL (UNII: LU49E6626Q)	
EDETATE SODIUM (UNII: MP1J8420LU)	
MAGNESIUM ALUMINUM SILICATE (UNII: 6M3P64V0NC)	
SODIUM ASCORBATE (UNII: S033EH8359)	
GLYCYRRHIZINATE DIPO TASSIUM (UNII: CA2Y0FE3FX)	
STANNIC OXIDE (UNII: KM7N50LOS6)	
TITANIUM DIO XIDE (UNII: 15FIX9V2JP)	
FERROUS OXIDE (UNII: G7036X8B5H)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-373-60	1 in 1 CARTON	11/29/2010	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part352	11/29/2010	

Labeler - Laura Mercier Cosmetics (193691821)