

**MEDIQUE CETIRAMED- cetirizine hcl tablet, coated**  
**Unifirst First Aid Corporation**

-----  
**Medique Cetiramed**

***Drug Facts***

***Active ingredient***

Cetirizine HCl 10 mg

***Purpose***

Antihistamine

***Uses***

**Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies**

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

***Warnings***

**Do not use**

if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

**Ask a doctor before use if you have** liver or kidney disease.

Your doctor should determine if you need a different dose.

**Ask a doctor or pharmacists before use if you are** taking tranquilizers or sedatives.

**When using this product**

- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

**Stop use and ask a doctor if** an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding**

- if breast feeding: not recommended
- if pregnant: ask a health professional before use

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

### ***Directions***

**Adults and children: (6 years and older)** one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours.

**Adults over 65 years:** Ask a doctor

**Children under 6 years:** Ask a doctor

**Consumers with liver or kidney disease:** Ask a doctor

### ***Other information***

- store between 68° and 77°F (20° and 25°C)
- tamper evident sealed packets
- do not use any opened or torn packets
- contains no ingredient made from a gluten-containing grain (wheat, barley or rye)

colloidal silicon dioxide, croscarmellose sodium, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, titanium dioxide

### ***Questions or comments?***

Call 1-800-634-7680

### **Medique Cetiramed Label**

Medique®

Collect MediBucks

See inside flap for more details

Cetiramed

24-Hour Allergy Relief

24-horas alivio a las alergias

Pull To Open

Tire Para Abrir

Allergy Relief • Cetirizine HCl 10 mg

Alivio a las alergias • Cetirizina HCl 10 mg

50 Tablets (50 x 1)

Tamper Evident Unit Dose Packets

# Empaquetado con Sellado Evidente en Dosis Unitarias

Drug Facts	
<b>Active ingredient (in each tablet)</b> Purpose Cetirizine HCl 10 mg Antihistamine	<b>Drug Facts (continued)</b> Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center at 1-800-222-1222 right away.
<b>Uses</b> Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies ● runny nose ● sneezing ● itchy, watery eyes ● itching of the nose or throat	<b>Directions</b> Adults and children: one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. Adults over 65 years: ask a doctor. Children under 6 years: ask a doctor. Consumers with liver or kidney disease: ask a doctor.
<b>Warnings</b> Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine. Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose. Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.	<b>Other information</b> ● store between 68° and 77° (20° and 25°C) ● tamper evident sealed packets ● do not use any opened or torn packets ● contains no ingredient made from a gluten-containing grain (wheat, barley or rye)
<b>When using this product</b> ● drowsiness may occur ● avoid alcoholic drinks ● alcohol, sedatives and tranquilizers may increase drowsiness ● be careful when driving a motor vehicle or operating machinery	<b>Inactive ingredients</b> cellulose, silicon dioxide, croscarmellose sodium, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, titanium dioxide
<b>Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.</b> <b>If pregnant or breast-feeding</b> ● if breast-feeding: not recommended ● if pregnant: ask a health professional before use.	<b>Questions or comments?</b> Call 1-800-634-7680



**Medique**  
**Cetiramed**  
**24-Hour Allergy Relief**  
**24-horas alivio a las alergias**

Pull to Open  
Tire Para Abrir

✓ Allergy Relief • Cetirizine HCl 10 mg  
✓ Alivio a las alergias • Cetirizina HCl 10 mg

50 Tablets (50 x 1)

Información del Medicamento	
<b>Ingrediente activo (en cada tableta)</b> Cetirizina HCl 10 mg	<b>Propiedad</b> Antihistamínico
<b>Usos</b> Para el alivio temporal de los siguientes síntomas asociados con la fiebre del heno u otras alergias del sistema respiratorio superior ● moqueo de la nariz ● estornudos ● ojos con congestión o llorosos ● comezón de la nariz o de la garganta	<b>Información del Medicamento (continuación)</b> Deje de tomar este medicamento y consulte al médico si ocurre alguna reacción alérgica a este producto. Obtena ayuda médica de inmediato. <b>Si está embarazada o en período de lactancia</b> ● si está amamantando: no recomendado ● si está embarazada: pregúntele a un profesional de la salud antes de usarlo. <b>Mantenga este y todos los medicamentos fuera del alcance de los niños.</b> En caso de ocurrir una sobredosis, comuníquese de inmediato con un médico o con un centro de control de envenenamiento: "Poison Control Center" (1-800-222-1222).
<b>Advertencias</b> No lo use si alguna vez ha tenido una reacción alérgica a este producto o a cualquiera de sus ingredientes o a un antihistamínico que contiene hidroxizina. Consulte al médico antes de consumir este producto si usted tiene alguna enfermedad del hígado o de los riñones. Su doctor deberá determinar si usted necesita una dosis diferente. Consulte con su médico si toma medicamentos administrados, si usted está tomando tranquilizantes o sedantes.	<b>Instrucciones</b> Adultos y niños de 6 años y mayores: Pueden consumir una tableta de 10 mg diaria; no tomar más de una tableta de 10 mg en un período de 24 horas. Adultos de 65 años y mayores: Consultar al médico. Niños menores de 6 años: Consultar al médico. Las personas con enfermedad del hígado o los riñones deben: Consultar al médico.
<b>Cuando usted consume este producto:</b> ● puede ocurrir somnolencia ● evite el consumo de bebidas alcohólicas ● el alcohol, los sedantes y tranquilizantes pudieran incrementar los efectos de somnolencia ● sea cuidadoso al manejar un vehículo motorizado o al operar maquinaria	<b>¿Tiene alguna pregunta o comentario?</b> Llame al 1-800-634-7680

Retain carton for complete product information

Tamper Evident Unit Dose Packets  
Empaquetado con Sellado Evidente en Dosis Unitarias

Conserve la caja para obtener la información completa del producto

## MEDIQUE CETIRAMED

cetirizine hcl tablet, coated

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:47682-204
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>CETIRIZINE HYDROCHLORIDE</b> (UNII: 64O047KTOA) (CETIRIZINE - UNII:YO7261ME24)	CETIRIZINE HYDROCHLORIDE	10 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

### Product Characteristics

<b>Color</b>	white ((white to off white))	<b>Score</b>	2 pieces
<b>Shape</b>	RECTANGLE ((rounded off rectangle))	<b>Size</b>	9mm
<b>Flavor</b>		<b>Imprint Code</b>	G;4
<b>Contains</b>			

### Packaging

Marketing Start Marketing End

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-204-50	50 in 1 BOX	04/06/2020	11/30/2024
1		1 in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:47682-204-46	1 in 1 PACKET; Type 0: Not a Combination Product	04/06/2020	11/30/2024

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA209274	04/06/2020	11/30/2024

**Labeler** - Unifirst First Aid Corporation (832947092)

Revised: 6/2024

Unifirst First Aid Corporation