

**PAIN RELIEF CHILDRENS- acetaminophen tablet, chewable**  
**Amerisource Bergen**

-----  
**Good Neighbor Pharmacy 44-450**

***Active ingredient (in each chewable tablet)***

Acetaminophen 160 mg

***Purpose***

Pain reliever/fever reducer

***Uses***

- temporarily relieves minor aches and pains due to:
  - headache
  - sore throat
  - flu
  - toothache
  - the common cold
- temporarily reduces fever

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if your child is allergic to acetaminophen or any of the inactive ingredients in this

product

**Ask a doctor before use if your child has**  
liver disease.

**Ask a doctor or pharmacist before use if your child is**  
taking the blood thinning drug warfarin.

**When using this product**  
**do not exceed recommended dosage.**

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

***Directions***

- **this product does not contain directions or complete warnings for adult use**
- **do not give more than directed**
- find the right dose on chart below. If possible, use weight to dose; otherwise, use age.
- chew or crush tablets completely before swallowing; do not swallow tablets whole
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours
- do not give for more than 5 days unless directed by a doctor

<b>Weight (lb)</b>	<b>Age (yr)</b>	<b>Dose (chewable tablets)*</b>
Under 24	Under 2	Ask a doctor
24-35	2-3	1 tablet
36-47	4-5	1 1/2 tablets
48-59	6-8	2 tablets
60-71	9-10	2 1/2 tablets
72-95	11	3 tablets

\*or as directed by a doctor

***Other information***

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- avoid high humidity
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

***Inactive ingredients***

citric acid, crospovidone, D&C red #27 aluminum lake, D&C red #30 aluminum lake, dextrates hydrated, ethylcellulose, flavor, magnesium stearate, mannitol, polyethylene, stearic acid, sucralose

***Questions or comments?***

**1-800-426-9391**

***Principal Display Panel***

**GOOD  
NEIGHBOR  
PHARMACY®**

Compare to Children's Tylenol®  
active ingredient\*\*

NDC 46122-424-62

*For Ages 2-11*

CHILDREN'S

**Pain Relief**  
**acetaminophen** 160 mg  
chewable tablets

*Pain Reliever/Fever Reducer*

**•aspirin free •ibuprofen free**

**Bubblegum Flavor**

Chew or crush tablets completely before swallowing.  
Do not swallow tablets whole.

**24** Chewable Tablets | 160 mg Each Actual Size

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

\*\*This product is not manufactured or distributed  
by Johnson & Johnson Corporation, owner of  
the registered trademark Children's Tylenol®.  
50844 REV0522B45008

**GOOD NEIGHBOR PHARMACY BRAND PRODUCTS**  
**SATISFACTION GUARANTEED**

**Distributed By**  
**AmerisourceBergen**  
**1 West First Avenue**  
**Conshohocken, PA 19428**  
**Questions or Concerns?**  
**www.mygnp.com**


**GOOD NEIGHBOR PHARMACY®**

**CHILDREN'S**

**Pain Relief**  
acetaminophen 160 mg  
chewable tablets

**Bubblegum Flavor**  
Chewables

Compare to Children's Tylenol®  
active ingredient\*\*

**CHILDREN'S**

**Pain Relief**  
acetaminophen 160 mg  
chewable tablets

**Pain Reliever/Fever Reducer**

• aspirin free • ibuprofen free  
**Bubblegum Flavor**

Chew or crush tablets completely before swallowing.  
Do not swallow tablets whole.

**24 Chewable Tablets | 160 mg Each** Actual Size



**Drug Facts (continued)**

**Inactive ingredients:** citric acid, croscopolone, D&C red #27 aluminum lake, D&C red #30 aluminum lake, dextarates hydrated, ethylcellulose, flavor, magnesium stearate, mannitol, polyethylene, stearic acid, sucralose


**Questions or comments?** 1-800-426-9391

Do not print Lot & Exp only



Distributed By  
**AmerisourceBergen**  
**1 West First Avenue**  
**Conshohocken, PA 19428**  
**Questions or Concerns?**  
**www.mygnp.com**

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING



ABC#: 10178139

0 877011 2963 7

\*\*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Children's Tylenol®.

50844 REV0522B45008

B-0045-450-08  
REV0522B45008

**Drug Facts** KEEP OUT OF REACH OF CHILDREN FOR COMPLETE PRODUCT INFORMATION

Active ingredient (in each chewable tablet)	Purpose
Acetaminophen 160 mg	Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
  - headache
  - sore throat
  - flu
  - toothache
  - the common cold
- temporarily reduces fever

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin redness
- hives
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Drug Facts (continued)**

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if your child is allergic to acetaminophen or any of the inactive ingredients in this product.

**Ask a doctor before use if your child has**

- liver disease.

**Ask a doctor or pharmacist before use**

- if your child is taking the blood thinning drug warfarin.


**When using this product do not exceed recommended dosage.**

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. Proper medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.



Good Neighbor Pharmacy 44-450

## PAIN RELIEF CHILDRENS

acetaminophen tablet, chewable

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:46122-424
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	160 mg

### Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
CROSPVIDONE, UNSPECIFIED (UNII: 2S7830E561)	
D&C RED NO. 27 ALUMINUM LAKE (UNII: ZK64F7XSTX)	
D&C RED NO. 30 (UNII: 2S42T2808B)	
DEXTROSE MONOHYDRATE (UNII: LX22YL083G)	
ETHYLCELLULOSE, UNSPECIFIED (UNII: 7Z8S9VYZ4B)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MANNITOL (UNII: 3OWL53L36A)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

### Product Characteristics

Color	pink	Score	2 pieces
Shape	ROUND	Size	16mm
Flavor	BUBBLE GUM	Imprint Code	44;450
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46122-424-62	4 in 1 CARTON	02/25/2005	
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
<b>Marketing Category</b>		<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug		M013	02/25/2005	

**Labeler** - Amerisource Bergen (007914906)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(46122-424)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(46122-424) , pack(46122-424)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(46122-424)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(46122-424)

Revised: 8/2023

Amerisource Bergen