

**LIDOCAINE WITH MENTHOL- lidocaine hcl and menthol cream**  
**Kareway Product, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**SOUNDYBODY Lidocaine Plus Menthol Creme**

***Active Ingredients***

Lidocaine HCl 4%

***Purposes***

Topical anesthetic

***Active Ingredients***

Menthol 1 %

***Purposes***

Topical analgesic

***Uses***

Temporarily relieves minor pain

***Warnings***

**For external use only**

**Do not use**

- on large areas of the body or on cut, irritated or swollen skin
- on puncture wounds
- for more than one week without consulting a doctor

**When using this product**

- Use only as directed. Read and follow all directions and warnings on this label
- rare cases of serious burns have been reported with products of this type
- do not bandage tightly or apply local heat (such as heating pads) to the area of use or use with a medicated patch
- avoid contact with eyes and mucous membranes
- a transient burning sensation may occur upon application but generally disappears in several days

**Stop use and ask a doctor if**

- condition worsens
- redness is present
- irritation develops
- symptoms persist for more than 7 days or clear up and occur again within a few days
- you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children and pets.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

**adults and children over 12 years:**

- apply a thin layer to affected area every 6 to 8 hours, not to exceed 3 applications in a 24 hour period
- **AFTER APPLYING, WASH HANDS WITH SOAP AND WATER**

**children 12 years or younger: ask a doctor**

**Inactive ingredients**

acrylates/C10-30 alkyl acrylate crosspolymer, aloe barbadensis leaf juice, aminomethyl propanol, cetearyl alcohol( and)dicetyl phosphate( and)ceteth-10 phosphate, cyclopentasiloxane, dimethicone, dimethicone/vinyl dimethicone crosspolymer, disodium EDTA, ethylhexylglycerin, glyceryl stearate, hydroxyethyl acrylate / sodium acryloyldimethyl taurate copolymer, isohexadecane, phenoxyethanol, SD alcohol 40 (15%), steareth-21, water


**PRINCIPAL DISPLAY PANEL**

SOUNDBODY

Lidocaine

Plus Menthol

Pain Relieving Cream



MAXIMUM STRENGTH  
**Lidocaine**  
PLUS MENTHOL  
pain relieving cre

MAXIMUM STRENGTH  
**Lidocaine**  
PLUS MENTHOL  
**pain relieving creme**

NET WT 2.7 OZ (76.5 g)



LOT & EXP.

Manufactured for Big Lots Stores, Inc.  
By: Kareway Product Inc.  
2550 S. Domingues Hills Dr.  
Compton, CA 90220 USA  
V#5004534 MADE IN CHINA ITEM#0681



**Drug Facts**  
Active Ingredients Lidocaine HCl 4%.....Topical anesthetic  
Menthol 1%.....Topical anesthetic  
Use temporarily relieves minor pain

**Warnings** For external use only  
Do not use ■ on large areas of the body or on cut, irritated or swollen skin ■ on puncture wounds  
For more than one week without consulting a doctor

**When using this product** ■ use only as directed. Read and follow all directions and warnings on this carton.  
■ rare cases of serious burns have been reported with products of this type  
■ do not bandage tightly or apply local heat (such as heating pads) to the area of use or use with a medicated patch  
■ avoid contact with eyes and mucous membranes  
■ a transient burning sensation may occur upon application but generally disappears in several days

**Stop use and ask a doctor if** ■ condition worsens ■ redness is present ■ irritation develops  
■ symptoms persist for more than 7 days or clear up and occur again within a few days  
■ you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

**Keep out of reach of children and pets.** If swallowed, get medical help or contact a Poison Control Center right away.  
If pregnant or breast-feeding, ask a health professional before use.

**Directions**  
adults and children over 12 years: ■ apply a thin layer to affected area every 6 to 8 hours, not to exceed 3 applications in a 24 hour period  
■ AFTER APPLYING, WASH HANDS WITH SOAP AND WATER  
children 12 years and younger: ask a doctor

**Inactive ingredients** acrylates/C10-30 alkyl acrylate copolymer, aloe barbadensis leaf juice, aminomethyl-  
paparoi, cetaryl alcohol (and) (cetyl) phosphate, cyclopentasiloxane, dimethicone,  
dimethicone/vinyl dimethicone crosspolymer, disodium EDTA, ethylhexylglycerin, glyceryl stearate, hydroxyethyl  
acrylate / sodium acryloyldimethyl taurate copolymer, isohexadecane, phenoxyethanol, SD alcohol 40 (15%),  
steareth-21, water

This product is not manufactured or distributed by Chatterm, Inc.  
owner of the registered trademark (CHOTB).

**Child-resistant packing.**  
Close cap tightly between uses.  
Keep carton as it contains important information.

## LIDOCAINE WITH MENTHOL

lidocaine hcl and menthol cream

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67510-0681
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.4 g in 1 g
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	0.1 g in 1 g

**Inactive Ingredients**

Ingredient Name	Strength
CARBOMER INTERPOLYMER TYPE A (55000 CPS) (UNII: 59TL3WG5CO)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
AMINOMETHYLPROPANOL (UNII: LU49E6626Q)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
DIHEXADECYL PHOSPHATE (UNII: 2V6E5WN99N)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
ALCOHOL (UNII: 3K9958V90M)	
STEARETH-21 (UNII: 53J3F32P58)	
WATER (UNII: 059QF0KO0R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67510-0681-2	1 in 1 CARTON	02/17/2020	
1		76.5 g in 1 TUBE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	02/17/2020	

**Labeler** - Kareway Product, Inc. (121840057)

Revised: 2/2020

Kareway Product, Inc.