

ISOPROPYL ALCOHOL 70 PERCENT- isopropyl alcohol liquid Walgreens

Drug Facts

Active ingredient (by volume)

Isopropyl alcohol (70% conc.)

Purpose

First aid antiseptic

Uses

first aid to help prevent the risk of infection in minor cuts, scrapes, and burns.

Warnings

For external use only.

- If taken internally, serious gastric disturbances will result

Flammable, keep away from fire or flame

- use only in a well-ventilated area; fumes may be toxic

Ask a doctor before use if you have

deep or puncture wounds, animal bites or serious burns

When using this product

- do not get into eyes
- do not apply over large areas of the body
- do not use longer than one week unless directed by a doctor

Stop use and ask a doctor if

condition persists or gets worse

Keep out of reach of children.

In case of ingestion, get medical help or contact a Poison Control Center right away.

Directions

- clean affected area
- apply small amount of this product on the area 1-3 times daily
- if bandaged, let dry first
- may be covered with a sterile bandage

Other information

- store at room temperature
- does not contain, nor is intended as a substitute for grain or ethyl alcohol

Inactive ingredient

FD&C green #3, FD&C yellow #5, methyl salicylate, purified water

Principal Display Panel**70% Isopropyl Alcohol**

FIRST AID ANTISEPTIC

WINTERGREEN

WARNING FLAMMABLE | keep away from heat, spark, electrical, fire or flame

USE ONLY IN A WELL-VENTILATED AREA; FUMES MAY BE HARMFUL

FL OZ (mL)

Questions or comments? 1-877-753-3935

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS
BROKEN OR MISSING.**

DISTRIBUTED BY: WALGREEN CO., 200 WILMOT RD., DEERFIELD, IL 60015

walgreens.com

Package Label

Walgreens

NDC 0363-0472-16

70% Isopropyl Alcohol

FIRST AID ANTISEPTIC

WINTERGREEN

WARNING FLAMMABLE  Keep away from heat, spark, electrical, fire or flame

USE ONLY IN A WELL-VENTILATED AREA; FUMES MAY BE HARMFUL

16 FL OZ (1 PT) 473 mL

PLD-A227C LB004783

Drug Facts TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Active ingredient (by volume) **Purpose**
Isopropyl alcohol (70% conc.).....First aid antiseptic

Uses first aid to help prevent the risk of infection in minor cuts, scrapes, and burns.

Warnings
For external use only.
 ■ if taken internally, serious gastric disturbances will result
Flammable, keep away from fire or flame.
 ■ use only in a well-ventilated area; fumes may be toxic

Ask a doctor before use if you have deep or puncture wounds, animal bites, or serious burns.

When using this product ■ do not get into eyes
 ■ do not apply over large areas of the body
 ■ do not use longer than one week unless directed by a doctor

Stop use and ask a doctor if condition persists or gets worse.

Keep out of reach of children. In case of ingestion, get medical help or contact a Poison Control Center right away.

Directions ■ clean affected area
 ■ apply small amount of this product on the area 1-3 times daily ■ if bandaged, let dry first
 ■ may be covered with a sterile bandage

Other information
 ■ store at room temperature
 ■ does not contain, nor is intended as a substitute for grain or ethyl alcohol

Inactive ingredients
 FD&C green #3, FD&C yellow #5, methyl salicylate, purified water

Questions or comments? 1-877-753-3935
 DISTRIBUTED BY: WALGREEN CO., 200 WILMOT RD., DEERFIELD, IL 60015
 100% SATISFACTION GUARANTEED walgreens.com ©2017 Walgreen Co.

ORG0617-F
 ITEM 986580 W00000-0000-0 PLD-A227C LB004784 3



WALGREENS 70 % Isopropyl Alcohol Wintergreen

ISOPROPYL ALCOHOL 70 PERCENT

isopropyl alcohol liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-0472
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	70 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
FD&C GREEN NO. 3 (UNII: 3P3ONR6O1S)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
METHYL SALICYLATE (UNII: LAV5U5022Y)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0472-16	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	06/30/2017	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	06/30/2017	

Labeler - Walgreens (008965063)

Revised: 7/2024

Walgreens