

**ULTRA LE TEINT VELVET BLURRING SMOOTH-EFFECT FOUNDATION VELVET MATTE FINISH BROAD SPECTRUM SPF 15 SUNSCREEN B10- octinoxate and titanium dioxide liquid**

**ULTRA LE TEINT VELVET BLURRING SMOOTH-EFFECT FOUNDATION VELVET MATTE FINISH BROAD SPECTRUM SPF 15 SUNSCREEN BR12- octinoxate and titanium dioxide liquid**

**ULTRA LE TEINT VELVET BLURRING SMOOTH-EFFECT FOUNDATION VELVET MATTE FINISH BROAD SPECTRUM SPF 15 SUNSCREEN B20- octinoxate and titanium dioxide liquid**

**ULTRA LE TEINT VELVET BLURRING SMOOTH-EFFECT FOUNDATION VELVET MATTE FINISH BROAD SPECTRUM SPF 15 SUNSCREEN BR22- octinoxate and titanium dioxide liquid**

**ULTRA LE TEINT VELVET BLURRING SMOOTH-EFFECT FOUNDATION VELVET MATTE FINISH BROAD SPECTRUM SPF 15 SUNSCREEN B30- octinoxate and titanium dioxide liquid**

**ULTRA LE TEINT VELVET BLURRING SMOOTH-EFFECT FOUNDATION VELVET MATTE FINISH BROAD SPECTRUM SPF 15 SUNSCREEN BR32- octinoxate and titanium dioxide liquid**

**ULTRA LE TEINT VELVET BLURRING SMOOTH-EFFECT FOUNDATION VELVET MATTE FINISH BROAD SPECTRUM SPF 15 SUNSCREEN B40- octinoxate and titanium dioxide liquid**

**ULTRA LE TEINT VELVET BLURRING SMOOTH-EFFECT FOUNDATION VELVET MATTE FINISH BROAD SPECTRUM SPF 15 SUNSCREEN BR42- octinoxate and titanium dioxide liquid**

**ULTRA LE TEINT VELVET BLURRING SMOOTH-EFFECT FOUNDATION VELVET MATTE FINISH BROAD SPECTRUM SPF 15 SUNSCREEN B50- octinoxate and titanium dioxide liquid**

**ULTRA LE TEINT VELVET BLURRING SMOOTH-EFFECT FOUNDATION VELVET MATTE FINISH BROAD SPECTRUM SPF 15 SUNSCREEN B60- octinoxate and titanium dioxide liquid**

**ULTRA LE TEINT VELVET BLURRING SMOOTH-EFFECT FOUNDATION VELVET MATTE FINISH BROAD SPECTRUM SPF 15 SUNSCREEN B70- octinoxate and titanium dioxide liquid**

**CHANEL PARFUMS BEAUTE**

-----  
**Ultra Le Teint Velvet**

**Blurring Smooth-Effect Foundation Velvet Matte Finish Broad Spectrum SPF 15 Sunscreen**

**Drug Facts**

<b>Active ingredients</b>	<b>Purpose</b>
Octinoxate 5%	Sunscreen
Titanium dioxide 3.1%	Sunscreen

**Uses**

- helps prevent sunburn

- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

## Warnings

**For external use only.**

**Do not use** on damaged or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** skin rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

## Directions

- For sunscreen use:
  - apply liberally 15 minutes before sun exposure
  - use a water resistant sunscreen if swimming or sweating
  - reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
  - Children under 6 months of age: Ask a doctor

## Other information

Protect the product in this container from excessive heat and direct sun.

## Inactive ingredients

water • isododecane • dimethicone • hydrogenated polyisobutene • dicaprylyl carbonate • alcohol • methyl methacrylate crosspolymer • cellulose • PEG-9 polydimethylsiloxyethyl dimethicone • isodecyl neopentanoate • propylene glycol dicaprylate • stearylalkonium hectorite • aluminum hydroxide • sodium chloride • dimethicone/bis-isobutyl PPG-20 crosspolymer • stearic acid • phenoxyethanol • propylene carbonate • fragrance • talc • sodium lauroyl glutamate • biosaccharide gum-1 • lysine • magnesium chloride • BHT • tocopherol • hydrogenated lecithin • triethoxycaprylylsilane • hydrated silica (may contain) ultramarines • iron oxides • titanium dioxide • mica

il40a-i

## Questions or comments?

Call **1-800-550-0005** M – F 9am –9pm, S – S 10am – 6pm EST.

**PRINCIPAL DISPLAY PANEL - 30 ml Bottle Carton - B10**

ULTRA  
LE TEINT VELVET

BLURRING SMOOTH-EFFECT  
FOUNDATION  
VELVET MATTE FINISH

BROAD SPECTRUM SPF 15  
SUNSCREEN

B10

CHANEL

30 ml  
1 FL.OZ.



### **Drug Facts** (continued)

other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months of age: Ask a doctor

### **Other information**

Protect the product in this container from excessive heat and direct sun.

### **Inactive ingredients**

water • isododecane • dimethicone • hydrogenated polyisobutene • dicaprylyl carbonate • alcohol • methyl methacrylate crosspolymer • cellulose • PEG-9 polydimethylsiloxylethyl dimethicone • isodecyl neopentanoate • propylene glycol dicaprylate • stearylalkonium hectorite • aluminum hydroxide • sodium chloride • dimethicone/bis-isobutyl PPG-20 crosspolymer • stearic acid • phenoxyethanol • propylene carbonate • fragrance • talc • sodium lauroyl glutamate • biosaccharide gum-1 • lysine • magnesium chloride • BHT • tocopherol • hydrogenated lecithin • triethoxycaprylylsilane • hydrated silica (may contain) ultramarines • iron oxides • titanium dioxide • mica

i140a-i

### **Questions or comments?**

Call 1-800-550-0005 M – F 9am – 9pm, S – S 10am – 6pm EST.

# ULTRA LE TEINT VELVET

TEINT EFFET FLOUTEUR  
FINI MAT VELOURS  
BLURRING SMOOTH-EFFECT  
FOUNDATION  
VELVET MATTE FINISH

BROAD SPECTRUM SPF 15  
SUNSCREEN

B10

# CHANEL

30 ml

1 FL.OZ.

CET ARTICLE NE PEUT  
ÊTRE VENDU QUE  
PAR LES DÉPOSITAIRES  
AGRÉÉS CHANEL



THIS PRODUCT CAN  
ONLY BE SOLD BY  
AUTHORISED CHANEL  
RETAILERS



3 145891 446265

144.626

B10

ULTRA  
LE TEINT VELVET  
BLURRING SMOOTH-EFFECT  
FOUNDATION  
VELVET MATTE FINISH

### **Drug Facts**

#### **Active ingredients**

Octinoxate 5%  
Titanium dioxide 3.1%

#### **Purpose**

Sunscreen  
Sunscreen

**Uses** • helps prevent sunburn  
• if used as directed with other sun protection measures

• If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

### **Warnings**

**For external use only.**

**Do not use** on damaged or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** skin rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

- For sunscreen use:
  - apply liberally 15 minutes before sun exposure
  - use a water resistant sunscreen if swimming or sweating
  - reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and

MADE IN FRANCE

**CHANEL**  
PARIS

**CHANEL**<sup>®</sup> INC.  
NEW YORK, N.Y. 10019



**PRINCIPAL DISPLAY PANEL - 30 ml Bottle Carton - BR12**

ULTRA  
LE TEINT VELVET

BLURRING SMOOTH-EFFECT  
FOUNDATION  
VELVET MATTE FINISH

BROAD SPECTRUM SPF 15  
SUNSCREEN

BR12

CHANEL

30 ml  
1 FL.OZ.



### **Drug Facts** (continued)

other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months of age: Ask a doctor

### **Other information**

Protect the product in this container from excessive heat and direct sun.

### **Inactive ingredients**

water • isododecane • dimethicone • hydrogenated polyisobutene • dicaprylyl carbonate • alcohol • methyl methacrylate crosspolymer • cellulose • PEG-9 polydimethylsiloxylethyl dimethicone • isodecyl neopentanoate • propylene glycol dicaprylate • stearylalkonium hectorite • aluminum hydroxide • sodium chloride • dimethicone/bis-isobutyl PPG-20 crosspolymer • stearic acid • phenoxyethanol • propylene carbonate • fragrance • talc • sodium lauroyl glutamate • biosaccharide gum-1 • lysine • magnesium chloride • BHT • tocopherol • hydrogenated lecithin • triethoxycaprylylsilane • hydrated silica (may contain) ultramarines • iron oxides • titanium dioxide • mica

i140a-i

### **Questions or comments?**

Call 1-800-550-0005 M – F 9am – 9pm, S – S 10am – 6pm EST.

# ULTRA LE TEINT VELVET

TEINT EFFET FLOUTEUR  
FINI MAT VELOURS  
BLURRING SMOOTH-EFFECT  
FOUNDATION  
VELVET MATTE FINISH

BROAD SPECTRUM SPF 15  
SUNSCREEN

BR12

# CHANEL

30 ml

1 FL.OZ.



CET ARTICLE NE PEUT  
ÊTRE VENDU QUE  
PAR LES DÉPOSITAIRES  
AGRÉÉS CHANEL



THIS PRODUCT CAN  
ONLY BE SOLD BY  
AUTHORISED CHANEL  
RETAILERS



3 145891 446364

144.636

BR12

ULTRA  
LE TEINT VELVET  
BLURRING SMOOTH-EFFECT  
FOUNDATION  
VELVET MATTE FINISH

### **Drug Facts**

#### **Active ingredients**

Octinoxate 5%

Titanium dioxide 3.1%

#### **Purpose**

Sunscreen

Sunscreen

**Uses** • helps prevent sunburn  
• if used as directed with other sun protection measures

(see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

### **Warnings**

**For external use only.**

**Do not use** on damaged or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** skin rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

- For sunscreen use:
  - apply liberally 15 minutes before sun exposure
  - use a water resistant sunscreen if swimming or sweating
  - reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and

MADE IN FRANCE

**CHANEL**  
PARIS

**CHANEL**<sup>®</sup>INC.  
NEW YORK, N.Y. 10019



ULTRA  
LE TEINT VELVET

BLURRING SMOOTH-EFFECT  
FOUNDATION  
VELVET MATTE FINISH

BROAD SPECTRUM SPF 15  
SUNSCREEN

B20

CHANEL

30 ml  
1 FL.OZ.



### **Drug Facts** (continued)

other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months of age: Ask a doctor

### **Other information**

Protect the product in this container from excessive heat and direct sun.

### **Inactive ingredients**

water • isododecane • dimethicone • hydrogenated polyisobutene • dicaprylyl carbonate • alcohol • methyl methacrylate crosspolymer • cellulose • PEG-9 polydimethylsiloxyethyl dimethicone • isodecyl neopentanoate • propylene glycol dicaprylate • stearylalkonium hectorite • aluminum hydroxide • sodium chloride • dimethicone/bis-isobutyl PPG-20 crosspolymer • stearic acid • phenoxyethanol • propylene carbonate • fragrance • talc • sodium lauroyl glutamate • biosaccharide gum-1 • lysine • magnesium chloride • BHT • tocopherol • hydrogenated lecithin • triethoxycaprylylsilane • hydrated silica (may contain) ultramarines • iron oxides • titanium dioxide • mica  
i140a-i

### **Questions or comments?**

Call 1-800-550-0005 M – F 9am – 9pm, S – S 10am – 6pm EST.

# ULTRA LE TEINT VELVET

TEINT EFFET FLOUTEUR  
FINI MAT VELOURS  
BLURRING SMOOTH-EFFECT  
FOUNDATION  
VELVET MATTE FINISH

BROAD SPECTRUM SPF 15  
SUNSCREEN

B20

# CHANEL

30 ml

1 FL.OZ.

CET ARTICLE NE PEUT  
ÊTRE VENDU QUE  
PAR LES DÉPOSITAIRES  
AGRÉÉS CHANEL



THIS PRODUCT CAN  
ONLY BE SOLD BY  
AUTHORISED CHANEL  
RETAILERS



3 145891 446463

144.646

B20

ULTRA  
LE TEINT VELVET  
BLURRING SMOOTH-EFFECT  
FOUNDATION  
VELVET MATTE FINISH

### ***Drug Facts***

#### ***Active ingredients***

Octinoxate 5%  
Titanium dioxide 3.1%

#### ***Purpose***

Sunscreen  
Sunscreen

***Uses*** • helps prevent sunburn  
• if used as directed with other sun protection measures

(see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

### **Warnings**

**For external use only.**

**Do not use** on damaged or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** skin rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

- For sunscreen use:
  - apply liberally 15 minutes before sun exposure
  - use a water resistant sunscreen if swimming or sweating
  - reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and

MADE IN FRANCE

**CHANEL**  
PARIS

**CHANEL**<sup>®</sup> INC.  
NEW YORK, N.Y. 10019



**PRINCIPAL DISPLAY PANEL - 30 ml Bottle Carton - BR22**

ULTRA  
LE TEINT VELVET

BLURRING SMOOTH-EFFECT  
FOUNDATION  
VELVET MATTE FINISH

BROAD SPECTRUM SPF 15  
SUNSCREEN

BR22

CHANEL

30 ml  
1 FL.OZ.



### **Drug Facts** (continued)

other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months of age: Ask a doctor

### **Other information**

Protect the product in this container from excessive heat and direct sun.

### **Inactive ingredients**

water • isododecane • dimethicone • hydrogenated polyisobutene • dicaprylyl carbonate • alcohol • methyl methacrylate crosspolymer • cellulose • PEG-9 polydimethylsiloxyethyl dimethicone • isodecyl neopentanoate • propylene glycol dicaprylate • stearylalkonium hectorite • aluminum hydroxide • sodium chloride • dimethicone/bis-isobutyl PPG-20 crosspolymer • stearic acid • phenoxyethanol • propylene carbonate • fragrance • talc • sodium lauroyl glutamate • biosaccharide gum-1 • lysine • magnesium chloride • BHT • tocopherol • hydrogenated lecithin • triethoxycaprylylsilane • hydrated silica (may contain) ultramarines • iron oxides • titanium dioxide • mica  
i40a-i

### **Questions or comments?**

Call 1-800-550-0005 M – F 9am – 9pm, S – S 10am – 6pm EST.

# ULTRA LE TEINT VELVET

TEINT EFFET FLOUTEUR  
FINI MAT VELOURS

BLURRING SMOOTH-EFFECT  
FOUNDATION  
VELVET MATTE FINISH

BROAD SPECTRUM SPF 15  
SUNSCREEN

BR22

# CHANEL

30 ml

1 FL.OZ.



CET ARTICLE NE PEUT  
ÊTRE VENDU QUE  
PAR LES DÉPOSITAIRES  
AGRÉÉS CHANEL



THIS PRODUCT CAN  
ONLY BE SOLD BY  
AUTHORISED CHANEL  
RETAILERS



3 145891 446562

144.656

BR22

ULTRA  
LE TEINT VELVET  
BLURRING SMOOTH-EFFECT  
FOUNDATION  
VELVET MATTE FINISH

**Drug Facts**

**Active ingredients**

Octinoxate 5%  
Titanium dioxide 3.1%

**Purpose**

Sunscreen  
Sunscreen

**Uses** • helps prevent sunburn  
• if used as directed with other sun protection measures

• If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

### **Warnings**

**For external use only.**

**Do not use** on damaged or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** skin rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

- For sunscreen use:
  - apply liberally 15 minutes before sun exposure
  - use a water resistant sunscreen if swimming or sweating
  - reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and

MADE IN FRANCE

**CHANEL**  
PARIS

**CHANEL**<sup>®</sup> INC.  
NEW YORK, N.Y. 10019



**PRINCIPAL DISPLAY PANEL - 30 ml Bottle Carton - B30**

ULTRA  
LE TEINT VELVET

BLURRING SMOOTH-EFFECT  
FOUNDATION  
VELVET MATTE FINISH

BROAD SPECTRUM SPF 15  
SUNSCREEN

B30

CHANEL

30 ml  
1 FL.OZ.



### **Drug Facts** (continued)

other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months of age: Ask a doctor

### **Other information**

Protect the product in this container from excessive heat and direct sun.

### **Inactive ingredients**

water • isododecane • dimethicone • hydrogenated polyisobutene • dicaprylyl carbonate • alcohol • methyl methacrylate crosspolymer • cellulose • PEG-9 polydimethylsiloxyethyl dimethicone • isodecyl neopentanoate • propylene glycol dicaprylate • stearalkonium hectorite • aluminum hydroxide • sodium chloride • dimethicone/bis-isobutyl PPG-20 crosspolymer • stearic acid • phenoxyethanol • propylene carbonate • fragrance • talc • sodium lauroyl glutamate • biosaccharide gum-1 • lysine • magnesium chloride • BHT • tocopherol • hydrogenated lecithin • triethoxycaprylylsilane • hydrated silica (may contain) ultramarines • iron oxides • titanium dioxide • mica  
il40a-i

### **Questions or comments?**

Call 1-800-550-0005 M – F 9am – 9pm, S – S 10am – 6pm EST.

# ULTRA LE TEINT VELVET

TEINT EFFET FLOUTEUR  
FINI MAT VELOURS  
BLURRING SMOOTH-EFFECT  
FOUNDATION  
VELVET MATTE FINISH

BROAD SPECTRUM SPF 15  
SUNSCREEN

B30

# CHANEL

30 ml

1 FL.OZ.

CET ARTICLE NE PEUT  
ÊTRE VENDU QUE  
PAR LES DÉPOSITAIRES  
AGRÉÉS CHANEL



THIS PRODUCT CAN  
ONLY BE SOLD BY  
AUTHORISED CHANEL  
RETAILERS



3 145891 446661

144.666

B30

ULTRA  
LE TEINT VELVET  
BLURRING SMOOTH-EFFECT  
FOUNDATION  
VELVET MATTE FINISH

### ***Drug Facts***

#### ***Active ingredients***

Octinoxate 5%  
Titanium dioxide 3.1%

#### ***Purpose***

Sunscreen  
Sunscreen

***Uses*** • helps prevent sunburn

• helps prevent cancer

- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

### **Warnings**

**For external use only.**

**Do not use** on damaged or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** skin rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

- For sunscreen use:
  - apply liberally 15 minutes before sun exposure
  - use a water resistant sunscreen if swimming or sweating
  - reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and

MADE IN FRANCE

**CHANEL**  
PARIS

**CHANEL**<sup>®</sup> INC.  
NEW YORK, N.Y. 10019



**PRINCIPAL DISPLAY PANEL - 30 ml Bottle Carton - BR32**

ULTRA  
LE TEINT VELVET

BLURRING SMOOTH-EFFECT  
FOUNDATION  
VELVET MATTE FINISH

BROAD SPECTRUM SPF 15  
SUNSCREEN

BR32

CHANEL

30 ml  
1 FL.OZ.



### **Drug Facts** (continued)

other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months of age: Ask a doctor

### **Other information**

Protect the product in this container from excessive heat and direct sun.

### **Inactive ingredients**

water • isododecane • dimethicone • hydrogenated polyisobutene • dicaprylyl carbonate • alcohol • methyl methacrylate crosspolymer • cellulose • PEG-9 polydimethylsiloxyethyl dimethicone • isodecyl neopentanoate • propylene glycol dicaprylate • stearylalkonium hectorite • aluminum hydroxide • sodium chloride • dimethicone/bis-isobutyl PPG-20 crosspolymer • stearic acid • phenoxyethanol • propylene carbonate • fragrance • talc • sodium lauroyl glutamate • biosaccharide gum-1 • lysine • magnesium chloride • BHT • tocopherol • hydrogenated lecithin • triethoxycaprylylsilane • hydrated silica (may contain) ultramarines • iron oxides • titanium dioxide • mica  
i140a-i

### **Questions or comments?**

Call 1-800-550-0005 M – F 9am – 9pm, S – S 10am – 6pm EST.

# ULTRA LE TEINT VELVET

TEINT EFFET FLOUTEUR  
FINI MAT VELOURS  
BLURRING SMOOTH-EFFECT  
FOUNDATION  
VELVET MATTE FINISH

BROAD SPECTRUM SPF 15  
SUNSCREEN

BR32

# CHANEL

30 ml

1 FL.OZ.



CET ARTICLE NE PEUT  
ÊTRE VENDU QUE  
PAR LES DÉPOSITAIRES  
AGRÉÉS CHANEL



THIS PRODUCT CAN  
ONLY BE SOLD BY  
AUTHORISED CHANEL  
RETAILERS



3 145891 446760

144.676

BR32

ULTRA  
LE TEINT VELVET  
BLURRING SMOOTH-EFFECT  
FOUNDATION  
VELVET MATTE FINISH

### **Drug Facts**

#### **Active ingredients**

Octinoxate 5%

Titanium dioxide 3.1%

#### **Purpose**

Sunscreen

Sunscreen

**Uses** • helps prevent sunburn

• if used as directed with other sun protection measures

When used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

### **Warnings**

**For external use only.**

**Do not use** on damaged or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** skin rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

- For sunscreen use:
  - apply liberally 15 minutes before sun exposure
  - use a water resistant sunscreen if swimming or sweating
  - reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and

MADE IN FRANCE

**CHANEL**  
PARIS

**CHANEL**<sup>®</sup>  
INC.  
NEW YORK, N.Y. 10019



**PRINCIPAL DISPLAY PANEL - 30 ml Bottle Carton - B40**

ULTRA  
LE TEINT VELVET

BLURRING SMOOTH-EFFECT  
FOUNDATION  
VELVET MATTE FINISH

BROAD SPECTRUM SPF 15  
SUNSCREEN

B40

CHANEL

30 ml  
1 FL.OZ.



### **Drug Facts** (continued)

other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months of age: Ask a doctor

### **Other information**

Protect the product in this container from excessive heat and direct sun,

### **Inactive ingredients**

water • isododecane • dimethicone • hydrogenated polyisobutene • dicaprylyl carbonate • alcohol • methyl methacrylate crosspolymer • cellulose • PEG-9 polydimethylsiloxyethyl dimethicone • isodecyl neopentanoate • propylene glycol dicaprylate • stearylalkonium hectorite • aluminum hydroxide • sodium chloride • dimethicone/bis-isobutyl PPG-20 crosspolymer • stearic acid • phenoxyethanol • propylene carbonate • fragrance • talc • sodium lauroyl glutamate • biosaccharide gum-1 • lysine • magnesium chloride • BHT • tocopherol • hydrogenated lecithin • triethoxycaprylylsilane • hydrated silica (may contain) ultramarines • iron oxides • titanium dioxide • mica

il40a-i

### **Questions or comments?**

Call 1-800-550-0005 M – F 9am – 9pm, S – S 10am – 6pm EST.

# ULTRA LE TEINT VELVET

TEINT EFFET FLOUTEUR  
FINI MAT VELOURS  
BLURRING SMOOTH-EFFECT  
FOUNDATION  
VELVET MATTE FINISH

BROAD SPECTRUM SPF 15  
SUNSCREEN

B40

# CHANEL

30 ml

1 FL.OZ.

CET ARTICLE NE PEUT  
ÊTRE VENDU QUE  
PAR LES DÉPOSITAIRES  
AGRÉÉS CHANEL



THIS PRODUCT CAN  
ONLY BE SOLD BY  
AUTHORISED CHANEL  
RETAILERS



3 145891 446869

144.686

B40

ULTRA  
LE TEINT VELVET  
BLURRING SMOOTH-EFFECT  
FOUNDATION  
VELVET MATTE FINISH

### Drug Facts

#### Active ingredients

Octinoxate 5%  
Titanium dioxide 3.1%

#### Purpose

Sunscreen  
Sunscreen

**Uses** • helps prevent sunburn

**SPF 30** • helps prevent sunburn

- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

### **Warnings**

**For external use only.**

**Do not use** on damaged or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** skin rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

- For sunscreen use:
  - apply liberally 15 minutes before sun exposure
  - use a water resistant sunscreen if swimming or sweating
  - reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and

MADE IN FRANCE

**CHANEL**  
PARIS

**CHANEL**<sup>®</sup> INC.  
NEW YORK, N.Y. 10019



**PRINCIPAL DISPLAY PANEL - 30 ml Bottle Carton - BR42**

ULTRA  
LE TEINT VELVET

BLURRING SMOOTH-EFFECT  
FOUNDATION  
VELVET MATTE FINISH

BROAD SPECTRUM SPF 15  
SUNSCREEN

BR42

CHANEL

30 ml  
1 FL.OZ.



### **Drug Facts** (continued)

other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months of age: Ask a doctor

### **Other information**

Protect the product in this container from excessive heat and direct sun.

### **Inactive ingredients**

water • isododecane • dimethicone • hydrogenated polyisobutene • dicaprylyl carbonate • alcohol • methyl methacrylate crosspolymer • cellulose • PEG-9 polydimethylsiloxyethyl dimethicone • isodecyl neopentanoate • propylene glycol dicaprylate • stearylalkonium hectorite • aluminum hydroxide • sodium chloride • dimethicone/bis-isobutyl PPG-20 crosspolymer • stearic acid • phenoxyethanol • propylene carbonate • fragrance • talc • sodium lauryl glutamate • biosaccharide gum-1 • lysine • magnesium chloride • BHT • tocopherol • hydrogenated lecithin • triethoxycaprylylsilane • hydrated silica (may contain) ultramarines • iron oxides • titanium dioxide • mica  
i140a-i

### **Questions or comments?**

Call 1-800-550-0005 M – F 9am – 9pm, S – S 10am – 6pm EST.

# ULTRA LE TEINT VELVET

TEINT EFFET FLOUTEUR  
FINI MAT VELOURS  
BLURRING SMOOTH-EFFECT  
FOUNDATION  
VELVET MATTE FINISH

BROAD SPECTRUM SPF 15  
SUNSCREEN

BR42

# CHANEL

30 ml

1 FL.OZ.



CET ARTICLE NE PEUT  
ÊTRE VENDU QUE  
PAR LES DÉPOSITAIRES  
AGRÉÉS CHANEL



THIS PRODUCT CAN  
ONLY BE SOLD BY  
AUTHORISED CHANEL  
RETAILERS



3 145891 446968

144.696

BR42

LE TEINT VELVET  
ULTRA  
BLURRING SMOOTH-EFFECT  
FOUNDATION  
VELVET MATTE FINISH

### **Drug Facts**

#### **Active ingredients**

Octinoxate 5%  
Titanium dioxide 3.1%

#### **Purpose**

Sunscreen  
Sunscreen

**Uses** • helps prevent sunburn  
• if used as directed with other sun protection measures

(see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

### **Warnings**

**For external use only.**

**Do not use** on damaged or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** skin rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

- For sunscreen use:
  - apply liberally 15 minutes before sun exposure
  - use a water resistant sunscreen if swimming or sweating
  - reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and

MADE IN FRANCE

**CHANEL**  
PARIS

**CHANEL**<sup>®</sup> INC.  
NEW YORK, N.Y. 10019



ULTRA  
LE TEINT VELVET

BLURRING SMOOTH-EFFECT  
FOUNDATION  
VELVET MATTE FINISH

BROAD SPECTRUM SPF 15  
SUNSCREEN

B50

CHANEL

30 ml  
1 FL.OZ.



### **Drug Facts** (continued)

other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months of age: Ask a doctor

### **Other information**

Protect the product in this container from excessive heat and direct sun.

### **Inactive ingredients**

water • isododecane • dimethicone • hydrogenated polyisobutene • dicaprylyl carbonate • alcohol • methyl methacrylate crosspolymer • cellulose • PEG-9 polydimethylsiloxyethyl dimethicone • isodecyl neopentanoate • propylene glycol dicaprylate • stearalkonium hectorite • aluminum hydroxide • sodium chloride • dimethicone/bis-isobutyl PPG-20 crosspolymer • stearic acid • phenoxyethanol • propylene carbonate • fragrance • talc • sodium lauroyl glutamate • biosaccharide gum-1 • lysine • magnesium chloride • BHT • tocopherol • hydrogenated lecithin • triethoxycaprylylsilane • hydrated silica (may contain) ultramarines • iron oxides • titanium dioxide • mica  
i140a-i

### **Questions or comments?**

Call 1-800-550-0005 M – F 9am – 9pm, S – S 10am – 6pm EST.

# ULTRA LE TEINT VELVET

TEINT EFFET FLOUTEUR  
FINI MAT VELOURS  
BLURRING SMOOTH-EFFECT  
FOUNDATION  
VELVET MATTE FINISH

BROAD SPECTRUM SPF 15  
SUNSCREEN

B50

# CHANEL

30 ml

1 FL.OZ.

CET ARTICLE NE PEUT  
ÊTRE VENDU QUE  
PAR LES DÉPOSITAIRES  
AGRÉÉS CHANEL



THIS PRODUCT CAN  
ONLY BE SOLD BY  
AUTHORISED CHANEL  
RETAILERS



3 145891 447460

144.746

B50

ULTRA  
LE TEINT VELVET  
BLURRING SMOOTH-EFFECT  
FOUNDATION  
VELVET MATTE FINISH

### **Drug Facts**

#### **Active ingredients**

Octinoxate 5%

Titanium dioxide 3.1%

#### **Purpose**

Sunscreen

Sunscreen

**Uses** • helps prevent sunburn

- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

### **Warnings**

**For external use only.**

**Do not use** on damaged or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** skin rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

- For sunscreen use:
  - apply liberally 15 minutes before sun exposure
  - use a water resistant sunscreen if swimming or sweating
  - reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and

MADE IN FRANCE

**CHANEL**  
PARIS

**CHANEL**<sup>®</sup> INC.  
NEW YORK, N.Y. 10019



**PRINCIPAL DISPLAY PANEL - 30 ml Bottle Carton - B60**

ULTRA  
LE TEINT VELVET

BLURRING SMOOTH-EFFECT  
FOUNDATION  
VELVET MATTE FINISH

BROAD SPECTRUM SPF 15  
SUNSCREEN

B60

CHANEL

30 ml  
1 FL.OZ.



### **Drug Facts** (continued)

other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months of age: Ask a doctor

### **Other information**

Protect the product in this container from excessive heat and direct sun.

### **Inactive ingredients**

water • isododecane • dimethicone • hydrogenated polyisobutene • dicaprylyl carbonate • alcohol • methyl methacrylate crosspolymer • cellulose • PEG-9 polydimethylsiloxyethyl dimethicone • isodecyl neopentanoate • propylene glycol dicaprylate • stearalkonium hectorite • aluminum hydroxide • sodium chloride • dimethicone/bis-isobutyl PPG-20 crosspolymer • stearic acid • phenoxyethanol • propylene carbonate • fragrance • talc • sodium lauroyl glutamate • biosaccharide gum-1 • lysine • magnesium chloride • BHT • tocopherol • hydrogenated lecithin • triethoxycaprylylsilane • hydrated silica (may contain) ultramarines • iron oxides • titanium dioxide • mica

i40a-i

### **Questions or comments?**

Call 1-800-550-0005 M – F 9am – 9pm, S – S 10am – 6pm EST.

# ULTRA LE TEINT VELVET

TEINT EFFET FLOUTEUR  
FINI MAT VELOURS  
BLURRING SMOOTH-EFFECT  
FOUNDATION  
VELVET MATTE FINISH

BROAD SPECTRUM SPF 15  
SUNSCREEN

B60

# CHANEL

30 ml

1 FL.OZ.



CET ARTICLE NE PEUT  
ÊTRE VENDU QUE  
PAR LES DÉPOSITAIRES  
AGRÉÉS CHANEL



THIS PRODUCT CAN  
ONLY BE SOLD BY  
AUTHORISED CHANEL  
RETAILERS



3 145891 447569

144.756

B60

ULTRA  
LE TEINT VELVET  
BLURRING SMOOTH-EFFECT  
FOUNDATION  
VELVET MATTE FINISH

### Drug Facts

#### Active ingredients

Octinoxate 5%  
Titanium dioxide 3.1%

#### Purpose

Sunscreen  
Sunscreen

**Uses** • helps prevent sunburn

• helps prevent sunburn

- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

### **Warnings**

**For external use only.**

**Do not use** on damaged or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** skin rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

- For sunscreen use:
  - apply liberally 15 minutes before sun exposure
  - use a water resistant sunscreen if swimming or sweating
  - reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and

MADE IN FRANCE

**CHANEL**  
PARIS

**CHANEL**<sup>®</sup> INC.  
NEW YORK, N.Y. 10019



**PRINCIPAL DISPLAY PANEL - 30 ml Bottle Carton - B70**

ULTRA  
LE TEINT VELVET

BLURRING SMOOTH-EFFECT  
FOUNDATION  
VELVET MATTE FINISH

BROAD SPECTRUM SPF 15  
SUNSCREEN

B70

CHANEL

30 ml  
1 FL.OZ.



### **Drug Facts** (continued)

other sun protection measures including:

- limit time in the sun, especially from 10 a.m. – 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months of age: Ask a doctor

### **Other information**

Protect the product in this container from excessive heat and direct sun.

### **Inactive ingredients**

water • isododecane • dimethicone • hydrogenated polyisobutene • dicaprylyl carbonate • alcohol • methyl methacrylate crosspolymer • cellulose • PEG-9 polydimethylsiloxyethyl dimethicone • isodecyl neopentanoate • propylene glycol dicaprylate • stearylalkonium hectorite • aluminum hydroxide • sodium chloride • dimethicone/bis-isobutyl PPG-20 crosspolymer • stearic acid • phenoxyethanol • propylene carbonate • fragrance • talc • sodium lauroyl glutamate • biosaccharide gum-1 • lysine • magnesium chloride • BHT • tocopherol • hydrogenated lecithin • triethoxycaprylylsilane • hydrated silica (may contain) ultramarines • iron oxides • titanium dioxide • mica

i40a-i

### **Questions or comments?**

Call 1-800-550-0005 M – F 9am – 9pm, S – S 10am – 6pm EST.

# ULTRA LE TEINT VELVET

TEINT EFFET FLOUTEUR  
FINI MAT VELOURS

BLURRING SMOOTH-EFFECT  
FOUNDATION  
VELVET MATTE FINISH

BROAD SPECTRUM SPF 15  
SUNSCREEN

B70

# CHANEL

30 ml

1 FL.OZ.

CET ARTICLE NE PEUT  
ÊTRE VENDU QUE  
PAR LES DÉPOSITAIRES  
AGRÉÉS CHANEL



THIS PRODUCT CAN  
ONLY BE SOLD BY  
AUTHORISED CHANEL  
RETAILERS



3 145891 447668

144.766

B70

ULTRA  
LE TEINT VELVET  
BLURRING SMOOTH-EFFECT  
FOUNDATION  
VELVET MATTE FINISH

### ***Drug Facts***

#### ***Active ingredients***

Octinoxate 5%  
Titanium dioxide 3.1%

#### ***Purpose***

Sunscreen  
Sunscreen

***Uses*** • helps prevent sunburn

- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

### **Warnings**

**For external use only.**

**Do not use** on damaged or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** skin rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

- For sunscreen use:
  - apply liberally 15 minutes before sun exposure
  - use a water resistant sunscreen if swimming or sweating
  - reapply at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and

MADE IN FRANCE

**CHANEL**  
PARIS

**CHANEL**<sup>®</sup> INC.  
NEW YORK, N.Y. 10019



# ULTRA LE TEINT VELVET BLURRING SMOOTH-EFFECT FOUNDATION VELVET MATTE FINISH BROAD SPECTRUM SPF 15 SUNSCREEN B10

octinoxate and titanium dioxide liquid

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:68745-2117
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	50 mg in 1 mL
<b>Titanium dioxide</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	Titanium dioxide	31 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>water</b> (UNII: 059QF0KO0R)	
<b>isododecane</b> (UNII: A8289P68Y2)	
<b>hydrogenated polybutene (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)	
<b>dimethicone</b> (UNII: 92RU3N3Y1O)	
<b>dicaprylyl carbonate</b> (UNII: 609A3V1SUA)	
<b>alcohol</b> (UNII: 3K9958V90M)	
<b>methyl methacrylate/glycol dimethacrylate crosspolymer</b> (UNII: EG97988M5Q)	
<b>powdered cellulose</b> (UNII: SMD1X3XO9M)	
<b>PEG-9 polydimethylsiloxylethyl dimethicone</b> (UNII: TYP81E471F)	
<b>isodecyl neopentanoate</b> (UNII: W60VYE24XC)	
<b>propylene glycol dicaprylate</b> (UNII: 581437HWX2)	
<b>stearalkonium hectorite</b> (UNII: OLV698AH5P)	
<b>aluminum hydroxide</b> (UNII: 5QB0T2IUN0)	
<b>sodium chloride</b> (UNII: 451W47IQ8X)	
<b>dimethicone/bis-isobutyl PPG-20 crosspolymer</b> (UNII: O4I3UFO6ZF)	
<b>stearic acid</b> (UNII: 4ELV7Z65AP)	
<b>phenoxyethanol</b> (UNII: HIE492ZZ3T)	
<b>propylene carbonate</b> (UNII: 8D08K3S51E)	
<b>talc</b> (UNII: 7SEV7J4R1U)	
<b>sodium lauroyl glutamate</b> (UNII: NCX1UU2D33)	
<b>biosaccharide gum-1</b> (UNII: BB4PU4V09H)	
<b>lysine</b> (UNII: K3Z4F929H6)	
<b>magnesium chloride</b> (UNII: 02F3473H9O)	
<b>butylated hydroxytoluene</b> (UNII: 1P9D0Z171K)	
<b>tocopherol</b> (UNII: R0ZB2556P8)	
<b>hydrogenated soybean lecithin</b> (UNII: H1109Z9J4N)	
<b>triethoxycaprylylsilane</b> (UNII: LDC331P08E)	
<b>hydrated silica</b> (UNII: Y607T4G8P9)	
<b>ferric oxide red</b> (UNII: 1K09F3G675)	
<b>ferric oxide yellow</b> (UNII: EX438O2MRT)	

ferrosoferric oxide (UNII: XM0M87F357)

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68745-2117-1	1 in 1 CARTON	08/15/2019	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:68745-2117-2	1 in 1 CARTON	08/15/2019	
2		20 mL in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M020	08/15/2019	

# ULTRA LE TEINT VELVET BLURRING SMOOTH-EFFECT FOUNDATION VELVET MATTE FINISH BROAD SPECTRUM SPF 15 SUNSCREEN BR12

octinoxate and titanium dioxide liquid

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68745-2118
Route of Administration	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	50 mg in 1 mL
<b>Titanium dioxide</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	Titanium dioxide	31 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>water</b> (UNII: 059QF0KO0R)	
<b>isododecane</b> (UNII: A8289P68Y2)	
<b>hydrogenated polybutene (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)	
<b>dimethicone</b> (UNII: 92RU3N3Y1O)	
<b>dicaprylyl carbonate</b> (UNII: 609A3V1SUA)	
<b>alcohol</b> (UNII: 3K9958V90M)	
<b>methyl methacrylate/glycol dimethacrylate crosspolymer</b> (UNII: EG97988M5Q)	
<b>powdered cellulose</b> (UNII: SMD1X3XO9M)	



<b>PEG-9 polydimethylsiloxylethyl dimethicone</b> (UNII: TYP81E471F)
<b>isodecyl neopentanoate</b> (UNII: W60VYE24XC)
<b>propylene glycol dicaprylate</b> (UNII: 581437HXX2)
<b>stearalkonium hectorite</b> (UNII: OLV698AH5P)
<b>aluminum hydroxide</b> (UNII: 5QB0T2IUN0)
<b>sodium chloride</b> (UNII: 451W47IQ8X)
<b>dimethicone/bis-isobutyl PPG-20 crosspolymer</b> (UNII: O4I3UFO6ZF)
<b>stearic acid</b> (UNII: 4ELV7Z65AP)
<b>phenoxyethanol</b> (UNII: HIE492ZZ3T)
<b>propylene carbonate</b> (UNII: 8D08K3S51E)
<b>talc</b> (UNII: 7SEV7J4R1U)
<b>sodium lauroyl glutamate</b> (UNII: NCX1UU2D33)
<b>biosaccharide gum-1</b> (UNII: BB4PU4V09H)
<b>lysine</b> (UNII: K3Z4F929H6)
<b>magnesium chloride</b> (UNII: 02F3473H90)
<b>butylated hydroxytoluene</b> (UNII: 1P9D0Z171K)
<b>tocopherol</b> (UNII: R0ZB2556P8)
<b>hydrogenated soybean lecithin</b> (UNII: H1109Z9J4N)
<b>triethoxycaprylylsilane</b> (UNII: LDC331P08E)
<b>hydrated silica</b> (UNII: Y607T4G8P9)
<b>ferric oxide red</b> (UNII: 1K09F3G675)
<b>ferric oxide yellow</b> (UNII: EX438O2MRT)
<b>ferrosoferric oxide</b> (UNII: XM0M87F357)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68745-2118-1	1 in 1 CARTON	08/15/2019	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:68745-2118-2	1 in 1 CARTON	08/15/2019	
2		20 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M020	08/15/2019	

## ULTRA LE TEINT VELVET BLURRING SMOOTH-EFFECT FOUNDATION VELVET MATTE FINISH BROAD SPECTRUM SPF 15 SUNSCREEN B20

octinoxate and titanium dioxide liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:68745-2119
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	50 mg in 1 mL
<b>Titanium dioxide</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	Titanium dioxide	31 mg in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>water</b> (UNII: 059QF0KO0R)	
<b>isododecane</b> (UNII: A8289P68Y2)	
<b>hydrogenated polybutene (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)	
<b>dimethicone</b> (UNII: 92RU3N3Y1O)	
<b>dicaprylyl carbonate</b> (UNII: 609A3V1SUA)	
<b>alcohol</b> (UNII: 3K9958V90M)	
<b>methyl methacrylate/glycol dimethacrylate crosspolymer</b> (UNII: EG97988M5Q)	
<b>powdered cellulose</b> (UNII: SMD1X3XO9M)	
<b>PEG-9 polydimethylsiloxylethyl dimethicone</b> (UNII: TYP81E471F)	
<b>isodecyl neopentanoate</b> (UNII: W60VYE24XC)	
<b>propylene glycol dicaprylate</b> (UNII: 581437HWX2)	
<b>stearalkonium hectorite</b> (UNII: OLX698AH5P)	
<b>aluminum hydroxide</b> (UNII: 5QB0T2IUN0)	
<b>sodium chloride</b> (UNII: 451W47IQ8X)	
<b>dimethicone/bis-isobutyl PPG-20 crosspolymer</b> (UNII: O4I3UFO6ZF)	
<b>stearic acid</b> (UNII: 4ELV7Z65AP)	
<b>phenoxyethanol</b> (UNII: HIE492ZZ3T)	
<b>propylene carbonate</b> (UNII: 8D08K3S51E)	
<b>talc</b> (UNII: 7SEV7J4R1U)	
<b>sodium lauroyl glutamate</b> (UNII: NCX1UU2D33)	
<b>biosaccharide gum-1</b> (UNII: BB4PU4V09H)	
<b>lysine</b> (UNII: K3Z4F929H6)	
<b>magnesium chloride</b> (UNII: 02F3473H9O)	
<b>butylated hydroxytoluene</b> (UNII: 1P9D0Z171K)	
<b>tocopherol</b> (UNII: R0ZB2556P8)	
<b>hydrogenated soybean lecithin</b> (UNII: H1109Z9J4N)	
<b>triethoxycaprylylsilane</b> (UNII: LDC331P08E)	
<b>hydrated silica</b> (UNII: Y607T4G8P9)	
<b>ferric oxide red</b> (UNII: 1K09F3G675)	
<b>ferric oxide yellow</b> (UNII: EX438O2MRT)	
<b>ferrosoferric oxide</b> (UNII: XM0M87F357)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68745-	1 in 1 CARTON	08/15/2018	

1	2119-1	1 in 1 CARTON	08/15/2019
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product	
2	NDC:68745-2119-2	1 in 1 CARTON	08/15/2019
2		20 mL in 1 BOTTLE; Type 0: Not a Combination Product	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M020	08/15/2019	

## ULTRA LE TEINT VELVET BLURRING SMOOTH-EFFECT FOUNDATION VELVET MATTE FINISH BROAD SPECTRUM SPF 15 SUNSCREEN BR22

octinoxate and titanium dioxide liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68745-2120
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	50 mg in 1 mL
<b>Titanium dioxide</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	Titanium dioxide	31 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>water</b> (UNII: 059QF0KO0R)	
<b>isododecane</b> (UNII: A8289P68Y2)	
<b>hydrogenated polybutene (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)	
<b>dimethicone</b> (UNII: 92RU3N3Y1O)	
<b>dicaprylyl carbonate</b> (UNII: 609A3V1SUA)	
<b>alcohol</b> (UNII: 3K9958V90M)	
<b>methyl methacrylate/glycol dimethacrylate crosspolymer</b> (UNII: EG97988M5Q)	
<b>powdered cellulose</b> (UNII: SMD1X3XO9M)	
<b>PEG-9 polydimethylsiloxyethyl dimethicone</b> (UNII: TYP81E471F)	
<b>isodecyl neopentanoate</b> (UNII: W60VYE24XC)	
<b>propylene glycol dicaprylate</b> (UNII: 581437HWX2)	
<b>stearalkonium hectorite</b> (UNII: O LX698AH5P)	
<b>aluminum hydroxide</b> (UNII: 5QB0T2IUN0)	
<b>sodium chloride</b> (UNII: 451W47IQ8X)	
<b>dimethicone/bis-isobutyl PPG-20 crosspolymer</b> (UNII: O4I3UFO6ZF)	

<b>stearic acid</b> (UNII: 4ELV7Z65AP)
<b>phenoxyethanol</b> (UNII: HIE492ZZ3T)
<b>propylene carbonate</b> (UNII: 8D08K3S51E)
<b>talc</b> (UNII: 7SEV7J4R1U)
<b>sodium lauroyl glutamate</b> (UNII: NCX1UU2D33)
<b>biosaccharide gum-1</b> (UNII: BB4PU4V09H)
<b>lysine</b> (UNII: K3Z4F929H6)
<b>magnesium chloride</b> (UNII: 02F3473H9O)
<b>butylated hydroxytoluene</b> (UNII: 1P9D0Z171K)
<b>tocopherol</b> (UNII: R0ZB2556P8)
<b>hydrogenated soybean lecithin</b> (UNII: H1109Z9J4N)
<b>triethoxycaprylylsilane</b> (UNII: LDC331P08E)
<b>hydrated silica</b> (UNII: Y607T4G8P9)
<b>ferric oxide red</b> (UNII: 1K09F3G675)
<b>ferric oxide yellow</b> (UNII: EX438O2MRT)
<b>ferrosoferric oxide</b> (UNII: XM0M87F357)

<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68745-2120-1	1 in 1 CARTON	08/15/2019	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:68745-2120-2	1 in 1 CARTON	08/15/2019	
2		20 mL in 1 BOTTLE; Type 0: Not a Combination Product		

<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M020	08/15/2019	

**ULTRA LE TEINT VELVET BLURRING SMOOTH-EFFECT FOUNDATION VELVET MATTE FINISH BROAD SPECTRUM SPF 15 SUNSCREEN B30**  
 octinoxate and titanium dioxide liquid

<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:68745-2121
<b>Route of Administration</b>	TOPICAL		

<b>Active Ingredient/Active Moiety</b>		
Ingredient Name	Basis of Strength	Strength
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	50 mg in 1 mL

<b>Titanium dioxide</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	Titanium dioxide	31 mg in 1 mL
---	------------------	---------------

## Inactive Ingredients

Ingredient Name	Strength
<b>water</b> (UNII: 059QF0KO0R)	
<b>isododecane</b> (UNII: A8289P68Y2)	
<b>hydrogenated polybutene (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)	
<b>dimethicone</b> (UNII: 92RU3N3Y1O)	
<b>dicaprylyl carbonate</b> (UNII: 609A3V1SUA)	
<b>alcohol</b> (UNII: 3K9958V90M)	
<b>methyl methacrylate/glycol dimethacrylate crosspolymer</b> (UNII: EG97988M5Q)	
<b>powdered cellulose</b> (UNII: SMD1X3XO9M)	
<b>PEG-9 polydimethylsiloxylethyl dimethicone</b> (UNII: TYP81E471F)	
<b>isodecyl neopentanoate</b> (UNII: W60VYE24XC)	
<b>propylene glycol dicaprylate</b> (UNII: 581437HXX2)	
<b>stearalkonium hectorite</b> (UNII: OLV698AH5P)	
<b>aluminum hydroxide</b> (UNII: 5QB0T2IUN0)	
<b>sodium chloride</b> (UNII: 451W47IQ8X)	
<b>dimethicone/bis-isobutyl PPG-20 crosspolymer</b> (UNII: O4I3UFO6ZF)	
<b>stearic acid</b> (UNII: 4ELV7Z65AP)	
<b>phenoxyethanol</b> (UNII: HIE492ZZ3T)	
<b>propylene carbonate</b> (UNII: 8D08K3S51E)	
<b>talc</b> (UNII: 7SEV7J4R1U)	
<b>sodium lauroyl glutamate</b> (UNII: NCX1UU2D33)	
<b>biosaccharide gum-1</b> (UNII: BB4PU4V09H)	
<b>lysine</b> (UNII: K3Z4F929H6)	
<b>magnesium chloride</b> (UNII: 02F3473H9O)	
<b>butylated hydroxytoluene</b> (UNII: 1P9D0Z171K)	
<b>tocopherol</b> (UNII: R0ZB2556P8)	
<b>hydrogenated soybean lecithin</b> (UNII: H1109Z9J4N)	
<b>triethoxycaprylylsilane</b> (UNII: LDC331P08E)	
<b>hydrated silica</b> (UNII: Y6O7T4G8P9)	
<b>ferric oxide red</b> (UNII: 1K09F3G675)	
<b>ferric oxide yellow</b> (UNII: EX438O2MRT)	
<b>ferrosoferric oxide</b> (UNII: XM0M87F357)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68745-2121-1	1 in 1 CARTON	08/15/2019	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:68745-2121-2	1 in 1 CARTON	08/15/2019	
2		20 mL in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M020	08/15/2019	

## ULTRA LE TEINT VELVET BLURRING SMOOTH-EFFECT FOUNDATION VELVET MATTE FINISH BROAD SPECTRUM SPF 15 SUNSCREEN BR32

octinoxate and titanium dioxide liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68745-2122
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	50 mg in 1 mL
<b>Titanium dioxide</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	Titanium dioxide	31 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>water</b> (UNII: 059QF0KO0R)	
<b>isododecane</b> (UNII: A8289P68Y2)	
<b>hydrogenated polybutene (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)	
<b>dimethicone</b> (UNII: 92RU3N3Y1O)	
<b>dicaprylyl carbonate</b> (UNII: 609A3V1SUA)	
<b>alcohol</b> (UNII: 3K9958V90M)	
<b>methyl methacrylate/glycol dimethacrylate crosspolymer</b> (UNII: EG97988M5Q)	
<b>powdered cellulose</b> (UNII: SMD1X3XO9M)	
<b>PEG-9 polydimethylsiloxylethyl dimethicone</b> (UNII: TYP81E471F)	
<b>isodecyl neopentanoate</b> (UNII: W60VYE24XC)	
<b>propylene glycol dicaprylate</b> (UNII: 581437HWX2)	
<b>stearalkonium hectorite</b> (UNII: OLV698AH5P)	
<b>aluminum hydroxide</b> (UNII: 5QB0T2IUN0)	
<b>sodium chloride</b> (UNII: 451W47IQ8X)	
<b>dimethicone/bis-isobutyl PPG-20 crosspolymer</b> (UNII: O4I3UFO6ZF)	
<b>stearic acid</b> (UNII: 4ELV7Z65AP)	
<b>phenoxyethanol</b> (UNII: HIE492ZZ3T)	
<b>propylene carbonate</b> (UNII: 8D08K3S51E)	
<b>talc</b> (UNII: 7SEV7J4R1U)	
<b>sodium lauroyl glutamate</b> (UNII: NCX1UU2D33)	
<b>biosaccharide gum-1</b> (UNII: BB4PU4V09H)	
<b>lysine</b> (UNII: K3Z4F929H6)	
<b>magnesium chloride</b> (UNII: 02F3473H9O)	

<b>butylated hydroxytoluene</b> (UNII: 1P9D0Z171K)	
<b>tocopherol</b> (UNII: R0ZB2556P8)	
<b>hydrogenated soybean lecithin</b> (UNII: H1109Z9J4N)	
<b>triethoxycaprylylsilane</b> (UNII: LDC331P08E)	
<b>hydrated silica</b> (UNII: Y607T4G8P9)	
<b>ferric oxide red</b> (UNII: 1K09F3G675)	
<b>ferric oxide yellow</b> (UNII: EX43802MRT)	
<b>ferrosoferric oxide</b> (UNII: XM0M87F357)	

<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68745-2122-1	1 in 1 CARTON	08/15/2019	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:68745-2122-2	1 in 1 CARTON	08/15/2019	
2		20 mL in 1 BOTTLE; Type 0: Not a Combination Product		

<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M020	08/15/2019	

## **ULTRA LE TEINT VELVET BLURRING SMOOTH-EFFECT FOUNDATION VELVET MATTE FINISH BROAD SPECTRUM SPF 15 SUNSCREEN B40**

octinoxate and titanium dioxide liquid

<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:68745-2123
<b>Route of Administration</b>	TOPICAL		

<b>Active Ingredient/Active Moiety</b>			
Ingredient Name		Basis of Strength	Strength
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)		Octinoxate	50 mg in 1 mL
<b>Titanium dioxide</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)		Titanium dioxide	31 mg in 1 mL

<b>Inactive Ingredients</b>	
Ingredient Name	Strength
<b>water</b> (UNII: 059QF0KO0R)	
<b>isododecane</b> (UNII: A8289P68Y2)	

<b>hydrogenated polybutene (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)
<b>dimethicone</b> (UNII: 92RU3N3Y1O)
<b>dicaprylyl carbonate</b> (UNII: 609A3V1SUA)
<b>alcohol</b> (UNII: 3K9958V90M)
<b>methyl methacrylate/glycol dimethacrylate crosspolymer</b> (UNII: EG97988M5Q)
<b>powdered cellulose</b> (UNII: SMD1X3XO9M)
<b>PEG-9 polydimethylsiloxyethyl dimethicone</b> (UNII: TYP81E471F)
<b>isodecyl neopentanoate</b> (UNII: W60VYE24XC)
<b>propylene glycol dicaprylate</b> (UNII: 581437HXX2)
<b>stearalkonium hectorite</b> (UNII: OLV698AH5P)
<b>aluminum hydroxide</b> (UNII: 5QB0T2IUN0)
<b>sodium chloride</b> (UNII: 451W47IQ8X)
<b>dimethicone/bis-isobutyl PPG-20 crosspolymer</b> (UNII: O4I3UFO6ZF)
<b>stearic acid</b> (UNII: 4ELV7Z65AP)
<b>phenoxyethanol</b> (UNII: HIE492ZZ3T)
<b>propylene carbonate</b> (UNII: 8D08K3S51E)
<b>talc</b> (UNII: 7SEV7J4R1U)
<b>sodium lauroyl glutamate</b> (UNII: NCX1UU2D33)
<b>biosaccharide gum-1</b> (UNII: BB4PU4V09H)
<b>lysine</b> (UNII: K3Z4F929H6)
<b>magnesium chloride</b> (UNII: 02F3473H9O)
<b>butylated hydroxytoluene</b> (UNII: 1P9D0Z171K)
<b>tocopherol</b> (UNII: R0ZB2556P8)
<b>hydrogenated soybean lecithin</b> (UNII: H1109Z9J4N)
<b>triethoxycaprylylsilane</b> (UNII: LDC331P08E)
<b>hydrated silica</b> (UNII: Y607T4G8P9)
<b>ferric oxide red</b> (UNII: 1K09F3G675)
<b>ferric oxide yellow</b> (UNII: EX43802MRT)
<b>ferrosoferric oxide</b> (UNII: XM0M87F357)

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68745-2123-1	1 in 1 CARTON	08/15/2019	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:68745-2123-2	1 in 1 CARTON	08/15/2019	
2		20 mL in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M020	08/15/2019	



# ULTRA LE TEINT VELVET BLURRING SMOOTH-EFFECT FOUNDATION VELVET MATTE FINISH BROAD SPECTRUM SPF 15 SUNSCREEN BR42

octinoxate and titanium dioxide liquid

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:68745-2124
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	50 mg in 1 mL
<b>Titanium dioxide</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	Titanium dioxide	31 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>water</b> (UNII: 059QF0KO0R)	
<b>isododecane</b> (UNII: A8289P68Y2)	
<b>hydrogenated polybutene (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)	
<b>dimethicone</b> (UNII: 92RU3N3Y1O)	
<b>dicaprylyl carbonate</b> (UNII: 609A3V1SUA)	
<b>alcohol</b> (UNII: 3K9958V90M)	
<b>methyl methacrylate/glycol dimethacrylate crosspolymer</b> (UNII: EG97988M5Q)	
<b>powdered cellulose</b> (UNII: SMD1X3XO9M)	
<b>PEG-9 polydimethylsiloxylethyl dimethicone</b> (UNII: TYP81E471F)	
<b>isodecyl neopentanoate</b> (UNII: W60VYE24XC)	
<b>propylene glycol dicaprylate</b> (UNII: 581437HWX2)	
<b>stearalkonium hectorite</b> (UNII: OLX698AH5P)	
<b>aluminum hydroxide</b> (UNII: 5QB0T2IUN0)	
<b>sodium chloride</b> (UNII: 451W47IQ8X)	
<b>dimethicone/bis-isobutyl PPG-20 crosspolymer</b> (UNII: O4I3UFO6ZF)	
<b>stearic acid</b> (UNII: 4ELV7Z65AP)	
<b>phenoxyethanol</b> (UNII: HIE492ZZ3T)	
<b>propylene carbonate</b> (UNII: 8D08K3S51E)	
<b>talc</b> (UNII: 7SEV7J4R1U)	
<b>sodium lauroyl glutamate</b> (UNII: NCX1UU2D33)	
<b>biosaccharide gum-1</b> (UNII: BB4PU4V09H)	
<b>lysine</b> (UNII: K3Z4F929H6)	
<b>magnesium chloride</b> (UNII: 02F3473H9O)	
<b>butylated hydroxytoluene</b> (UNII: 1P9D0Z171K)	
<b>tocopherol</b> (UNII: R0ZB2556P8)	
<b>hydrogenated soybean lecithin</b> (UNII: H1109Z9J4N)	
<b>triethoxycaprylylsilane</b> (UNII: LDC331P08E)	
<b>hydrated silica</b> (UNII: Y6O7T4G8P9)	
<b>ferric oxide red</b> (UNII: 1K09F3G675)	
<b>ferric oxide yellow</b> (UNII: EX438O2MRT)	

ferrosoferric oxide (UNII: XM0M87F357)

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68745-2124-1	1 in 1 CARTON	08/15/2019	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:68745-2124-2	1 in 1 CARTON	08/15/2019	
2		20 mL in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M020	08/15/2019	

# ULTRA LE TEINT VELVET BLURRING SMOOTH-EFFECT FOUNDATION VELVET MATTE FINISH BROAD SPECTRUM SPF 15 SUNSCREEN B50

octinoxate and titanium dioxide liquid

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68745-2125
Route of Administration	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	50 mg in 1 mL
<b>Titanium dioxide</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	Titanium dioxide	31 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>water</b> (UNII: 059QF0KO0R)	
<b>isododecane</b> (UNII: A8289P68Y2)	
<b>hydrogenated polybutene (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)	
<b>dimethicone</b> (UNII: 92RU3N3Y1O)	
<b>dicaprylyl carbonate</b> (UNII: 609A3V1SUA)	
<b>alcohol</b> (UNII: 3K9958V90M)	
<b>methyl methacrylate/glycol dimethacrylate crosspolymer</b> (UNII: EG97988M5Q)	
<b>powdered cellulose</b> (UNII: SMD1X3XO9M)	
<b>PEG-9 polydimethylsiloxylethyl dimethicone</b> (UNII: TYP81E471F)	

<b>isodecyl neopentanoate</b> (UNII: W60VYE24XC)
<b>propylene glycol dicaprylate</b> (UNII: 581437HXX2)
<b>stearalkonium hectorite</b> (UNII: OLY698AH5P)
<b>aluminum hydroxide</b> (UNII: 5QB0T2IUN0)
<b>sodium chloride</b> (UNII: 451W47IQ8X)
<b>dimethicone/bis-isobutyl PPG-20 crosspolymer</b> (UNII: O4I3UFO6ZF)
<b>stearic acid</b> (UNII: 4ELV7Z65AP)
<b>phenoxyethanol</b> (UNII: HIE492ZZ3T)
<b>propylene carbonate</b> (UNII: 8D08K3S51E)
<b>talc</b> (UNII: 7SEV7J4R1U)
<b>sodium lauroyl glutamate</b> (UNII: NCX1UU2D33)
<b>biosaccharide gum-1</b> (UNII: BB4PU4V09H)
<b>lysine</b> (UNII: K3Z4F929H6)
<b>magnesium chloride</b> (UNII: 02F3473H9O)
<b>butylated hydroxytoluene</b> (UNII: 1P9D0Z171K)
<b>tocopherol</b> (UNII: R0ZB2556P8)
<b>hydrogenated soybean lecithin</b> (UNII: H1109Z9J4N)
<b>triethoxycaprylylsilane</b> (UNII: LDC331P08E)
<b>hydrated silica</b> (UNII: Y6O7T4G8P9)
<b>ferric oxide red</b> (UNII: 1K09F3G675)
<b>ferric oxide yellow</b> (UNII: EX438O2MRT)
<b>ferrosoferric oxide</b> (UNII: XM0M87F357)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68745-2125-1	1 in 1 CARTON	08/15/2019	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:68745-2125-2	1 in 1 CARTON	08/15/2019	
2		20 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M020	08/15/2019	

## ULTRA LE TEINT VELVET BLURRING SMOOTH-EFFECT FOUNDATION VELVET MATTE FINISH BROAD SPECTRUM SPF 15 SUNSCREEN B60

octinoxate and titanium dioxide liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:68745-2126
---------------------	----------------	---------------------------	----------------

**Route of Administration** TOPICAL

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	50 mg in 1 mL
<b>Titanium dioxide</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	Titanium dioxide	31 mg in 1 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>water</b> (UNII: 059QF0KO0R)	
<b>isododecane</b> (UNII: A8289P68Y2)	
<b>hydrogenated polybutene (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)	
<b>dimethicone</b> (UNII: 92RU3N3Y1O)	
<b>dicaprylyl carbonate</b> (UNII: 609A3V1SUA)	
<b>alcohol</b> (UNII: 3K9958V90M)	
<b>methyl methacrylate/glycol dimethacrylate crosspolymer</b> (UNII: EG97988M5Q)	
<b>powdered cellulose</b> (UNII: SMD1X3XO9M)	
<b>PEG-9 polydimethylsiloxylethyl dimethicone</b> (UNII: TYP81E471F)	
<b>isodecyl neopentanoate</b> (UNII: W60VYE24XC)	
<b>propylene glycol dicaprylate</b> (UNII: 581437HXX2)	
<b>stearalkonium hectorite</b> (UNII: OLV698AH5P)	
<b>aluminum hydroxide</b> (UNII: 5QB0T2IUN0)	
<b>sodium chloride</b> (UNII: 451W47IQ8X)	
<b>dimethicone/bis-isobutyl PPG-20 crosspolymer</b> (UNII: O4I3UFO6ZF)	
<b>stearic acid</b> (UNII: 4ELV7Z65AP)	
<b>phenoxyethanol</b> (UNII: HIE492ZZ3T)	
<b>propylene carbonate</b> (UNII: 8D08K3S51E)	
<b>talc</b> (UNII: 7SEV7J4R1U)	
<b>sodium lauroyl glutamate</b> (UNII: NCX1UU2D33)	
<b>biosaccharide gum-1</b> (UNII: BB4PU4V09H)	
<b>lysine</b> (UNII: K3Z4F929H6)	
<b>magnesium chloride</b> (UNII: 02F3473H9O)	
<b>butylated hydroxytoluene</b> (UNII: 1P9D0Z171K)	
<b>tocopherol</b> (UNII: R0ZB2556P8)	
<b>hydrogenated soybean lecithin</b> (UNII: H1109Z9J4N)	
<b>triethoxycaprylylsilane</b> (UNII: LDC331P08E)	
<b>hydrated silica</b> (UNII: Y607T4G8P9)	
<b>ferric oxide red</b> (UNII: 1K09F3G675)	
<b>ferric oxide yellow</b> (UNII: EX438O2MRT)	
<b>ferrosoferric oxide</b> (UNII: XM0M87F357)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
<b>1</b>	NDC:68745-2126-1	1 in 1 CARTON	08/15/2019	

1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product	
2	NDC:68745-2126-2	1 in 1 CARTON	08/15/2019
2		20 mL in 1 BOTTLE; Type 0: Not a Combination Product	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M020	08/15/2019	

## ULTRA LE TEINT VELVET BLURRING SMOOTH-EFFECT FOUNDATION VELVET MATTE FINISH BROAD SPECTRUM SPF 15 SUNSCREEN B70

octinoxate and titanium dioxide liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68745-2127
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	50 mg in 1 mL
<b>Titanium dioxide</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	Titanium dioxide	31 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>water</b> (UNII: 059QF0KO0R)	
<b>isododecane</b> (UNII: A8289P68Y2)	
<b>hydrogenated polybutene (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)	
<b>dimethicone</b> (UNII: 92RU3N3Y1O)	
<b>dicaprylyl carbonate</b> (UNII: 609A3V1SUA)	
<b>alcohol</b> (UNII: 3K9958V90M)	
<b>methyl methacrylate/glycol dimethacrylate crosspolymer</b> (UNII: EG97988M5Q)	
<b>powdered cellulose</b> (UNII: SMD1X3XO9M)	
<b>PEG-9 polydimethylsiloxylethyl dimethicone</b> (UNII: TYP81E471F)	
<b>isodecyl neopentanoate</b> (UNII: W60VYE24XC)	
<b>propylene glycol dicaprylate</b> (UNII: 581437HWW2)	
<b>stearalkonium hectorite</b> (UNII: OLV698AH5P)	
<b>aluminum hydroxide</b> (UNII: 5QB0T2IUN0)	
<b>sodium chloride</b> (UNII: 451W47IQ8X)	
<b>dimethicone/bis-isobutyl PPG-20 crosspolymer</b> (UNII: O4I3UFO6ZF)	
<b>stearic acid</b> (UNII: 4ELV7Z65AP)	
<b>phenoxyethanol</b> (UNII: HIE492ZZ3T)	

<b>propylene carbonate</b> (UNII: 8D08K3S51E)
<b>talc</b> (UNII: 7SEV7J4R1U)
<b>sodium lauroyl glutamate</b> (UNII: NCX1UU2D33)
<b>biosaccharide gum-1</b> (UNII: BB4PU4V09H)
<b>lysine</b> (UNII: K3Z4F929H6)
<b>magnesium chloride</b> (UNII: 02F3473H9O)
<b>butylated hydroxytoluene</b> (UNII: 1P9D0Z171K)
<b>tocopherol</b> (UNII: R0ZB2556P8)
<b>hydrogenated soybean lecithin</b> (UNII: H1109Z9J4N)
<b>triethoxycaprylylsilane</b> (UNII: LDC331P08E)
<b>hydrated silica</b> (UNII: Y6O7T4G8P9)
<b>ferric oxide red</b> (UNII: 1K09F3G675)
<b>ferric oxide yellow</b> (UNII: EX438O2MRT)
<b>ferrosoferric oxide</b> (UNII: XM0M87F357)

<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68745-2127-1	1 in 1 CARTON	08/15/2019	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:68745-2127-2	1 in 1 CARTON	08/15/2019	
2		20 mL in 1 BOTTLE; Type 0: Not a Combination Product		

<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M020	08/15/2019	

**Labeler** - CHANEL PARFUMS BEAUTE (275137669)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
CHANEL PARFUMS BEAUTE		277032509	MANUFACTURE(68745-2117, 68745-2118, 68745-2119, 68745-2120, 68745-2121, 68745-2122, 68745-2123, 68745-2124, 68745-2125, 68745-2126, 68745-2127) , LABEL(68745-2117, 68745-2118, 68745-2119, 68745-2120, 68745-2121, 68745-2122, 68745-2123, 68745-2124, 68745-2125, 68745-2126, 68745-2127)