

**MEIJER STOMACH RELIEF REGULAR STRENGTH- bismuth
subsalicylate suspension
MEIJER DISTRIBUTION INC**

**Meijer Stomach Relief Regular Strength Bismuth Subsalicylate 525 mg Drug
Facts**

Active ingredient (in each 30 mL dose cup)

Bismuth subsalicylate 525 mg

Purposes

Upset stomach reliever and antidiarrheal

Uses

relieves

- travelers' diarrhea
- diarrhea
- upset stomach due to overindulgence in food and drink, including:
- heartburn
- indigestion
- nausea
- gas
- belching

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea or vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Contains salicylate. Do not take if you are

- allergic to salicylates (including aspirin)
- taking other salicylate products

Do not use if you have

- an ulcer
- a bleeding problem
- bloody or black stool

Ask a doctor before use if you have

- fever
- mucus in the stool

Ask a doctor or pharmacist before use if you are

taking any drug for

- anticoagulation (thinning the blood)
- diabetes
- gout
- arthritis

When using this product

a temporary, but harmless, darkening of the stool and/or tongue may occur

Stop use and ask a doctor if

- symptoms get worse or last more than 2 days
- ringing in the ears or loss of hearing occurs
- diarrhea lasts more than 2 days

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- shake well before use
- for accurate dosing, use dose cup
- **adults and children 12 years and over:** 1 dose (30 mL) every 1/2 to 1 hour as needed
- do not exceed 8 doses (240 mL) in 24 hours
- use until diarrhea stops but not more than 2 days
- **children under 12 years:** ask a doctor
- drink plenty of clear fluids to help prevent dehydration caused by diarrhea

Other information

- **each 30 mL contains:** sodium 10 mg
- **salicylate 261 mg**
- low sodium
- sugar free
- store at room temperature
- protect from freezing
- avoid excessive heat (over 104°F 40°C)

Inactive ingredients

carboxymethylcellulose sodium, D&C Red No. 22, D&C Red No. 28, flavor, microcrystalline cellulose, potassium hydroxide, potassium sorbate, purified water, salicylic acid, simethicone emulsion, sodium benzoate, sucralose, xanthan gum

Questions or comments?

1-866-467-2748

Do not use if imprinted shrink band is missing or broken.

Principal Display Panel

meijer®

NDC# **41250-671-16**

Compare To Pepto-Bismol® Regular Strength active ingredient

Stomach Relief

Bismuth Subsalicylate 525 mg

Regular Strength

Original Flavor

Naturally and Artificially Flavored

Provides soothing relief for:

Nausea

Heartburn

Indigestion

Upset Stomach

Diarrhea

16 FL. OZ. (473 mL)

OUR QUALITY GURANTEE

WWW.MEIJER.COM/SATISFACTION

DIST. BY MEIJER DISTRIBUTION, INC.

GRAND RAPIDS, MI 49544

www.meijer.com

***This product is not manufactured or distributed by The Procter & Gamble Co., owner of the registered trademark Pepto-Bismol®.**

Drug Facts (continued)

Directions ■ shake well before use
 ■ for accurate dosing, use dose cup
 ■ **adults and children 12 years and over:** 1 dose (30 mL) every 1/2 to 1 hour as needed
 ■ do not exceed 8 doses (240 mL) in 24 hours
 ■ use until diarrhea stops but not more than 2 days
 ■ **children under 12 years:** ask a doctor
 ■ drink plenty of clear fluids to help prevent dehydration caused by diarrhea

Other information
 ■ each 30 mL contains: sodium 10 mg
 ■ salicylate 261 mg
 ■ low sodium ■ sugar free
 ■ store at room temperature
 ■ protect from freezing
 ■ avoid excessive heat (more than 104°F or 40°C)

Inactive ingredients carboxymethylcellulose sodium, D&C Red #22, D&C Red #28, microcrystalline cellulose, natural and artificial flavor, potassium hydroxide, potassium sorbate, purified water, salicylic acid, simethicone emulsion, sodium benzoate, sucralose, xanthan gum

Questions or comments? 1-866-467-2748



DIST. BY MEIJER
 DISTRIBUTION, INC.
 GRAND RAPIDS, MI 49544
 www.meijer.com



LOT:
 UNVARNISHED
 AREA
 EXPI:

meijer

Compare to Pepto-Bismol®
 Regular Strength
 active ingredient*

Stomach Relief

Bismuth Subsalicylate 525 mg

Pink Bismuth

Provides soothing relief for:
 Nausea, Heartburn, Indigestion
 Upset Stomach, Diarrhea

16 FL. OZ. (473 mL)

Do not use if imprinted shrink band is missing or broken

Drug Facts

Active ingredient (in each 30 mL dose cup)
 Bismuth subsalicylate 525 mgUpset stomach
 reliever and antidiarrheal

Uses relieves ■ travelers' diarrhea ■ diarrhea ■ upset stomach due to overindulgence in food and drink, including:
 ■ heartburn ■ indigestion ■ nausea ■ gas ■ belching

Warnings
Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea or vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Contains salicylate. Do not take if you are
 ■ allergic to salicylates (including aspirin)
 ■ taking other salicylate products

Do not use if you have ■ an ulcer ■ a bleeding problem
 ■ bloody or black stool

Ask a doctor before use if you have ■ fever ■ mucus in the stool

Ask a doctor or pharmacist before use if you are taking any
 drug for ■ anticoagulation (thinning the blood) ■ diabetes
 ■ gout ■ arthritis

When using this product a temporary, but harmless, darkening of the stool and/or tongue may occur.

Stop use and ask a doctor if ■ symptoms get worse or last more than 2 days ■ ringing in the ears or loss of hearing occurs ■ diarrhea lasts more than 2 days

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

*This product is not manufactured or distributed by The Procter & Gamble Company, owner of the registered trademark Pepto-Bismol®.

MEIJER STOMACH RELIEF REGULAR STRENGTH

bismuth subsalicylate suspension

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41250-671
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BISMUTH SUBSALICYLATE (UNII: 62TEY51RR1) (BISMUTH CATION - UNII:ZS9CD1I8YE, SALICYLIC ACID - UNII:O414PZ4LPZ)	BISMUTH SUBSALICYLATE	525 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K679OBS311)	
D&C RED NO. 22 (UNII: 1678RKX8RT)	
D&C RED NO. 28 (UNII: 7671P0Y5NH)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POTASSIUM HYDROXIDE (UNII: WZ H3C48M4T)	
POTASSIUM SORBATE (UNII: 1VPU26JZ Z4)	
WATER (UNII: 059QF0KO0R)	
SALICYLIC ACID (UNII: O414PZ4LPZ)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SUCRALOSE (UNII: 96K6UQ3Z D4)	

XANTHAN GUM (UNII: TTV12P4NEE)

Product Characteristics

Color	PINK (viscous)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-671-16	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/07/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M008	03/07/2017	

Labeler - MEIJER DISTRIBUTION INC (006959555)

Revised: 10/2023

MEIJER DISTRIBUTION INC