

**DOCOSANOL - docosanol cream**  
**Aurohealth LLC**

-----

***Drug Facts***

***Active ingredient***

Docosanol 10%

***Purpose***

Cold sore/fever blister treatment

***Uses***

- treats cold sores/fever blisters on the face or lips
- shortens healing time and duration of symptoms:
  - tingling, pain, burning, and/or itching

***Warnings***

**Allergy alert**

This product may cause a severe allergic reaction. Symptoms may include:

- hives
- facial swelling
- wheezing/difficulty breathing
- shock
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

**For external use only**

**Do not use**

- If you are allergic to any ingredient in this product

**When using this product**

- apply only to affected areas
- do not use in or near the eyes
- avoid applying directly inside your mouth
- do not share this product with anyone. This may spread infection.

## **Stop use and ask a doctor if**

- your cold sore gets worse or the cold sore is not healed within 10 days.

## **Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

## **Directions**

- **adults and children 12 years or over:**
  - wash hands before and after applying cream
  - apply to affected area on face or lips at the first sign of cold sore/fever blister (tingle).
  - early treatment ensures the best results
  - rub in gently but completely
  - use 5 times a day until healed
- **children under 12 years:** ask a doctor

## ***Other information***

- store at 20° to 25°C (68° to 77°F).
- do not freeze

## **Inactive ingredients**

benzyl alcohol, light mineral oil, propylene glycol, purified water, sucrose distearate and sucrose stearate

## ***Questions or comments?***

call toll-free 1-855-274-4122 (Monday – Friday 8:30 AM to 5:00 PM EST)

## **Additional information**

**\*Contains the only non-prescription cold sore medicine approved by the FDA to shorten healing time and duration of symptoms.**

**Retain this insert for full product uses, directions and warnings.**

Distributed by:

**AUROHEALTH LLC,**

279 Princeton-Hightstown Road,

East Windsor, NJ 08520

Made in India

Code: TS/DRUGS/58039/2020

**Thank you for purchasing Docosanol Cream.** We hope that since docosanol cream shortens the healing time of cold sores, it helps you look and feel better faster. Please follow insert directions for proper use and refer to the information below.

### **You are not alone**

An estimated one-in-five Americans is affected by cold sores each year. Most people who experience them get two to three cold sore outbreaks each year. Just before and during an outbreak, the cold sore infection can be easily passed on to others. It is especially important to be aware of early warning signs that a cold sore is coming, and to be sure to avoid close physical contact when you have one.

### **Getting to the Root of the Problem**

A blister, or cluster of blisters around your mouth, is caused by the cold sore virus. After the cold sore has healed, the virus stays dormant in your body but can be reactivated by everyday triggers like stress, sunlight, extreme hot or cold weather, colds and flu, lack of sleep, or menstruation.

### **The Sooner, the Better**

A typical cold sore outbreak can last as long as seven to ten days. The sooner you begin using docosanol cream, the more effective the medicine will be. So for best results, use docosanol cream at the very start of the cold sore - when you feel the first sign of the tingle, redness, bump or itch.

Docosanol cream is different from other over-the-counter cold sore products. Only docosanol cream contains 10% docosanol, which helps to shorten the healing time of cold sores and the duration of symptoms including tingling, pain, itching and burning.

### **Frequently Asked Questions:**

#### **How is docosanol cream different from the over-the-counter cold sore remedies I have already been using?**

Docosanol cream is the only FDA approved non-prescription cold sore medicine that can actually shorten healing time and the duration of symptoms. The sooner you start using docosanol cream, the sooner you can begin healing your cold sore.

#### **Who can use docosanol cream?**

Adults and children 12 years and over can use docosanol cream.

#### **How often can I apply docosanol cream?**

Docosanol cream should be used five times a day until the cold sore is healed. Apply it directly to the cold sore at the first sign of a tingle, redness, bump or itch for best

results.

### **Can I apply cosmetics on top of docosanol cream?**

Yes, cosmetics such as lipstick may be applied over docosanol cream. However, use a separate applicator, like a cotton swab, to apply cosmetics over an unhealed cold sore to avoid spreading the infection. For best results, remove any cosmetics prior to applying docosanol cream.

### **How to use your docosanol cream Pump (for pump pack)**

- For Adults and Children 12 years and older  
- Docosanol cream should be used five times a day until the cold sore is healed. Apply it directly to the cold sore at the first sign of a tingle, redness, bump or itch for best results.

- If you wish, you can apply cosmetics such as lipstick over docosanol cream. However, use a separate applicator, like a cotton swab, to apply cosmetics over an unhealed cold sore to avoid spreading the infection. For best results, remove any cosmetics prior to applying docosanol cream.



**STEP 1** - Wash your hands before and after treating the cold sore.

**STEP 2** - Remove cap and press pump firmly. When first used, expect to press pump completely about 6 to 8 times before obtaining first dose.

**STEP 3** - Rub in gently but completely 5 times a day until healed for maximum of 10 days.

**STEP 4** - Place cap back on pump after each use.

### **For more information:**

Call us at 1-855-274-4122

### **PACKAGE LABEL-PRINCIPAL DISPLAY PANEL - Tube Label 10% (2 g Tube)**

AUROHEALTH

**NDC 58602-019-07**

**Docosanol Cream 10%**

**Cold Sore/Fever Blister Treatment**

**For Topical Use Only**

**NET WT 2 g (0.07 oz)**

 AUROHEALTH

NDC 58602-019-07

# Docosanol Cream 10%

**Cold Sore/Fever Blister Treatment  
For Topical Use Only**

NET WT 2 g (0.07 oz)

Retain insert for full product uses, directions and warnings.

Distributed by:

**AUROHEALTH LLC**

279 Princeton-Hightstown Road,  
East Windsor, NJ 08520

Made in India

Code: TS/DRUGS/58039/2020

P4200007

## **PACKAGE LABEL-PRINCIPAL DISPLAY PANEL - Tube Square Blister Card Label 10% (2 g Tube)**

### **AUROHEALTH**

#Compare to the active  
ingredient in Abreva®

NDC 58602-019-08

### **Docosanol Cream 10%**

### **Cold Sore/Fever Blister Treatment**

Non-Prescription Medicine to Shorten Healing Time\*

### **Cold Sore Treatment**

### **For Topical Use Only**

NET WT 2 g (0.07 oz)

\*Contains the only non-prescription cold sore medicine approved by the FDA to shorten healing time and duration of symptoms.

N 3 5860201908 2

Retain this insert for full product uses, directions and warnings.

<b>Drug Facts</b>	
<b>Active ingredient</b>	<b>Purpose</b>
Docosanol 10%.....	Cold sore/fever blister treatment
<b>Uses</b>	<b>Drug Facts (continued)</b>
<ul style="list-style-type: none"> <li>treats cold sores/fever blisters on the face or lips</li> <li>shortens healing time and duration of symptoms:</li> <li>tingling, pain, burning, and/or itching</li> </ul>	<b>Directions</b> <ul style="list-style-type: none"> <li>adults and children 12 years or over:               <ul style="list-style-type: none"> <li>wash hands before and after applying cream</li> <li>apply to affected area on face or lips at the first sign of cold sore/fever blister (tingle).</li> <li>early treatment ensures the best results</li> <li>rub in gently but completely</li> <li>use 5 times a day until healed</li> </ul> </li> <li>children under 12 years: ask a doctor</li> </ul>
<b>Warnings</b>	<b>Other information</b>
<b>Allergy alert</b> This product may cause a severe allergic reaction. Symptoms may include: <ul style="list-style-type: none"> <li>hives</li> <li>facial swelling</li> <li>wheezing/difficulty breathing</li> <li>shock</li> <li>rash</li> </ul> If an allergic reaction occurs, stop use and seek medical help right away.	<ul style="list-style-type: none"> <li>store at 20° to 25°C (68° to 77°F).</li> <li>do not freeze</li> </ul>
<b>For external use only</b>	<b>Inactive ingredients</b>
<b>Do not use</b> <ul style="list-style-type: none"> <li>If you are allergic to any ingredient in this product</li> </ul>	benzyl alcohol, light mineral oil, propylene glycol, purified water, sucrose distearate and sucrose stearate
<b>When using this product</b>	<b>Questions or comments?</b>
<ul style="list-style-type: none"> <li>apply only to affected areas</li> <li>do not use in or near the eyes</li> <li>avoid applying directly inside your mouth</li> <li>do not share this product with anyone. This may spread infection.</li> </ul>	call toll-free 1-855-274-4122 (Monday – Friday 8:30 AM to 5:00 PM EST)
<b>Stop use and ask a doctor if</b>	*This product is not manufactured or distributed by GSK consumer Healthcare, distributor of Abreva® Distributed by: AUROHEALTH LLC 279 Princeton-Hightstown Road, East Windsor, NJ 08520 Code: TS/DRUGS/58039/2020 Made in India P4100317
<ul style="list-style-type: none"> <li>your cold sore gets worse or the cold sore is not healed within 10 days.</li> </ul>	
<b>Keep out of reach of children</b>	Lot: NVZ
If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.	Exp.:

AUROHEALTH

\*Compare to the active ingredient in Abreva®

NDC 58602-019-08

**Docosanol Cream 10%**  
**Cold Sore/Fever Blister Treatment**

Non-Prescription Medicine to Shorten Healing Time\*

**Cold Sore Treatment**  
**For Topical Use Only**  
**NET WT 2 g (0.07 oz)**

**PACKAGE LABEL-PRINCIPAL DISPLAY PANEL - Tube Clamshell Blister Card label 10% (2 g Tube)**

**AUROHEALTH**

#Compare to the active Ingredient in Abreva®

NDC 58602-019-24

**Docosanol Cream 10%**

**Cold Sore/Fever Blister Treatment**

Non-Prescription Medicine to Shorten Healing Time\*

**Cold Sore Treatment**

**For Topical Use Only**

**NET WT 2 g (0.07 oz)**

AUROHEALTH

NDC 58602-019-24

\*Compare to the active  
Ingredient In Abreva\*

# Docosanol Cream 10%

## Cold Sore/Fever Blister Treatment

Non-Prescription Medicine to Shorten Healing Time\*

**Cold Sore Treatment  
For Topical Use Only**  
NET WT 2 g (0.07 oz)

\*Contains the only non-prescription cold sore medicine approved by the  
FDA to shorten healing time and duration of symptoms.

<b>Drug Facts</b>	Docosanol 10%
<b>Active Ingredient</b>	Docosanol 10%
<b>Purpose</b>	Cold Sore/Fever Blister Treatment
<b>Uses</b>	Apply to the cold sore or fever blister on the face or lips with the applicator. Rub the cream into the sore and allow it to dry. Repeat every 2 to 3 hours. Do not use on broken skin.
<b>Warnings</b>	Do not use if you are allergic to any of the ingredients. Do not use if you are pregnant or breastfeeding. Do not use if you have a fever, sore throat, or other symptoms of infection. Do not use if you have a skin condition or are taking other medications. Do not use if you are taking other medications.
<b>Directions</b>	Apply to the cold sore or fever blister on the face or lips with the applicator. Rub the cream into the sore and allow it to dry. Repeat every 2 to 3 hours. Do not use on broken skin.
<b>Other Information</b>	Keep out of reach of children. Do not use if you are pregnant or breastfeeding. Do not use if you have a fever, sore throat, or other symptoms of infection. Do not use if you have a skin condition or are taking other medications. Do not use if you are taking other medications.
<b>Inactive Ingredients</b>	Water, polyethylene glycol, glycerin, propylene glycol, hydroxyethylcellulose, and other inactive ingredients.
<b>Questions or comments?</b>	Call toll-free 1-855-274-4122. Monday through Friday, 8:30 AM to 5:00 PM EST.
<b>Exp.:</b>	4/10/2025
<b>Lot:</b>	180102222

**Thank you for purchasing Docosanol Cream.** We hope that since docosanol cream shortens the healing time of cold sores, it helps you look and feel better faster. Please follow insert directions for proper use and refer to the information below.

**You are not alone**

An estimated one-in-five Americans is affected by cold sores each year. Most people who experience them get two to three cold sore outbreaks each year. Just before and during an outbreak, the cold sore infection can be easily passed on to others. It is especially important to be aware of early warning signs that a cold sore is coming, and to be sure to avoid close physical contact when you have one.

**Getting to the Root of the Problem**

A blister, or cluster of blisters around your mouth, is caused by the cold sore virus. After the cold sore has healed, the virus stays dormant in your body but can be reactivated by everyday triggers like stress, sunlight, extreme hot or cold weather, colds and flu, lack of sleep, or menstruation.

**The Sooner, the Better**

A typical cold sore outbreak can last as long as seven to ten days. The sooner you begin using docosanol cream, the more effective the medicine will be. So for best results, use docosanol cream at the very start of the cold sore - when you feel the first sign of the tingle, redness, bump or itch.

Docosanol cream is different from other over-the-counter cold sore products. Only docosanol cream contains 10% docosanol, which helps to shorten the healing time of cold sores and the duration of symptoms including tingling, pain, itching and burning.

**Frequently Asked Questions:**

**How is docosanol cream different from the over-the-counter cold sore remedies I have already been using?**

Docosanol cream is the only FDA approved non-prescription cold sore medicine that can actually shorten healing time and the duration of symptoms. The sooner you start using docosanol cream, the sooner you can begin healing your cold sore.

**Who can use docosanol cream?**

Adults and children 12 years and over can use docosanol cream.

**How often can I apply docosanol cream?**

Docosanol cream should be used five times a day until the cold sore is healed. Apply it directly to the cold sore at the first sign of a tingle, redness, bump or itch for best results.

**Can I apply cosmetics on top of docosanol cream?**

Yes, cosmetics such as lipstick may be applied over docosanol cream. However, use a separate applicator, like a cotton swab, to apply cosmetics over an unhealed cold sore to avoid spreading the infection. For best results, remove any cosmetics prior to applying docosanol cream.

**For more information:**  
Call us at 1-855-274-4122

AUROHEALTH  
Docosanol cream 10%  
Cold Sore/Fever Blister Treatment

### PACKAGE LABEL-PRINCIPAL DISPLAY PANEL - Pump Label 10% (2 g Pump)

**AUROHEALTH**  
NDC 58602-019-14  
**Docosanol  
Cream 10%**  
**Cold Sore/  
Fever Blister  
Treatment  
For Topical Use Only**  
NET WT 2 g  
(0.07 oz)

AUROHEALTH

NDC 58602-019-14

**Docosanol  
Cream 10%  
Cold Sore/  
Fever Blister  
Treatment  
For Topical Use Only**

NET WT 2 g  
(0.07 oz)


Retain insert for full product uses, directions and warnings.

Apply only to the affected area 5 times a day until healed for maximum of 10 days. Do not use in or near the eyes.

Distributed by: **AUROHEALTH LLC**  
279 Princeton-Hightstown Road,  
East Windsor, NJ 08520

Made in India

Code: TS/DRUGS/58039/2020



P1429067

\*

\*Over Printing Zone

Coding Area

(28 x 12 mm)

Dotted lines not to be printed

**PACKAGE LABEL-PRINCIPAL DISPLAY PANEL - Pump Square Blister Card Label  
10% (2 g Pump)**

**AUROHEALTH**

#Compare to the active  
ingredient in Abreva®

NDC 58602-019-15

**Docosanol Cream 10%**

**Cold Sore/Fever Blister Treatment**

Non-Prescription Medicine to Shorten Healing Time\*

Portable

Convenient


Pump

**Cold Sore Treatment**



**For Topical Use Only**  
**NET WT 2 g (0.07 oz)**


\*Contains the only non-prescription cold sore medicine approved by the FDA to shorten healing time and duration of symptoms.



58602019150

Press Pump completely about 6 to 8 times to get first dose.  
 Retain this insert for full product uses, directions and warnings.

<b>Drug Facts</b> <b>Active ingredient</b> Docosanol 10%.....Cold sore/fever blister treatment		<b>Purpose</b> Cold sore/fever blister treatment	
<b>Uses</b> • treats cold sores/fever blisters on the face or lips • shortens healing time and duration of symptoms: • tingling, pain, burning, and/or itching		<b>Drug Facts (continued)</b> • apply to affected area on face or lips at the first sign of cold sore/fever blister (tingle). • early treatment ensures the best results • rub in gently but completely • use 5 times a day until healed • <b>children under 12 years:</b> ask a doctor	
<b>Warnings</b> <b>Allergy alert</b> This product may cause a severe allergic reaction. Symptoms may include: • hives • facial swelling • wheezing/difficulty breathing • shock • rash If an allergic reaction occurs, stop use and seek medical help right away.		<b>Other information</b> • store at 20° to 25°C (68° to 77°F). • do not freeze	
<b>For external use only</b> <b>Do not use</b> • if you are allergic to any ingredient in this product		<b>Inactive ingredients</b> benzyl alcohol, light mineral oil, propylene glycol, purified water, sucrose distearate and sucrose stearate	
<b>When using this product</b> • apply only to affected areas • do not use in or near the eyes • avoid applying directly inside your mouth • do not share this product with anyone. This may spread infection.		<b>Questions or comments?</b> call toll-free 1-855-274-4122 (Monday – Friday 8:30 AM to 5:00 PM EST)	
<b>Stop use and ask a doctor if</b> • your cold sore gets worse or the cold sore is not healed within 10 days.		*This product is not manufactured or distributed by GSK consumer Healthcare, distributor of Abreva® Distributed by: <b>AUROHEALTH LLC</b> 279 Princeton-Hightstown Road, East Windsor, NJ 08520	
<b>Keep out of reach of children</b> If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.		Made in India Code: TS/DRUGS/58039/2020	
<b>Directions</b> • <b>adults and children 12 years or over:</b> • wash hands before and after applying cream		Lot: P4100334 Exp: <b>NVZ</b>	



#Compare to the active ingredient in Abreva®


NDC 58602-019-15

## Docosanol Cream 10%

### Cold Sore/Fever Blister Treatment

Non-Prescription Medicine to Shorten Healing Time\*

**Portable Convenient Pump**



**Cold Sore Treatment For Topical Use Only**  
**NET WT 2 g (0.07 oz)**

**PACKAGE LABEL-PRINCIPAL DISPLAY PANEL - Pump Clamshell Blister Card Label 10% (2 g Pump)**

**AUROHEALTH**

#Compare to the active Ingredient in Abreva®

NDC 58602-019-16

**Docosanol Cream 10%**

**Cold Sore/Fever Blister Treatment**

Non-Prescription Medicine to Shorten Healing Time\*

Portable

Convenient  
 Pump  
**Cold Sore Treatment  
 For Topical Use Only**  
 Read Inside fold out  
**for full details**  
 NET WT  
 2 g (0.07 oz)

AUROHEALTH

\*Compare to the active ingredient in Abreva\*

NDC 58602-019-16

**Docosanol Cream 10%**  
**Cold Sore/Fever Blister Treatment**  
 Non-Prescription Medicine to Shorten Healing Time\*

Portable  
 Convenient  
 Pump

**Cold Sore Treatment  
 For Topical Use Only**

Read inside fold out  
 for full details

NET WT  
 2 g (0.07 oz)

**Thank you for purchasing Docosanol Cream.** We hope that since docosanol cream shortens the healing time of cold sores, it helps you look and feel better faster. Please follow insert directions for proper use and refer to the information below.

**You are not alone**  
 An estimated one-in-five Americans is affected by cold sores each year. Most people who experience them get two to three cold sore outbreaks each year. Just before and during an outbreak, the cold sore infection can be easily passed on to others. It is especially important to be aware of early warning signs that a cold sore is coming, and to be sure to avoid close physical contact when you have one.

**Getting to the Root of the Problem**  
 A blister, or cluster of blisters around your mouth, is caused by the cold sore virus. After the cold sore has healed, the virus stays dormant in your body but can be reactivated by everyday triggers like stress, sunlight, extreme hot or cold weather, colds and flu, lack of sleep, or menstruation.

**The Sooner, the Better**  
 A typical cold sore outbreak can last as long as seven to ten days. The sooner you begin using docosanol cream, the more effective the medicine will be. So for best results, use docosanol cream at the very start of the cold sore - when you feel the first sign of the tingle, redness, bump or itch.

Docosanol cream is different from other over-the-counter cold sore products. Only docosanol cream contains 10% docosanol, which helps to shorten the healing time of cold sores and the duration of symptoms including tingling, pain, itching and burning.

**How to use your docosanol cream Pump**  
 - For Adults and Children 12 years and older  
 - Docosanol cream should be used five times a day until the cold sore is healed. Apply it directly to the cold sore at the first sign of a tingle, redness, bump or itch for best results.  
 - If you wish, you can apply cosmetics such as lipstick over docosanol cream. However, use a separate applicator, like a cotton swab, to apply cosmetics over an unhealed cold sore to avoid spreading the infection. For best results, remove any cosmetics prior to applying docosanol cream.

**Drug Facts**

**Use**  
 • Cold sore relief or blisters on the face or lips.  
 • Shorten healing time and duration of symptoms.

**Warnings**  
 • This product may cause some irritation.  
 • Stop use if you develop a rash or other allergic reaction.  
 • Stop use if you develop a severe allergic reaction (hives, itching, difficulty breathing, swelling of the face, lips, tongue, or throat) or dizziness.

**Directions**  
 • Apply to the cold sore and area around it.  
 • Wash your hands before and after use.

**Other information**  
 • Contains the only non-prescription cold sore medicine approved by the FDA to shorten healing time and duration of symptoms.

**Questions or comments?**  
 Call 1-855-274-4122 (Monday-Friday 8:00 AM to 5:00 PM EST).

**Active ingredient**  
 Docosanol 10%

**Drug Facts (continued)**  
 • Contains the only non-prescription cold sore medicine approved by the FDA to shorten healing time and duration of symptoms.

**Other information**  
 • Contains the only non-prescription cold sore medicine approved by the FDA to shorten healing time and duration of symptoms.

**Questions or comments?**  
 Call 1-855-274-4122 (Monday-Friday 8:00 AM to 5:00 PM EST).

**Active ingredient**  
 Docosanol 10%

**Drug Facts (continued)**  
 • Contains the only non-prescription cold sore medicine approved by the FDA to shorten healing time and duration of symptoms.

**STEP 1** – Wash your hands before and after treating the cold sore.  
**STEP 2** – Remove cap and press pump firmly. When first used, expect to press pump completely about 6 to 8 times before obtaining first dose.  
**STEP 3** – Rub in gently but completely 5 times a day until healed for maximum of 10 days.  
**STEP 4** – Place cap back on pump after each use.

**For more information:** Call us at 1-855-274-4122

AUROHEALTH  
**Docosanol Cream 10%**  
 Cold Sore/Fever Blister Treatment

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:58602-019
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>DOCOSANOL</b> (UNII: 9G10E216XY) (DOCOSANOL - UNII:9G10E216XY)	DOCOSANOL	100 mg in 1 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>LIGHT MINERAL OIL</b> (UNII: N6K5787QVP)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SUCROSE DISTEARATE</b> (UNII: 33X4X4B90S)	
<b>SUCROSE STEARATE</b> (UNII: 274KW0050M)	

**Product Characteristics**

<b>Color</b>	WHITE	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:58602-019-08	1 in 1 PACKAGE	03/01/2024	
1		2 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:58602-019-24	1 in 1 PACKAGE	03/01/2024	
2		2 g in 1 TUBE; Type 0: Not a Combination Product		
3	NDC:58602-019-09	2 in 1 PACKAGE	03/01/2024	
3		2 g in 1 TUBE; Type 0: Not a Combination Product		
4	NDC:58602-019-11	1 in 1 PACKAGE	03/01/2024	
4		3 g in 1 TUBE; Type 0: Not a Combination Product		
5	NDC:58602-019-12	1 in 1 PACKAGE	03/01/2024	
5		3 g in 1 TUBE; Type 0: Not a Combination Product		
6	NDC:58602-019-13	2 in 1 PACKAGE	03/01/2024	
6		3 g in 1 TUBE; Type 0: Not a Combination Product		
7	NDC:58602-019-15	1 in 1 PACKAGE	03/01/2024	

7		2 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		
8	NDC:58602-019-16	1 in 1 PACKAGE	03/01/2024	
8		2 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		
9	NDC:58602-019-17	2 in 1 PACKAGE	03/01/2024	
9		2 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA217090	03/01/2024	

**Labeler** - Aurohealth LLC (078728447)

## Establishment

Name	Address	ID/FEI	Business Operations
APL HEALTHCARE LIMITED		878100017	ANALYSIS(58602-019) , MANUFACTURE(58602-019)

Revised: 3/2024

Aurohealth LLC