

**NITROGEN- nitrogen gas**  
**Southern Gas & Supply LLC**

-----  
**Nitrogen**

NITROGEN, COMPRESSED NF UN1066

NON-FLAMMABLE GAS 2

Rx ONLY. WARNING: Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosage, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken. CAUTION: HIGH PRESSURE GAS. CAN CAUSE RAPID SUFFOCATION. Store and use with adequate ventilation. Use equipment rated for cylinder pressure. Use a back flow preventive device in the piping. Cylinder temperature should not exceed 52 degrees C (125 degrees F). Close valve after each use and when empty. Use in accordance with the Material Safety Data Sheet (MSDS). FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficulty, give oxygen. Call a physician. CAS: 7727-37-9

DO NOT REMOVE THIS PRODUCT LABEL.


GAS AND SUPPLY

3945 EAST LAKE BLVD. BIRMINGHAM, AL 35226

205-841-0713

UN1066

CONTENTS: LTRS. CU.FT.



REFRIGERATED LIQUID

NITROGEN, REFRIGERATED LIQUID NF UN1977

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION

DO NOT CHANGE OR FORCE FIT CONNECTIONS.

RX ONLY

WARNING: Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects and the precautions to be taken.

WARNING: EXTREMELY COLD LIQUID AND GAS UNDER PRESSURE. CAN CAUSE RAPID SUFFOCATION. CAN CAUSE SEVERE FROSTBITE.

Store and use with adequate ventilation. Do not get liquid in eyes, on skin or clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use suitable hand truck for container movement. Cylinder temperature should not exceed 52 degrees C (125 degrees F). Close valve after each use and when empty. Use a back flow preventive device in the piping. Use in accordance with the Material Safety Data Sheet (MSDS).

FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician. IN CASE OF FROSTBITE, obtain medical treatment immediately. CAS: 7727-37-9

CONTENTS: LTRS CU FT

DO NOT REMOVE THIS PRODUCT LABEL.

GAS AND SUPPLY

3945 EAST LAKE BLVD.

BIRMINGHAM, AL 35226

205-847-0713

**REFRIGERATED LIQUID**

**NITROGEN,  
REFRIGERATED  
LIQUID  
NF  
UN1977**

**NON-FLAMMABLE  
GAS  
2**

**1 ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. 1  
DO NOT CHANGE OR FORCE FIT CONNECTIONS.**

**RX ONLY**

**WARNING:** Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of nitrogen and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects and the precautions to be taken.

**WARNING:** EXTREMELY COLD LIQUID AND GAS UNDER PRESSURE. CAN CAUSE RAPID SUFFOCATION. CAN CAUSE SEVERE FROSTBITE.

Store and use with adequate ventilation. Do not get liquid in eyes, on skin or clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use suitable hand truck for container movement. Cylinder temperature should not exceed 52°C (125°F). Close valve after each use and when empty. Use a back flow preventive device in the piping. Use in accordance with the Material Safety Data Sheet (MSDS).

**FIRST AID:** IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician.

**IN CASE OF FROSTBITE,** obtain medical treatment immediately.

CAS: 7727-37-9

LTRS: □  
CU FT: □

**CONTENTS:**

**DO NOT REMOVE THIS PRODUCT LABEL.**

**GAS AND SUPPLY**  
3945 EAST LAKE BLVD.  
BIRMINGHAM, AL 35226  
205-847-0713

250

NITROGEN REFRIGERATED LIQUID NF UN1977

Contents: Lot Number: NON-FLAMMABLE 2

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

## WARNING RX ONLY

Administration of Nitrogen may be hazardous or contraindicated. for use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, frequency, and duration of administration, and the hazards, contraindications and side effects and the precautions to be taken.

**EXTREMELY COLD LIQUID AND GAS UNDER PRESSURE. CAN CAUSE RAPID SUFFOCATION. CAN CAUSE SEVERE FROSTBITE.** Store and use with adequate ventilation. Do not get liquid in eyes, on skin or clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use hand truck for container movement. Close valve after each use and when empty. Use in accordance with the Material Safety Data Sheet (MSDS).

IN INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician. IN CASE OF FROSTBITE, obtain medical treatment immediately.

PLEASE REFER TO THE MATERIAL SAFETY DATA SHEET FOR SAFETY AND PRODUCT INFORMATION.



## NITROGEN

nitrogen gas

### Product Information

**Product Type**

HUMAN PRESCRIPTION DRUG

**Item Code (Source)**

NDC:76349-002

<b>Route of Administration</b>	RESPIRATORY (INHALATION)			
<b>Active Ingredient/Active Moiety</b>				
<b>Ingredient Name</b>		<b>Basis of Strength</b>	<b>Strength</b>	
NITROGEN (UNII: N762921K75) (NITROGEN - UNII:N762921K75)		NITROGEN	995 mL in 1 L	
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:76349-002-01	396 L in 1 CYLINDER; Type 0: Not a Combination Product	11/01/2011	
2	NDC:76349-002-02	651 L in 1 CYLINDER; Type 0: Not a Combination Product	11/01/2011	
3	NDC:76349-002-03	2973 L in 1 CYLINDER; Type 0: Not a Combination Product	11/01/2011	
4	NDC:76349-002-04	5947 L in 1 CYLINDER; Type 0: Not a Combination Product	11/01/2011	
5	NDC:76349-002-05	6513 L in 1 CYLINDER; Type 0: Not a Combination Product	11/01/2011	
6	NDC:76349-002-06	6626 L in 1 CYLINDER; Type 0: Not a Combination Product	11/01/2011	
7	NDC:76349-002-07	7221 L in 1 CYLINDER; Type 0: Not a Combination Product	11/01/2011	
8	NDC:76349-002-08	7900 L in 1 CYLINDER; Type 0: Not a Combination Product	11/01/2011	
9	NDC:76349-002-09	8608 L in 1 CYLINDER; Type 0: Not a Combination Product	11/01/2011	
10	NDC:76349-002-10	180 L in 1 DEWAR; Type 0: Not a Combination Product	11/01/2011	
11	NDC:76349-002-11	200 L in 1 DEWAR; Type 0: Not a Combination Product	11/01/2011	
12	NDC:76349-002-12	230 L in 1 DEWAR; Type 0: Not a Combination Product	11/01/2011	
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
NDA	NDA205766	11/01/2011		

**Labeler** - Southern Gas & Supply LLC (002164525)

### Establishment

Name	Address	ID/FEI	Business Operations
Southern Gas & Supply LLC		002164525	manufacture(76349-002)