# DIUREX WATER PILLS XPL- caffeine tablet, film coated Alva-Amco Pharmacal Companies, Inc.

-----

**Diurex XPL** 

## Active ingredient (in each pill)

Caffeine Anhydrous, 100 mg

# **Purpose**

Diuretic

#### Uses

For relief of symptoms associated with the premenstrual and menstrual periods including:

- temporary water retention
- bloat
- swelling
- full feeling
- fatigue

## **Warnings**

#### Ask a doctor before use if

- taking any other medications
- under 18 years of age. Do not give to children under 12 years of age.

**When using this product,** limit the use of caffeine-containing medications, foods or beverages because too much caffeine may cause:

- nervousness
- irritability
- sleeplessness
- occasional rapid heart beat. The recommended dose of this product contains about as much caffeine as one to two cups of coffee.

Stop use and ask a doctor if symptoms last for more than ten consecutive days.

**If pregnant or breastfeeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a poison control center right away.

#### **Directions**

- Read all package directions and warnings before use.
- Use only as directed.
- Adults: One (1) pill (100mg) or two (2) pills (200 mg maximum strength) every 3 to 4 hours while symptoms persist, not to exceed 8 pills in a 24 hour period.
- Start taking 5 or 6 days before onset of period and continue use until desired relief is obtained or end of period.
- Drink 6 to 8 glasses of water daily.
- Recommended for use by normally healthy adults only.

#### Other information

- Calcium content: 30 mg/pill
- \*\*Contents sealed: Each DIUREX light green colored, round shaped pill bears the
  identifying mark "ALVA" and is sealed in a clear plastic blister with a foil backing. Do
  not use if seal appears broken or if product contents do not match product
  description.
- You may report serious side effects to the phone number provided under Questions? below.

# **Inactive ingredients**

Acacia, calcium carbonate, croscarmellose sodium, D&C Yellow No. 10 Lake, ethyl vanillin, FD&C Blue No. 1 Lake, FD&C Blue No. 2 Lake, hypromellose, lactose, magnesium silicate, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, polysorbate, stearic acid and titanium dioxide.

Questions? 1-800-792-2582

#### Datos Farmacológicos

Ingrediente activo (en cada comprimido)	<b>Pro</b> pósito
Cafeína anhidra 100mg	Diurético

Usos Para el alivio de: ■ retención temporal de liquidos ■ distensión abdominal ■ hinchazón ■ sensación de saciedad ■ fatiga asociada con los periodos menstruales y premenstruales.

#### Advertencias

Consulte con su médico antes de usarlo si me está tomando cualquier otro medicamento me es menor de 18 años de edad. No administrar a niños menores de 12 años de edad.

Cuando use este producto, limite el uso de medicamentos, alimentos o bebidas que contengan cafeina ya que demasiada cafeina puede provocar: nerviosismo irritabilidad insomnio latidos cardíacos rápidos ocasionales. La dosis recomendada de este producto contiene aproximadamente la misma cantidad de cafeína que dos tazas de café.

Interrumpa el uso y consulte con su médico si los síntomas duran más de diez dias consecutivos.

Si está embarazada o está amamantando, consulte con un profesional de la salud antes de usado

Mantener fuera del alcance de los niños. En caso de sobredosis, obtenga ayuda médica o comuniquese de inmediato con un centro de toxicología.

Indicaciones ■ Lea todas las indicaciones y advertencias del envase antes de usarlo. ■ Úselo solo de acuerdo con las indicaciones. ■ Adultos: Un (1) comprimido (100 mg) o dos (2) comprimidos (concentración máxima 200 mg) cada 3 a 4 horas mientras los sintomas persistan, sin exceder los 8 comprimidos en un período de 24 horas. ■ Tome de 6 a 8 vasos de agua todos los días. ■ Recomendado solo para uso en adultos normalmente sanos.

#### Datos Farmacológicos (continuación)

Información adicional ■ Contenido de calcio: 30 mg/comprimido ■ Identificación: Comprimido redondo de color verde claro que lleva la marca identificatoria "ALVA". ■ \*\*El contenido está sellado: Cada comprimido de DIUREX está sellado en un blister de plástico transparente con un recubrimiento posterior de papel aluminio. No lo use si el sello parece estar roto o si el producto no coincide con la descripción del producto. ■ Puede informar efectos secundarios graves al numero de teléfono que aparece en la sección ¿Tiene preguntas? a continuación.

Ingredientes inactivos Acacia, carbonato de calcio, croscarmelosa sódica, D&C amarillo n.º 10 Lake, etil vainillina, FD&C azul n.º 1 Lake, FD&C azul n.º 2 Lake. hipromelosa, lactosa, silicato de magnesio, estearato de magnesio, maltodextrina, celulosa microcristalina, polietilenglicol, polisorbato, ácido estearico y dióxido de titanio.

¿Tiene preguntas? 1-800-792-2582



6

Water Pills RE-ENERGIZE

Diuréticas

Vea las instrucciones

en español adentro

The active ingredient in DIUREX XPL™ has

been recognized to be

safe & effective by an FDA Expert Advisory

Panel when used as

gluten ingredients

\*Based on independent

www.DIUREX.com

syndicated market research data.

\*\*Contents Sealed

directed.

Contains no

**Píldoras** 

**ENERGIZANTES** 

06/22-17RC, 1218

#### **Drug Facts**

Active ingredients (in each pill)
Caffeine Anhydrous, 100 mg.....

Purpose ..... Diuretic

Uses For relief of symptoms associated with the premenstrual and menstrual periods including: ■ temporary water retention ■ bloat ■ swelling ■ full feeling ■ fatigue.

#### Warnings

Ask a doctor before use if m taking any other medications m under 18 years of age. Do not give to children under 12 years of age.

When using this product, limit the use of caffeine-containing medications, foods or beverages because too much caffeine may cause: 

nervousness rittability selected between the containing medications rittability between the contains about as much caffeine as one to two cups of coffee.

Stop use and ask a doctor if symptoms last for more than ten consecutive days.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a poison control center right away.

Directions ■ Read all package directions and warnings before use. ■ Use only as directed. ■ Adults: One (1) pill (100mg) or two (2) pills (200mg maximum strength) every 3 to 4 hours while symptoms persist, not to exceed 8 pills in a 24 hour period. ■ Start taking 5 or 6 days before onset of period and continue use until desired relief is obtained or end of period. ■ Drink 6 to 8 glasses of water daily. ■ Recommended for use by normally healthy adults only.

Other information Calcium content: 30 mg/pill \*\*Contents sealed: Each DIUREX light green colored, round shaped pill bears the identifying mark "ALVA" •

# Drug Facts (Continued)

Other information (Continued) and is sealed in a clear plastic blister with a foil backing. Do not use if seal appears broken or if product contents do not match product description. 

You may report serious side effects to the phone number provided under Ouestions? helow

#### Inactive ingredients

Acacia, calcium carbonate, croscarmellose sodium, D&C Yellow No. 10 Lake, ethyl vanillin, FD&C Blue No. 1 Lake, FD&C Blue No. 2 Lake, hypromellose, lactose, magnesium stelicate, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, polysorbate, stearic acid and titalium dixide.

Questions? 1-800-792-2582

> CP-233233 01/2019



# **DIUREX WATER PILLS XPL**

caffeine tablet, film coated

#### **Product Information**

Product Type HUMAN OTC DRUG

Item Code (Source)

ALVA-AMCO Pharmacal Cos., Inc. Niles, IL 60714, U.S.A.

LOT:

© 2000-2019 ALVA ® Reg, U.S. Patent and Trademark Office

NDC:52389-406

EXP.:

**Route of Administration** 

ORAL

### **Active Ingredient/Active Moiety**

Ingredient Name Basis of Strength Strength

CAFFEINE (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E) CAFFEINE 100 mg

#### **Inactive Ingredients**

Ingredient Name	Strength
CALCIUM CARBONATE (UNII: H0G9379FGK)	
CROSCARMELLOSE SODIUM (UNII: M280L1HH48)	
ETHYL VANILLIN (UNII: YC9ST449YJ)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C BLUE NO. 2 (UNII: L06K8R7DQK)	
<b>ACACIA</b> (UNII: 5C5403N26O)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
TALC (UNII: 7SEV7J4R1U)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
POLYSORBATE 80 (UNII: 60ZP39ZG8H)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	

Product Characteristics				
Color	green (light green)	Score	no score	
Shape	ROUND	Size	10mm	
Flavor		Imprint Code	ALVA	
Contains				

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:52389- 406-18	1 in 1 CARTON	08/17/2016	06/30/2019		
1	NDC:52389- 406-02	18 in 1 BLISTER PACK; Type 0: Not a Combination Product				
2	NDC:52389- 406-22	1 in 1 CARTON	08/17/2016			
2	NDC:52389- 406-01	22 in 1 BLISTER PACK; Type 0: Not a Combination Product				

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M027	08/17/2016	
			Dute

# Labeler - Alva-Amco Pharmacal Companies, Inc. (042074856)

Revised: 11/2023