

**QUALITY CHOICE POVIDONE IODINE- povidone iodine 10% liquid**  
**Chain Drug Market Association**

-----  
**Quality Choice Povidone Iodine**

Drug Facts

**Active Ingredient**

Povidone-Iodine 10%

(Equivalent to 1% titrable iodine)

**Purpose**

Antiseptic

**Use**

First aid antiseptic to prevent infection in minor cuts and burns.

**Warnings**

For External Use Only

**Ask a doctor before use if you have**

- deep puncture wounds
- animal bites
- serious burns

**Stop use and consult a doctor if**

- the condition persists or gets worse
- irritation and redness develop and persists for more than 72 hours

**When using this product do not**

- use in eyes
- use on individuals who are allergic or sensitive to iodine or use for longer than 1 week unless directed by a doctor
- apply over large areas of the body

**Keep out of reach of children.**

In case of accidental ingestion, seek professional assistance or contact a Poison Control

Center immediately.

## Directions


For preparation of the skin prior to surgery. Apply to the operative site prior to surgery.

As a first aid antiseptic. Clean the affected area. Apply a small amount on the area 1 to 3 times daily. May be covered with sterile bandage. If badaged, let it dry first.

## Inactive Ingredients

Citric Acid, Disodium Phosphate, Glycerin, nonoxynol-9. Sodium Hydroxide and Purified Water.

## Principal Display Panel

<p><b>Drug Facts</b></p> <p><b>Active ingredient</b>      <b>Purpose</b>  Povidone-Iodine 10%..... First Aid Antiseptic  (*Equivalent to 1% titratable iodine)</p>	<p>NDC 63868-230-08</p> <p><b>QC</b> QUALITY CHOICE</p> <p>*Compare to active ingredient in Betadine*</p> <p><b>Povidone-Iodine</b></p> <p><b>Topical Antiseptic Germicide</b></p> <p><b>10% Topical Solution</b></p> <p>Helps Prevent Infection In Cuts, Burns, Scrapes and Minor Skin Wounds</p> <p>For external use only</p> <p><b>8 fl OZ (237mL)</b></p> <p>A35057 10 2020</p> <p>ANTISEPTIC FIRST AID</p> <p>SATISFACTION 100% GUARANTEED</p> <p>Distributed by C.D.M.A., Inc.© 43157 W. Nine Mile Novi, MI 48376-0995 www.qualitychoice.com Questions: 248-449-9300</p> <p><b>MADE IN USA</b></p>	<p><b>Drug Facts (continued)</b></p> <p><b>Directions</b>  ■ clean the affected area ■ apply a small amount on the area 1 to 3 times daily ■ may be covered with sterile bandage ■ if bandaged let dry first</p>
<p><b>Indications</b>  First aid antiseptic to prevent infection in minor cuts, scrapes and burns</p>		<p><b>Other information</b>  ■ store a room temperature, 20-25° C (68-77° F)</p>
<p><b>Warnings For external use only.</b>  <b>Ask a doctor before use if you have</b>  ■ deep or puncture wounds  ■ animal bites  ■ serious burns</p>		<p><b>Inactive ingredients</b>  Citric Acid, Disodium Phosphate, Glycerin, Nonoxynol-9, Sodium Hydroxide and Purified Water</p> <p>**This product is not manufactured or distributed by Purdue Products L.P., owner of the registered trademark Betadine®.</p>
<p><b>Stop use and consult a doctor if</b>  ■ the condition persists or gets worse  ■ irritation and redness develop and persists for more than 72 hours</p> <p><b>When using this product do not</b>  ■ use in the eyes  ■ use on individuals who are allergic or sensitive to iodine or use for longer than 1 week unless directed by a doctor  ■ apply over large areas of the body</p> <p><b>Keep out of reach of children.</b> In case of accidental ingestion, seek professional assistance or contact a Poison Control Center immediately.</p> <p style="text-align: right;"><i>Continued ▶</i></p>		<p>L-QC-PW-8 R06/14</p> 

## QUALITY CHOICE POVIDONE IODINE

povidone iodine 10% liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63868-230
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

<b>POVIDONE-IODINE</b> (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)		IODINE	100 mg in 1 mL	
<b>Inactive Ingredients</b>				
<b>Ingredient Name</b>			<b>Strength</b>	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)				
GLYCERIN (UNII: PDC6A3C0OX)				
NONOXYNOL-9 (UNII: 48Q180SH9T)				
SODIUM HYDROXIDE (UNII: 55X04QC32I)				
WATER (UNII: 059QF0K00R)				
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:63868-230-08	237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	12/12/2017	
<b>Marketing Information</b>				
<b>Marketing Category</b>		<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug		M003	01/01/2008	

**Labeler** - Chain Drug Market Association (011920774)

**Registrant** - Pharma Nobis, LLC (118564114)

### Establishment

Name	Address	ID/FEI	Business Operations
Pharma Nobis, LLC		118564114	manufacture(63868-230) , analysis(63868-230) , pack(63868-230) , label(63868-230)

Revised: 12/2023

Chain Drug Market Association