

**GENTLE LAXATIVE- bisacodyl tablet, delayed release**  
**DOLGENCORP, LLC**

-----  
**Rexall 44-327**

***Active ingredient (in each tablet)***

Bisacodyl USP, 5 mg

***Purpose***

Stimulant laxative

***Uses***

- for relief of occasional constipation and irregularity
- this product generally produces bowel movement in 6 to 12 hours

***Warnings***

**Do not use**

if you cannot swallow without chewing.

**Ask a doctor before use if you have**

- stomach pain, nausea or vomiting
- a sudden change in bowel habits that lasts more than 2 weeks

**When using this product**

- do not use within 1 hour after taking an antacid or milk
- do not chew or crush tablet(s)
- it may cause stomach discomfort, faintness, and cramps

**Stop use and ask a doctor if**

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

***Directions***

- **do not take more than directed**
- take with a glass of water

adults and children 12 years and over	take 1 to 3 tablets in a single daily dose
children 6 to under 12 years	take 1 tablet in a single daily dose
children under 6 years	ask a doctor

***Other information***

- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- avoid excessive humidity
- see end flap for expiration date and lot number

***Inactive ingredients***

acacia, ammonium hydroxide, calcium carbonate, carnauba wax, colloidal anhydrous silica, corn starch, D&C yellow #10 aluminum lake, FD&C yellow #6 aluminum lake, hypromellose, iron oxide black, lactose anhydrous, magnesium stearate, methylparaben, polydextrose, polyethylene glycol, polyvinyl acetate phthalate, povidone, propylene glycol, propylparaben, shellac glaze, simethicone, sodium alginate, sodium benzoate, sodium bicarbonate, stearic acid, sucrose, talc, titanium dioxide, triacetin, triethyl citrate

***Principal Display Panel***

Since 1903

**Rexall®**

**Gentle**

**Laxative**

**Bisacodyl USP, 5 mg**

- Stimulant Laxative
- Gentle, dependable constipation relief
- Comfort coated

Actual Size

**15**

Coated Tablets

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

DISTRIBUTED BY OLD EAST MAIN CO.  
100 MISSION RIDGE  
GOODLETTSVILLE, TN 37072 USA

**Visit us at: [Rexall.com](http://Rexall.com)**

**or call 1-866-4-REXALL**

Since 1903 Rexall® is a registered trademark of Rexall Sundown, Inc.

50844 REV0923G32762

Since 1903  
**Rexall**<sup>®</sup>

**Gentle Laxative**  
Bisacodyl USP, 5 mg

Since 1903  
**Rexall**<sup>®</sup>

**Gentle Laxative**  
Bisacodyl USP, 5 mg

- Stimulant Laxative
- Gentle, dependable constipation relief
- Comfort coated



Actual Size

**15**  
Coated Tablets

**Gentle Laxative**  
Bisacodyl USP, 5 mg

Since 1903  
**Rexall**<sup>®</sup>

No Print / No Varnish  
Lot no. & Exp. date

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BUSTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING



A0200

DISTRIBUTED BY OLD EAST MAIN CO.  
100 MISSION RIDGE  
GOODLETTSVILLE, TN 37072 USA  
Visit us at: [Rexall.com](http://Rexall.com)  
or call 1-866-4-REXALL  
Since 1903 Rexall<sup>®</sup> is a registered trademark of Rexall Sundown, Inc.  
50844 REV0923G32762

B-0315-327-82-R  
REV0923G32762

**Drug Facts (continued)**  
lactose anhydrous, magnesium stearate, methylparaben, polydextrose, polyethylene glycol, polyvinyl acetate, phthalate, povidone, propylene glycol, propylparaben, silica gel, stearic acid, sodium alginate, sodium benzoate, sodium bicarbonate, stearic acid, sucrose, talc, titanium dioxide, tracetin, triethyl citrate

<p><b>Active ingredient</b> (in each tablet) Bisacodyl USP, 5 mg.....Stimulant laxative</p>	<p><b>Uses</b> ■ For relief of occasional constipation and irregularity in the product generally produces bowel movement in 6 to 12 hours</p>	<p><b>Warnings</b> Do not use if you cannot swallow without chewing. ■ Ask a doctor before use if you have ■ a sudden change in bowel habits that lasts more than 2 weeks ■ stomach pain, nausea or vomiting</p>	<p><b>When using this product</b> ■ do not chew or crush tablet(s) ■ do not use within 1 hour after taking an antacid or milk ■ it may cause stomach discomfort, faintness, and cramps</p>	<p><b>Stop use and ask a doctor if</b> ■ you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition ■ you need to use a laxative for more than 1 week</p>
<p><b>Purpose</b> Stimulant laxative</p>	<p><b>Directions</b> ■ do not take more than directed ■ take with a glass of water adults and children 12 take 1 to 3 tablets in a single daily dose children 6 to under 12 take 1 tablet in a single daily dose children under 6 years ask a doctor</p>	<p><b>Other information</b> ■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BUSTER IS TORN OR BROKEN ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) ■ avoid excessive humidity ■ see end flap for expiration date and lot number</p>	<p><b>Inactive ingredients</b> aluminum lake, hypromellose, iron oxide black, D&amp;C yellow #10 aluminum lake, FD&amp;C yellow #6 carnauba wax, colloidal anhydrous silica, corn starch, acetate, ammonium hydroxide, calcium carbonate,</p>	<p><b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center, professional before use. right away.</p>



Rexall 44-327

## GENTLE LAXATIVE

bisacodyl tablet, delayed release

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55910-327
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BISACODYL</b> (UNII: 10X0709Y6I) (DEACETYLBISACODYL - UNII:R09078E41Y)	BISACODYL	5 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>ACACIA</b> (UNII: 5C5403N26O)	
<b>AMMONIA</b> (UNII: 5138Q19F1X)	
<b>CALCIUM CARBONATE</b> (UNII: H0G9379FGK)	
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>D&amp;C YELLOW NO. 10 ALUMINUM LAKE</b> (UNII: CQ3XH3DET6)	
<b>FD&amp;C YELLOW NO. 6 ALUMINUM LAKE</b> (UNII: GYP6Z2JR6Q)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>FERROSO FERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>ANHYDROUS LACTOSE</b> (UNII: 3SY5LH9PMK)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>METHYL PARABEN</b> (UNII: A2I8C7HI9T)	
<b>POLYDEXTROSE</b> (UNII: VH2XOU12IE)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>Polyvinyl Acetate Phthalate</b> (UNII: 58QVG85GW3)	
<b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>PROPYL PARABEN</b> (UNII: Z8IX2SC1OH)	
<b>SHELLAC</b> (UNII: 46N107B71O)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM ALGINATE</b> (UNII: C269C4G2ZQ)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SODIUM BICARBONATE</b> (UNII: 8MDF5V39QO)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>SUCROSE</b> (UNII: C151H8M554)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	

<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>TRIACETIN</b> (UNII: XHX3C3X673)	
<b>TRIETHYL CITRATE</b> (UNII: 8Z96QXD6UM)	

<b>Product Characteristics</b>			
<b>Color</b>	orange	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	6mm
<b>Flavor</b>		<b>Imprint Code</b>	5
<b>Contains</b>			

<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55910-327-62	1 in 1 CARTON	03/25/2002	
1		15 in 1 BLISTER PACK; Type 0: Not a Combination Product		

<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	03/25/2002	

**Labeler** - DOLGENCORP, LLC (068331990)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	manufacture(55910-327) , pack(55910-327)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(55910-327) , pack(55910-327)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(55910-327)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(55910-327)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations

LNK International, Inc.

117025878

manufacture(55910-327)

Revised: 4/2024

DOLGENCORP, LLC