

COLACE- docusate sodium - sennosides tablet, film coated
Atlantis Consumer Healthcare, Inc.

Colace

Drug Facts

Active ingredient	Purpose
Docusate sodium 50 mg	Stool softener
Sennosides 8.6 mg	Stimulant laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

Warnings

Do not use

- laxative products for longer than 1 week unless told to do so by a doctor
- if you are presently taking mineral oil, unless told to do so by a doctor

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over 2 weeks

Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- Take only by mouth. Doses may be taken as a single daily dose, preferably in the evening, or in divided doses.

adults and children 12 years and over	take 2-4 tablets daily
children 6 to under 12 years of age	take 1-2 tablets daily

children 2 to under 6 years of age	take up to 1 tablet daily
children under 2	ask a doctor

Other information

- each tablet contains: **calcium 7 mg, sodium 4 mg VERY LOW SODIUM**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F).
Keep tightly closed..

Inactive ingredients

croscarmellose sodium, dicalcium phosphate, FD&C Blue #1 Lake, FD&C Red #40 Lake, FD&C Yellow #6 Lake, hypromellose, magnesium stearate, maltodextrin, microcrystalline cellulose, mineral oil, polyethylene glycol, sodium benzoate, sodium lauryl sulfate, starch, stearic acid, talc, titanium dioxide, triacetin.

Dist. by: Atlantis Consumer Healthcare inc.
Bridgewater, NJ 08801 USA
Questions? 1-833-286-2684
©2023 Atlantis Consumer Healthcare inc.
Colace is a registered trademark of Atlantis Consumer Healthcare Inc.

A1023

R52504

PACKAGE LABEL.PRINCIPAL DISPLAY PANEL

**#1
DOCTOR
RECOMMENDED
Stool Softener Brand**

Colace®

Docosate Sodium, 50 mg
Sennosides 8.6 mg

2-IN-1

**Stool Softener +
Stimulant Laxative**

√ Gentle, Effective, & Dependable
√ Constipation Relief in 6 ` 12 hours

10 Tablets



Colace® 2-IN-1 Tablets


Docusate Sodium

Sennosides

Dist. by: Atlantis Consumer
Healthcare Inc.

LOT XXXXXX

EXP YYYY-MM



**#1
DOCTOR
RECOMMENDED
Stool Softener Brand**

Colace®

Docusate Sodium, 50 mg
Sennosides 8.6 mg

2-IN-1

**Stool Softener +
Stimulant Laxative**

- ✓ Gentle, Effective, & Dependable
- ✓ Constipation Relief in 6 ` 12 hours

30 Tablets

**Retain this carton for
Important information**

Dist. by: Atlantis Consumer Healthcare inc.

Bridgewater, NJ 08801 USA

Questions? 1-833-286-2684

©2023 Atlantis Consumer Healthcare inc.

Colace is a registered trademark of Atlantis Consumer Healthcare Inc.

A1023

R52506



Colace®

Docusate Sodium

Sennosides

2-IN-1

Stool Softener + Stimulant Laxative

30 Tablets

Do not use if imprinted seal under cap
is missing or damaged.
See carton for additional information

Dist. by: Atlantis Consumer Healthcare inc.
Bridgewater, NJ 08801 USA

Questions? 1-833-286-2684

©2023 Atlantis Consumer Healthcare inc.
Colace is a registered trademark of Atlantis
Consumer Healthcare Inc.

A1023

R52507

Active ingredients (in each tablet):
Docusate sodium 50 mg, Sennosides 8.6 mg

Uses ■ relieves occasional constipation (irregularity)
■ generally produces bowel movement in 6 to 12 hours

Warnings
Do not use ■ laxative products for longer than 1 week unless told to do so by a doctor ■ if you are presently taking mineral oil, unless told to do so by a doctor

Ask a doctor before use if you have
■ stomach pain ■ nausea ■ vomiting
■ noticed a sudden change in bowel habits that lasts over 2 weeks

Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.

COLACE®
Docusate Sodium
Sennosides

2-IN-1

**Stool Softener +
Stimulant Laxative**

30 Tablets

Do not use if imprinted seal under cap is missing or damaged.
See carton for additional information.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.
In case of overdose, get medical help or contact a Poison Control Center right away.

Directions: Take by mouth as a single daily dose, preferably in the evening, or in divided doses. **Adults and children 12 years and over** take 2-4 tablets daily. **Children 6 to under 12 years** take 1-2 tablets daily; **2 to under 6** take up to 1 tablet daily; **under 2** ask a doctor. Each tablet contains: **calcium 7 mg, sodium 4 mg VERY LOW SODIUM.**

Dist. by: Atlantis Consumer Healthcare Inc.,
Bridgewater, NJ 08807 USA
Questions? 1-833-288-2684
©2023 Atlantis Consumer Healthcare Inc.

A1023

#1 DOCTOR RECOMMENDED Stool Softener Brand

Colace®

Docusate Sodium, 50 mg
Sennosides 8.6 mg

2-IN-1

Stool Softener +

Stimulant Laxative

- √ Gentle, Effective, & Dependable
- √ Constipation Relief in 6 ` 12 hours

Retain this carton for Important information

For added savings, visit:

colacecapsules.com

Dist. by: Atlantis Consumer Healthcare inc.
Bridgewater, NJ 08801 USA

Questions? 1-833-286-2684

©2023 Atlantis Consumer Healthcare inc.
Colace is a registered trademark of Atlantis
Consumer Healthcare Inc.

A1023

R52508
60 Tablets

A1023

R52507



Colace®

Docosate Sodium
Sennosides

2-IN-1

**Stool Softener +
Stimulant Laxative**

60 Tablets

Do not use if imprinted seal under cap is missing or damaged.
See carton for additional information

Dist. by: Atlantis Consumer Healthcare inc.
Bridgewater, NJ 08801 USA

Questions? 1-833-286-2684

©2023 Atlantis Consumer Healthcare inc.
Colace is a registered trademark of Atlantis Consumer Healthcare Inc.

LOT:

EXP:

A1023

R52509

EXP: LOT: R52509	<p>Active ingredients (in each tablet): Docusate sodium 50 mg, Sennosides 8.6 mg</p> <p>Uses ■ relieves occasional constipation (irregularity) ■ generally produces bowel movement in 6 to 12 hours</p> <p>Warnings Do not use ■ laxative products for longer than 1 week unless told to do so by a doctor ■ if you are presently taking mineral oil, unless told to do so by a doctor</p> <p>Ask a doctor before use if you have ■ stomach pain ■ nausea ■ vomiting ■ noticed a sudden change in bowel habits that lasts over 2 weeks</p> <p>Dist. by: Atlantis Consumer Healthcare Inc. Bridgewater, NJ 08807 USA Questions? 1-833-288-2684</p>	 <p>COLACE[®] Docusate Sodium Sennosides 2-IN-1 Stool Softener + Stimulant Laxative 60 Tablets</p> <p>Do not use if imprinted seal under cap is missing or damaged. See carton for additional information.</p>	<p>Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.</p> <p>If pregnant or breast-feeding, ask a health professional before use.</p> <p>Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.</p> <p>Directions: Take by mouth as a single daily dose, preferably in the evening, or in divided doses. Adults and children 12 years and over take 2-4 tablets daily. Children 6 to under 12 years take 1-2 tablets daily; 2 to under 6 take up to 1 tablet daily; under 2 ask a doctor. Each tablet contains: calcium 7 mg, sodium 4 mg VERY LOW SODIUM. A1023</p>
----------------------------	--	--	--

COLACE

docusate sodium - sennosides tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67618-110
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	50 mg
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	8.6 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
ANHYDROUS DIBASIC CALCIUM PHOSPHATE (UNII: L11K75P92J)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
MICROCRYSTALLINE CELLULOSE 102 (UNII: PNR0YF693Y)	
MINERAL OIL (UNII: T5L8T28FGP)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
STARCH, CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIACETIN (UNII: XHX3C3X673)	

Product Characteristics

Color	RED (burgundy)	Score	no score
Shape	ROUND	Size	10mm
Flavor		Imprint Code	P;054
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67618-110-10	2 in 1 CARTON	02/08/1957	
1		5 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:67618-110-30	1 in 1 CARTON	02/08/1957	
2		30 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
3	NDC:67618-110-60	1 in 1 CARTON	02/08/1957	
3		60 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	02/08/1957	

Labeler - Atlantis Consumer Healthcare, Inc. (118983925)

Revised: 12/2024

Atlantis Consumer Healthcare, Inc.