VIABECLINE- tetracycline hydrochloride ointment Accuria, LLC

Viabecline

Activer Ingredient (in each gram)

Tetracycline Hydrochloride 30 mg

Purpose

First Aid Antibiotic

Use

First aid to help prevent skin infection in minor cuts, scrapes, and burns.

Warnings

May be harmful if swallowed. For external use only.

Do not use if allergic to any ingredient listed on this label. Allergy Alert:

Do not use

Ask doctor before use if you have

Stop use and ask a doctor if the condition persists or gets worse.

- in the eyes
- over large areas of the body
- longer than 1 week unless directed by a doctor
- deep or puncture wounds
- animal bites
- serious burns

If swallowed, get medical help or contact a poison Control Center right away. **Keep out** of reach of children.

Directions

- Clean the affected area
- Apply a small amount of this product (an amount equal to the surface area of the tip
 of a finger) on the area 1 to 3 times daily.
- May be covered with a sterile bandage.

Other information

• Keep product refrigerated to preserve its effectiveness and color

- Stop use if the product is misused: If the bottle is left open and or not refrigerated, the liquid will tend to turn black over time. Discard the product if the liquid turns black due to misuse.
- This product is an OTC antibiotic for human use.
- Contains no alcohol, no animal ingredients.
- Blended for typical skin color.
- May stain cloth.
- No claims regarding stem cell healing are implied for this product.

Inactive Ingredients

ACETIC ACID, ASCORBIC ACID, CHLORHEXIDINE GLUCONATE, CHOLECALCIFEROL, DIMETHYL SULFOXIDE, DIPROPYLENE GLYCOL, GLUCONO DELTA LACTONE, GLYCERIN, HISTIDINE, HYDROXETHYL-CELLULOSE, MAGNESIUM STEARATE, METHYLPARABEN, SODIUM HYDROXIDE, SORBIC ACID, STEARIC ACID, WATER

Package Label: 71491-100-00 VIABECLICNE 5 ML Package Label: 71491-100-01 VIABECLINE 15ML



VIABECLINE[®]

Topical Ointment/First Aid Antibiotic 3% Tetracycline Hydrochloride

(active ingredient)

DIRECTIONS: Place one or two drops on the affected area, three times a day or as needed.

CAUTION: Do not use if allergic to Tetracycline products.

External Use Only Do not use in eyes.

May be harmful if swallowed.

Stop using after one week if condition

persists. Keep away from children.

www.info@accuriallc.com

www.accuriallc.com | 1-888-978-0921 MFG: CA./ NC. FDA REG.OTC NDC# 71491-00-00 PATENT PENDING

0.169 FLOZ (5ml)

Lot #

Expires:

Viabecline topical antiobiotic

Patent pending
Alcohol free, no biological
products.

Drug Facts

Active ingredient (in each gram)

Purpose

Tetracycline hydrochloride 30 mg.

..First Aid Antibiotic

Use First aid to help prevent skin infection in minor cuts, scrapes, and burns.

Warnings

For external use only. May be harmful if swallowed.

Allergy alert: Do not use if allergic to any ingredient listed on this label.

Do not use ■ in the eyes ■ over large areas of the body ■ longer than 1 week unless directed by doctor

Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns

Stop use and ask a doctor if condition persists or gets worse.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ Clean the affected area. ■ Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily.

May be covered with a sterile bandage.

Other information

■ Keep product refrigerated to preserve its effectiveness and color ■ Stop use if product is misused: If the bottle is left open and/or if not refrigerated, the liquid will tend to turn black over time. Discard the product if the liquid turns black due to misuse. ■ This product is an OTC antibiotic for human use. ■ Contains no alcohol, no animal ingredients. ■ Blended for typical skin color. ■ May stain cloth. ■ No claims regarding stem cell healing are implied for this product.

Inactive ingredients

ACETIC ACID, ASCORBIC ACID, CHLORHEXIDINE GLUCONATE, CHOLECALCIFEROL, DIMETHYL SULFOXIDE, DIPROPYLENE GLYCOL, GLUCONO DELTA LACTONE, GLYCERIN, HISTIDINE, HYDROXETHYL-CELLULOSE, MAGNESIUM STEARATE, METHYLPARABEN, SODIUM HYDROXIDE, SORBIC ACID, STEARIC ACID, WATER

Side effects

Same as other tetracycline products. Report any side effects to Accuria, LLC. 16192 Coastla Highway, Lewes, DE 19958 (888) 978-0921. accuriallc.com

Drug Facts

Active Ingredients (each gram contains) Purpose

Hydrochloride 30mg . . . First Aid/Antibiotic

Indications: First aid to help prevent the risk of skin infection in minor cuts, scrapes or burns

Warnings: For external use only. Do not use in the eyes or apply over large areas of the body. In case of deep or puncture wounds, animal bites, or serious burns, consult a physician.

For external use only. Do not use in the eyes or apply over large areas of the body, in case of deep or puncture wounds, animal bites, or serious burns, consult a physician. Stop use and consult a physician if the conditions persists or gets worse. Do not use longer than 1 week unless directed by a physician. Keep out of reach of children.

Directions: Clean the affected area.
Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily. May be covered with a sterile bandage.

Other Information: This product is an OTC antibiotic for human use. Contains no alcohol or arimal ingredients. May stain cloth. No claims regarding stem cell healing are implied for this product.

Inactive Ingredient: Acetic Acid, Ascorbic Acid, Chlorhexidine Gluconate, Cholecalciferol, Dimethyl Sulfoxide, Dipropylene Glycol, Glucono Della Lactone, Glycerin, Histidine, Hydroxethyl-cellulose, Magnesium Stearate, Methylparaben, Sodium Hydroxide, Sorbic Acid, Stearic Acid, Water.

See listing of side effects online at: www.accuriallc.com



3% Tetracycline Hydrochloride (active ingredient)

> Topical Ointment First Aid Antibiotic



3% Tetracycline Hydrochloride (active ingredient)

> Topical Ointment First Aid Antibiotic

Uses:

- Cuts
- Burns
- Infection Prevention



3% Tetracycline Hydrochloride

> Topical Ointment First Aid Antibiotic



Dropper Tip Bottle



0.169 FLOZ (5ml)

Drug Facts

Active Ingredient (each gram contains) Purpose Tetracycline Hydrochloride 30mg First Aid/Antibiotic

Indications: First aid to help prevent the risk of skin infection in minor cuts, scrapes, or burns

Warnings: For external use only. Do not use in the eyes or apply over large areas of the body. In case of deep or puncture wounds, animal bites, or serious burns, consult a physician.

for external use only. Do not use in the eyes or apply over large areas of the body, in case of deep or puncture wounds, animal biftes, or serious burns, consult a physician. Stop use and consult a physician if the conditions persists or gets worse. Do not use longer than 1 week unless directed by a physician. Keep out of reach of children.

Directions: Clean the affected area. Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily. May be covered with a sterile bandage.

Other Information: This product is an OTC antibiotic for human use. Contains no alcohol or animal ingredients. No claims regarding stem cell healing are implied for this product.

Inactive Ingredient: Acetic Acid, Ascorbic Acid, Chlorhexidine Gluconate, Cholecalciferol, Dimethyl Sulfoxide, Dipropylene Glycol, Glucono Delta Lactone, Glycerin, Histidine, Hydroxethyl-Cellulose, Magnesium Stearate, Methylparaben, Sodium Hydroxide, Sorbic Acid, Stearic Acid, Water.

See listing of side effects online at: www.accuriallc.com



3% Tetracycline Hydrochloride

> Topical Ointment First Aid Antibiotic







3% Tetracycline Hydrochloride (active ingredient)

> Topical Ointment First Aid Antibiotic

Uses:

- Cuts
- Burns
- Infection Prevention



0.5 FLOZ (15ml)



3% Tetracycline Hydrochloride (active ingredient)

> Topical Ointment First Aid Antibiotic



Dropper Tip Bottle





0.5 US FL.OZ (15ml)
Lot #..... Expires......

VIABECLINE™

TOPICAL ANTIBIOTIC

3% Tetracycline hydrochloride
(Active Ingredient)

www.Accuria.com 1-888-978-0921 MFG: CA ./ NC. FDA REG.OTC PATENT PENDING



CAUTION: Do not use if allergic to Tetracycline products External Use Only Do not use in eyes May be harmful if swallowed Stop using after one week if condition persists

Keep away from children

DIRECTIONS Place one or two drops on the affected area, three times a day or as needed. Keep refrigerated

www.Info@Accuria.com

VIABECLINE

tetracycline hydrochloride ointment

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:71491-100

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

TETRACYCLINE HYDROCHLORIDE (UNII: P6R62377KV) (TETRACYCLINE - UNII:F8VB5M810T)

TETRACYCLINE 30 mg
HYDROCHLORIDE in 1 mL

Inactive Ingredients

ı	Ingredient Name	Strength
ı	ACETIC ACID (UNII: Q40Q9N063P)	

ASCORBIC ACID (UNII: PQ6CK8PD0R)

CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E)	
CHOLECALCIFEROL (UNII: 1C6V77QF41)	
DIMETHYL SULFOXIDE (UNII: YOW8V9698H)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
GLUCONOLACTONE (UNII: WQ29KQ9POT)	
GLYCERIN (UNII: PDC6A3C0OX)	
HISTIDINE (UNII: 4QD397987E)	
HYDROXYMETHYL CELLULOSE (UNII: 273FM27VK1)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
SORBIC ACID (UNII: X045WJ989B)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
WATER (UNII: 059QF0KO0R)	

P	Packaging						
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:71491- 100-01	15 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	06/15/2017				
2	NDC:71491- 100-00	5 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product	06/15/2017				

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC Monograph Drug	M004	06/14/2017			

Labeler - Accuria, LLC (080520669)

Establishment					
Name	Address	ID/FEI	Business Operations		
Filltech USA, LLC		926433855	manufacture(71491-100)		

Revised: 12/2023 Accuria, LLC