

**NASAL DECONGESTANT MAXIMUM STRENGTH- pseudoephedrine hcl tablet,  
film coated**

**Better Living Brands, LLC**

-----  
**Signature Care 44-112**

***Active ingredient (in each tablet)***

Pseudoephedrine HCl 30 mg

***Purpose***

Nasal decongestant

***Uses***

- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves sinus congestion and pressure

***Warnings***

**Do not use**

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- diabetes
- heart disease
- high blood pressure
- thyroid disease
- difficulty in urination due to enlargement of the prostate gland

**When using this product**

**do not exceed recommended dosage.**

**Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with fever

**If pregnant or breast-feeding,**

ask a health professional before use.

## Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

### **Directions**

adults and children 12 years and over	take 2 tablets every 4 to 6 hours; do not take more than 8 tablets in 24 hours
children ages 6 to 11 years	take 1 tablet every 4 to 6 hours; do not take more than 4 tablets in 24 hours
children under 6 years	do not use

### **Other information**

- **each tablet contains:** calcium 15 mg
- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)
- see end flap for expiration date and lot number

### **Inactive ingredients**

croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C red #40 aluminum lake, FD&C yellow #6 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, silicon dioxide, titanium dioxide, triacetin

### **Questions or comments?**

**1-800-426-9391**

### **Principal Display Panel**

**Compare to**  
Sudafed®  
Sinus Congestion  
active ingredient\*

**Signature™**  
care  
Quality Guaranteed  
NDC 21130-112-08  
Maximum Strength

## **Nasal Decongestant**

Pseudoephedrine HCl 30 mg  
Nasal Decongestant

- Non-drowsy
- Relief of:  
Nasal & sinus congestion,  
sinus pressure

Actual Size

24 TABLETS

**TAMPER EVIDENT: DO NOT USE IF PACKAGE IS  
OPENED OR IF BLISTER UNIT IS TORN, BROKEN  
OR SHOWS ANY SIGNS OF TAMPERING**

\*This product is not manufactured or distributed by Johnson  
& Johnson Corporation, distributors of Sudafed® Sinus  
Congestion. 50844 REV0619C11208

DISTRIBUTED BY BETTER LIVING BRANDS LLC  
P.O. BOX 99, PLEASANTON, CA 94566-0009  
1-888-723-3929  
[www.betterlivingbrandsLLC.com](http://www.betterlivingbrandsLLC.com)

### **OUR PROMISE**

QUALITY & SATISFACTION  
**100%**  
**GUARANTEED**  
OR YOUR MONEY BACK.



# Maximum Strength Nasal Decongestant



Quality Guaranteed

Compare to Sudafed® Sinus Congestion active ingredient\*

NDC 21130-112-08

## Maximum Strength Nasal Decongestant

### Pseudoephedrine HCl 30 mg Nasal Decongestant

- Non-drowsy
- Relief of:  
Nasal & sinus congestion,  
sinus pressure

Actual Size



24 TABLETS



TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

U N I T I M O

Maximum Strength Nasal Decongestant

8-1817-112-08-S  
REV06190;11208

Scan here for more information



OUR PROMISE  
100% GUARANTEED  
QUALITY & SATISFACTION  
OR YOUR MONEY BACK.

DISTRIBUTED BY BETTER LIVING BRANDS LLC  
P.O. BOX 99, PLEASANTON, CA 94566-0099  
1-888-723-3929  
www.betterlivingbrandsllc.com

\*This product is not manufactured or distributed by Johnson & Johnson Corporation, distributors of Sudafed® Sinus Congestion. 50844 REV0619C11208

**Drug Facts (continued)**

**Directions**

adults and children	take 2 tablets every 4 to 6 hours; do not take more than 8 tablets in 24 hours
12 years and over	take more than 8 tablets in 24 hours
children ages 6 to 11 years	take 1 tablet every 4 to 6 hours; do not take more than 4 tablets in 24 hours
children under 6 years	do not use

**Other information**

- each tablet contains: calcium 15 mg
- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

**Inactive ingredients** croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C red #40 aluminum lake, FD&C yellow #6 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, silicon dioxide, titanium dioxide, trace tin

**Questions or comments?** 1-800-426-9391

**Drug Facts**

**KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION**

**Active ingredient (in each tablet)** Pseudoephedrine HCl 30 mg Nasal decongestant

**Purpose** Nasal decongestant

**Uses**

- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves sinus congestion and pressure

**Warnings**

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- heart disease
- diabetes
- thyroid disease
- high blood pressure
- difficulty in urination due to enlargement of the prostate gland

**When using this product do not exceed recommended dosage.**

**Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with fever

**If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Signature Care 44-112

## NASAL DECONGESTANT MAXIMUM STRENGTH

pseudoephedrine hcl tablet, film coated

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:21130-112
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>PSEUDOEPHEDRINE HYDROCHLORIDE</b> (UNII: 6V9V2RYJ8N) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)	PSEUDOEPHEDRINE HYDROCHLORIDE	30 mg

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>DIBASIC CALCIUM PHOSPHATE DIHYDRATE</b> (UNII: O7TSZ97GEP)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6130)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYDEXTROSE</b> (UNII: VH2XOU12IE)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>TRACETIN</b> (UNII: XHX3C3X673)	

**Product Characteristics**

<b>Color</b>	red	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	7mm
<b>Flavor</b>		<b>Imprint Code</b>	44;112
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:21130-112-08	1 in 1 CARTON	08/25/1981	
1		24 in 1 BLISTER PACK; Type 0: Not a Combination Product		

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M012	08/25/1981	

**Labeler** - Better Living Brands, LLC (009137209)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(21130-112)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(21130-112) , pack(21130-112)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(21130-112)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	manufacture(21130-112)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(21130-112)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(21130-112)

Revised: 3/2024

Better Living Brands, LLC