

**DR. BARBARA STURM MOLECULAR COSMETICS SPF 50 SUNSCREEN-  
homosalate, octinoxate, octisalate, avobenzone liquid  
Barbara Sturm Molecular Cosmetics GmbH**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**DR. BARBARA STURM MOLECULAR COSMETICS SPF 50 sunscreen**

***Drug Facts***

***Active Ingredients***

Homosalate 10.0%  
Octinoxate 7.5%  
Octisalate 5.0%  
Avobenzone 3.0%

***Purpose***

Sunscreen

***Uses***

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

***Warnings***

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply every 2 hours
- children under 6 months: Ask a doctor

- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk regularly use a sunscreen with broad spectrum SPF of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. - 2 p.m.
  - wear long-sleeve shirts, pants, hats and sunglasses

### ***Inactive Ingredients***

Aqua/Water/Eau, Butyloctyl Salicylate, Glycerin, Styrene/Acrylates Copolymer, Potassium Cetyl Phosphate, Cyclopentasiloxane, Glyceryl Stearate, PEG-100 Stearate, Aluminum Starch Octenylsuccinate, Portulaca Oleracea (Purslane) Extract, Phenoxyethanol, Tocopherol Acetate, Polyacrylate-13, Xanthan Gum, Pentylene Glycol, Benzoic Acid, Ethylhexylglycerin, Glycereth-2 Cocoate, Sodium Hyaluronate, Polyisobutene, Polysorbate 20, Panthenol, Arginine, Sodium Carboxymethyl Beta-Glucan, Anthemis Nobilis (Chamomile) Flower Extract, Camellia Sinensis (Green Tea) Leaf Extract, Cassia Alata (Senna) Leaf Extract.

### ***Other Information***

- protect this product from excessive heat and direct sun

### ***Questions or comments?***

Call toll free 1-888-607-8876

### **SUN DROPS**

Broad Spectrum SPF 50

This light-textured sun serum for the face provides intensive SPF 50 broad spectrum protection, thanks to the balanced combination of UVA and UVB filters. The serum is particularly suitable for sensitive skin.


**Caution:** Apply sunscreen liberally before sun exposure. Applying an insufficient amount of sunscreen will reduce the level of sun protection (i.e. the SPF) indicated. Avoid intensive midday sun. Reapply frequently in order to maintain protection, especially after perspiring, swimming or drying off with a towel. Shield babies and toddlers from direct UV radiation, dress them in protective clothing and use a sunscreen with a minimum SPF of 25. Do not overexpose yourself to the sun, even if you are using sunscreen. May cause discoloration of textiles and leather.

Barbara Sturm  
Molecular Cosmetics GmbH, Dist  
Königsallee 24  
D-40212 Düsseldorf  
[www.drsturm.com](http://www.drsturm.com)  
Made in the USA with foreign and domestic parts.

### **Packaging**

## Inner label

**DR. BARBARA  
STURM**


  
MOLECULAR  
COSMETICS

SUN DROPS  
SPF 50  
broad spectrum sunscreen

**Drug Facts:**  
**Active ingredients:** Homosalate (10%), Avobenzone (3%), Octinoxate (7.5%), Octisalate (5%). **Purpose:** Sunscreen.  
**Uses:** Helps prevent sunburn. **Warnings: For external use only.** Do not use on damaged or broken skin. **When using this product** keep out of eyes. Rinse with water to remove. **Stop use and ask a doctor if rash occurs.**  
**Keep out of reach of children.** If swallowed get medical help or contact a Poison Control Center right away. **Directions:** Apply liberally 15 minutes before sun exposure. Reapply at least every 2 hours. Use a water-resistant sunscreen if swimming or sweating. **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10 a.m. – 2 p.m.; wear long-sleeve shirts, pants, hats, and sunglasses. Children under 6 months of age. Ask a doctor. **Other information:** protect the product in this container from excessive heat and direct sun. **Questions or Comments?** info@dr-barbara-sturm.com

Molecular Cosmetics GmbH  
Königsallee 53-55 • D-40212 Düsseldorf  
www.molecular-cosmetics.com  
Made in the USA of foreign and domestic parts

101 168 • 1809

 30 mL net 1 fl. oz.

## Outer label

<b>Drug Facts</b>	
<b>Active Ingredients</b>	<b>Purpose</b>
Homosalate 10.0% Octinoxate 7.5% Octisalate 5.0% Avobenzone 3.0%	Sunscreen
<b>Uses</b>	
<ul style="list-style-type: none"> <li>- helps prevent sunburn</li> <li>- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun</li> </ul>	
<b>Warnings</b>	
<b>For external use only</b>	
Do not use on damaged or broken skin	
When using this product keep out of eyes. Rinse with water to remove.	
Stop use and ask a doctor if rash occurs	
Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b>	
<ul style="list-style-type: none"> <li>- apply liberally 15 minutes before sun exposure</li> <li>- use a water resistant sunscreen if swimming or sweating</li> <li>- reapply every 2 hours</li> <li>- children under 6 months: Ask a doctor</li> <li>- <b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk regularly use a sunscreen with broad spectrum SPF of 15 or higher and other sun protection measures including:               <ul style="list-style-type: none"> <li>- limit time in the sun, especially from 10 a.m. - 2 p.m.</li> <li>- wear long-sleeve shirts, pants, hats and sunglasses</li> </ul> </li> </ul>	
<b>Inactive Ingredients</b>	
Aqua/Water/Eau, Butyloctyl Salicylate, Glycerin, Styrene/Acrylates Copolymer, Potassium Cetyl Phosphate, Cyclopentasiloxane, Glyceryl Stearate, PEG-100 Stearate, Aluminum Starch Octenylsuccinate, Portulaca Oleracea (Purslane) Extract, Phenoxylethanol, Tocopherol Acetate, Polyacrylate-13, Xanthan Gum, Pentylene Glycol, Benzoic Acid, Ethylhexylglycerin, Glycereth-2 Cocoate, Sodium Hyaluronate, Polyisobutene, Polysorbate 20, Panthenol, Arginine, Sodium Carboxymethyl Beta-Glucan, Anthemis Nobilis (Chamomile) Flower Extract, Camellia Sinensis (Green Tea) Leaf Extract, Cassia Alata (Senna) Leaf Extract.	
<b>Other Information</b>	
- protect this product from excessive heat and direct sun	
<b>Questions or comments?</b>	
Call toll free 1-888-607-8876	

Dieses Sonnenserum in leichter Konsistenz für das Gesicht bietet mit einer ausgewogenen Kombination aus UVA- und UVB-Filtern einen intensiven Lichtschutz SPF 50. Eignet sich besonders zum Schutz der empfindlichen Haut.

Hinweis: Sonnenschutzmittel in ausreichender Menge vor dem Sonnenanfragen. Der angegebene SPF wird durch eine zu geringe Anwendungsmenge reduziert. Intensive Mittagssonne meiden. Mehrfach auftragen, um den Lichtschutz aufrecht zu erhalten, v.a. bei Schwitzen, nach dem Schwimmen oder Abtrocknen. Babys und Kleinkinder vor direkter Sonneneinstrahlung schützen und schützende Kleidung sowie Sonnenschutzmittel mit SPF größer als 25 verwenden. Bleiben Sie trotz Verwendung eines Sonnenschutzmittels nicht zu lange in der Sonne. Kann Verfärbungen auf Textilien und Leder hinterlassen.

This light-textured sun serum for the face provides intensive SPF 50 broad spectrum protection, thanks to the balanced combination of UVA and UVB filters. The serum is particularly suitable for sensitive skin.

Caution: Apply sunscreen liberally before sun exposure. Applying an insufficient amount of sunscreen will reduce the level of sun protection (i.e. the SPF) indicated. Avoid intensive midday sun. Reapply frequently in order to maintain protection, especially after perspiring, swimming or drying off with a towel. Shield babies and toddlers from direct UV radiation, dress them in protective clothing and use a sunscreen with a minimum SPF of 25. Do not overexpose yourself to the sun, even if you are using sunscreen. May cause discoloration of textiles and leather.

Barbara Sturm  
Molecular Cosmetics GmbH, Dist  
Königsallee 24  
D-40212 Düsseldorf  
www.drsturm.com  
Made in the USA with foreign  
and domestic parts.

**DR. BARBARA  
STURM**

  
MOLECULAR  
COSMETICS



Broad Spectrum SPF 50  
30 mL e net 1.01 fl. oz.



4 015165 335849



Ce sérum solaire fluide, spécial visage, assure une protection intense (FPS 50) grâce à la combinaison équilibrée de filtres UVA et UVB. Particulièrement recommandée pour protéger la peau sensible.

Remarque : appliquer le produit de protection solaire en quantité suffisante avant le bain de soleil. Le SPF indiqué se trouve réduit en cas d'utilisation d'une quantité insuffisante. Éviter l'exposition au soleil intense de la mi-journée. Répéter l'application plusieurs fois de suite à conserver la protection contre la lumière, principalement en cas de transpiration, après la natation ou après s'être essuyé. Protéger les bébés et les bambins contre le rayonnement direct du soleil et les habilier de vêtements protecteurs; utiliser un produit de protection solaire avec un SPF supérieur à 25. Malgré l'utilisation d'un produit de protection solaire, ne pas rester exposé trop longtemps au soleil. Peut laisser des traces sur le cuir et les vêtements.

Este suero solar de consistencia ligera para el rostro ofrece, con su equilibrada combinación de filtros UVA y UVB, una protección solar intensa de SPF 50. Especialmente adecuada para la protección de las pieles delicadas.

Aviso: Antes de la exposición al sol, aplicar una cantidad generosa de protector contra el sol. El SPF indicado se reduce si la cantidad aplicada es pequeña. Evitar el sol intenso del mediodía. Aplicar varias veces para mantener la protección solar, en caso de sudoración, después del baño o al secarse. Proteger a los bebés y a los niños de corta edad de los rayos directos del sol y utilizar ropa protectora así como crema protectora con un SPF superior a 25. Aunque utilice un protector solar no permanezca demasiado tiempo al sol. Puede provocar decoloración en la ropa o el cuero.

**DR. BARBARA STURM MOLECULAR COSMETICS SPF 50 SUNSCREEN**  
homosalate, octinoxate, octisalate, avobenzone liquid

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:83175-232
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	10 g in 100 mL
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	7.5 g in 100 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 mL
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>STYRENE/ACRYLAMIDE COPOLYMER (50000 MW)</b> (UNII: 5Z4DPO246A)	
<b>POTASSIUM CETYL PHOSPHATE</b> (UNII: 03KCY6P7UT)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>ALUMINUM STARCH OCTENYLSUCCINATE</b> (UNII: I9PJ006294)	
<b>PURSLANE</b> (UNII: M6S840WYG5)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>POLYACRYLAMIDE (1500 MW)</b> (UNII: 5D6TC4BRWW)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>PENTYLENE GLYCOL</b> (UNII: 50C1307PZG)	
<b>BENZOIC ACID</b> (UNII: 8SKN0B0MIM)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>GLYCERETH-2 COCOATE</b> (UNII: JWM00VS7HC)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>POLYISOBUTYLENE (1000 MW)</b> (UNII: 5XB3A63Y52)	
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)	
<b>PANTHENOL</b> (UNII: WW9CM0067Z)	
<b>ARGININE</b> (UNII: 94ZLA3W45F)	
<b>SODIUM CARBOXYMETHYL .BETA.-GLUCAN (DS 0.65-0.85)</b> (UNII: 2YGO1190AP)	
<b>CHAMAEMELUM NOBILE FLOWER</b> (UNII: O2T154T6OG)	
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)	
<b>SENNALATA LEAF</b> (UNII: 4BXR6YZN92)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83175-232-30	1 in 1 CARTON	01/02/2023	
1		30 mL in 1 BOTTLE, DROPPER; Type 0: Not a		

1		Combination Product		
2	NDC:83175-232-10	1 in 1 CARTON	01/02/2023	
2		10 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	01/02/2023	

**Labeler** - Barbara Sturm Molecular Cosmetics GmbH (507357924)

Revised: 1/2023

Barbara Sturm Molecular Cosmetics GmbH