

**PUTTISU- titanium dioxide, zinc oxide liquid  
Jellycup, Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
Titanium Dioxide 5.95%, Zinc Oxide 9.70%

Sunscreen

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.
- For external use only
- Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove

Stop use and ask a doctor if rash occurs

Keep out of reach of children

- Applying liberally an evenly 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water-resistant sunscreen if swimming or sweating
- Sun Protection Measures
- spending time in the sun increases your risk of skin cancer and early aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or high and other sun protection measures including:
  - limit time in the sun, especially from 10 am-2 pm
  - wear long-sleeved shirts, pants, hats, and sunglasses
  - children under 6 months age: Ask a doctor

Protect the product in this container from excessive heat and direct sun.

WATER

ETHYLHEXYL PALMITATE

ETHYLHEXYL STEARATE

BUTYLENE GLYCOL

BUTYLOCTYL SALICYLATE

CAPRYLYL TRISILOXANE

DIPHENYLSILOXY PHENYL TRIMETHICONE

POLYGLYCERYL-3 POLYDIMETHYLSILOXYETHYL DIMETHICONE (4000 MPA.S)

ALKYL (C12-15) BENZOATE

DICAPRYLYL CARBONATE

LIMONIA ACIDISSIMA BARK  
ZANTHOXYLUM PIPERITUM FRUIT PULP  
GREEN TEA LEAF  
YEAST, UNSPECIFIED  
HOULTUYNIA CORDATA TOP  
TANACETUM COCCINEUM FLOWER  
NYMPHAEA ALBA FLOWER  
CORYMBIA CITRIODORA LEAF OIL  
POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE  
POLYHYDROXYSTEARIC ACID STEARATE  
POLYMETHYLSILSESQUIOXANE (11 MICRONS)  
SODIUM CHLORIDE  
VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER  
SILICON DIOXIDE  
DSTEARDIMONIUM HECTORITE  
TRIETHOXYCAPRYLYLSILANE  
CAPRYLYL GLYCOL  
GLYCERYL CAPRYLATE  
DIMETHICONE  
ALLANTOIN  
TOCOPHEROL  
DIPROPYLENE GLYCOL  
SODIUM PALMITOYL PROLINE  
DISODIUM EDTA-COPPER



Puttisu Safe Baby Mild Suncushion Bottom Label





[CCP 350g / 4-color process + 1 Pantone / Matt Coating]

PANTONE 1225 C



## Drug Facts

**KEEP OUTER PACKAGE FOR  
COMPLETE PRODUCT INFORMATION**

### Active ingredients

Titanium Dioxide 5.95%, Zinc Oxide 9.70%

### Purpose

Sunscreen

**Uses** - helps prevent sunburn - if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

### Warnings

- **For external use only** - **Do not use** on damaged or broken skin - **When using this product** keep out of eyes. Rinse with water to remove - **Stop use and ask a doctor** if rash occurs - **Keep out of reach of children.**

### Directions

- **apply liberally** and evenly 15 minutes before sun exposure - **reapply** at least every 2 hours - use a water resistant sunscreen if swimming or sweating - **Sun Protection Measures.** - spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, **regularly** use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: - limit time in the sun, especially from 10 a.m.-2 p.m. - wear long-sleeved shirts, pants, hats, and sunglasses - children under 6 months of age: Ask a doctor.

### Other information

- protect the product in this container from excessive heat and direct sun.

### Inactive ingredients

Water, Ethylhexyl Palmitate, Ethylhexyl Stearate, Butylene Glycol, Butyloctyl Salicylate, Caprylyl Methicone, Diphenylsiloxy Phenyl Trimethicone, Polyglyceryl-3 Polydimethylsiloxyethyl Dimethicone, C12-15 Alkyl Benzoate, Dicaprylyl Carbonate, Limonia Acidissima Extract, Zanthoxylum Piperitum Fruit Extract, Camellia Sinensis Leaf Extract, Yeast Extract, Houttuynia Cordata Extract, Chrysanthemum Coccineum Flower Extract, Nymphaea Alba Flower Extract, Eucalyptus Citriodora Oil, Polyglyceryl-2 Dipolyhydroxystearate, Polyhydroxystearic Acid, Polymethylsilsesquioxane, Sodium Chloride, Vinyl Dimethicone/methicone Silsesquioxane Crosspolymer, Silica, Disteardimonium Hectorite, Triethoxycaprylylsilane, Caprylyl Glycol, Glyceryl Caprylate, Dimethicone, Allantoin, Tocopherol, Dipropylene Glycol, Sodium Palmitoyl Proline, Disodium EDTA.



Puttisu Sun Cushion Refill SR1



## PUTTISU

titanium dioxide, zinc oxide liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:73419-0001
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	5.95 g in 100 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	9.7 g in 100 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>POLYHYDROXYSTEARIC ACID STEARATE</b> (UNII: 8KQ7I65XZE)	
<b>POLYMETHYLSILSESQUIOXANE (11 MICRONS)</b> (UNII: Z570VEV8XK)	
<b>VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER</b> (UNII: 9NH1UDD2RR)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>DICAPRYLYL CARBONATE</b> (UNII: 609A3V1SUA)	
<b>CAPRYLYL TRISILOXANE</b> (UNII: Q95M2P1KJL)	
<b>DIPHENYLSILOXY PHENYL TRIMETHICONE</b> (UNII: I445L28B12)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>GREEN TEA LEAF</b> (UNII: W2ZU1RY8B0)	
<b>YEAST, UNSPECIFIED</b> (UNII: 3NY3SM6B8U)	
<b>HOULTUYNIA CORDATA TOP</b> (UNII: 3E4MG0DM0M)	
<b>TANACETUM COCCINEUM FLOWER</b> (UNII: 9BJ3T5AE5X)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>LIMONIA ACIDISSIMA BARK</b> (UNII: 68SJ7W9Y65)	
<b>POLYGLYCERYL-3 POLYDIMETHYLSILOXYETHYL DIMETHICONE (4000 MPA.S)</b> (UNII: RLA2U05Z4Q)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>ZANTHOXYLUM PIPERITUM FRUIT PULP</b> (UNII: 7PFC2VA251)	
<b>CORYMBIA CITRIODORA LEAF OIL</b> (UNII: M63U6N96EB)	
<b>POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE</b> (UNII: 9229XJ4V12)	
<b>ALLANTOIN</b> (UNII: 344S277G0Z)	
<b>SODIUM PALMITOYL PROLINE</b> (UNII: 64L053FRFO)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>GLYCERYL CAPRYLATE</b> (UNII: TM2TZD4G4A)	
<b>DISODIUM EDTA-COPPER</b> (UNII: 6V475AX06U)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>ETHYLHEXYL STEARATE</b> (UNII: EG3PA2K3K5)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:73419-0001-1	1 in 1 BOX	03/06/2020	
1		15 mL in 1 JAR; Type 0: Not a Combination Product		

<b>2</b>	NDC:73419-0001-2	15 mL in 1 JAR; Type 0: Not a Combination Product	07/17/2023
<b>Marketing Information</b>			
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph final	part352	03/06/2020	

**Labeler -** Jellycup, Inc. (694888221)

<b>Establishment</b>			
<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Cosmax, Inc.		689049693	manufacture(73419-0001)

Revised: 7/2023

Jellycup, Inc.