

PAIN RELIEVER CHILDREN- acetaminophen tablet, chewable
L&R Distributors, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Select Brand 44-185

Active ingredient (in each tablet)

Acetaminophen 80 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - headache
 - the common cold
 - flu
 - toothache
 - sore throat
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child takes:

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if your child is allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if your child has

liver disease.

Ask a doctor or pharmacist before use if your child is

taking the blood thinning drug warfarin.

When using this product

do not exceed recommended dose.

Stop use and ask a doctor if

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

Keep out of reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **this product does not contain directions or complete warnings for adult use**
- **do not give more than directed**
- find the right dose on chart below. If possible, use weight to dose; otherwise, use age.
- chew before swallowing; this product will soften in mouth for ease of chewing
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours
- do not give for more than 5 days unless directed by a doctor

Weight (lb)	Age (yr)	Dose (tablets)*
Under 24	Under 2	Ask a doctor
24-35	2-3	2
36-47	4-5	3
48-59	6-8	4
60-71	9-10	5
72-95	11	6

* or as directed by a doctor

Other information

- **phenylketonurics**: Contains Phenylalanine 6 mg per tablet
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- avoid high humidity
- see end flap for expiration date and lot number

Inactive ingredients

corn starch, D&C red #27 aluminum lake, D&C red #30 aluminum lake, ethylcellulose, flavor, magnesium stearate, mannitol, NutraSweet (aspartame), polyethylene, stearic acid

Questions or comments?

1-800-426-9391

Principal Display Panel

select brand®

the lower price name brand

NDC 15127-185-01

Ibuprofen Free

Aspirin Free

Ages 2-6

Children's

Pain Reliever

Acetaminophen 80 mg

PAIN RELIEVER / FEVER REDUCER

†Compare to the Active Ingredient of Children's Tylenol® Meltaways®

30 Chewable Tablets

Fruit Flavored

**TAMPER EVIDENT: DO NOT USE IF
IMPRINTED SAFETY SEAL UNDER
CAP IS BROKEN OR MISSING**

†This product is not manufactured or distributed by
McNeil Consumer Healthcare, owner of the registered
trademark Children's Tylenol® Meltaways®.

50844 REV0416A18501

Distributed by:

SELECT BRAND® DISTRIBUTORS

Pine Bluff, AR 71603 USA

AC (870) 535-3635

select

brand®

SATISFACTION

GUARANTEED

Drug Facts (continued)

- find the right dose on chart below. If possible, use weight to dose; otherwise, use age.
- chew before swallowing; this product will soften in mouth for ease of chewing
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours
- do not give for more than 5 days unless directed by a doctor

Weight (lb)	Age (yr)	Dose (tablets)*
Under 24	Under 2	Ask a doctor
24-35	2-3	2
36-47	4-5	3
48-59	6-8	4
60-71	9-10	5
72-95	11	6

* or as directed by a doctor

Other information

- phenylethanamines. Contains Phenylalanine 6 mg per tablet
- store at 25°C (77°F); excursions permitted between 15°-30° (59°-86°F)
- avoid high humidity
- see end flap for expiration date and lot number

Inactive ingredients corn starch, D&C red #27 aluminum lake, D&C red #30 aluminum

Drug Facts (continued)

lake, ethylcellulose, flavor, magnesium stearate, mannitol, NutraSweet (aspartame), polyethylene, stearic acid

Questions or comments?
1-800-426-9391

†This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark Children's Tylenol® Meltaways®. 50844 REV0416A18501

Distributed by:
SELECT BRAND® DISTRIBUTORS
Pine Bluff, AR 71603 USA
AC (870) 535-3635

NDC 15127-185-01

select brand
the lower price name brand

Ibuprofen Free
Aspirin Free

Children's Pain Reliever

AGES 2-6

Acetaminophen 80 mg

PAIN RELIEVER / FEVER REDUCER

"Compare to the Active Ingredient of Children's Tylenol® Meltaways"

30 Chewable Tablets Fruit Flavored



no print / no varnish area
lot no. & exp. date

6 010010 27151 0

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Drug Facts KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

Active ingredient (in each tablet) Pain reliever/fever reducer

Acetaminophen 80 mg.....

Uses

- temporarily relieves minor aches and pains due to:
 - headache
 - the common cold
 - flu
 - toothache
 - sore throat
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child takes:

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- hives
- skin rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen

B-1820-185-01
REV0416A18501

Drug Facts (continued)

(prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

- if your child is allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if your child has liver disease.

Ask a doctor or pharmacist before use if your child is taking the blood thinning drug warfarin.

When using this product do not exceed recommended dose.

Stop use and ask a doctor if:

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- this product does not contain directions or complete warnings for adult use
- do not give more than directed

DG9146A

Select Brand 44-185

PAIN RELIEVER CHILDREN			
acetaminophen tablet, chewable			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:15127-185
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	80 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
D&C RED NO. 30 (UNII: 2S42T2808B)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MANNITOL (UNII: 3OWL53L36A)	
ASPARTAME (UNII: Z0H242BBR1)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ETHYLCELLULOSE, UNSPECIFIED (UNII: 7Z8S9VYZ4B)	

Product Characteristics

Color	PINK	Score	no score
Shape	ROUND	Size	10 mm
Flavor	FRUIT	Imprint Code	44;185
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:15127-185-01	1 in 1 CARTON	09/06/2001	08/29/2020
1		30 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part343	09/06/2001	08/29/2020

Labeler - L&R Distributors, Inc. (012578514)**Establishment**

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	PACK(15127-185)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	MANUFACTURE(15127-185)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	PACK(15127-185)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	PACK(15127-185)

Revised: 8/2017

L&R Distributors, Inc.