

**LIVE BETTER ANTIFUNGAL- terbinafine hydrochloride cream**  
**The Great Atlantic & Pacific Tea Company**

-----  
**Live Better**  
**Antifungal**

**Drug Facts**

**Active ingredient**

Terbinafine hydrochloride 1%

**Purpose**

Antifungal

**Uses**

- cures most athlete's foot (tinea pedis)
- cures most jock itch (tinea cruris) and ring worm (tinea corporis)
- relieves itching, burning, cracking and scaling which accompany these conditions

**Warnings**

**For external use only**

**Do not use**

- on nails or scalp
- in or near the mouth or the eyes
- for vaginal yeast infections

**When using this product** do not get into the eyes. If eye contact occurs, rinse thoroughly with water.

**Stop use and ask a doctor if**

- too much irritation occurs or gets worse.

**Keep out of reach of children.** If swallowed, get medical help or contact a poison control center right away.

**Directions**

- adults and children 12 years and older
  - use the tip of the cap to break the seal and open the tube
  - wash the affected skin with soap and water and dry completely before applying
  - **for athlete's foot** wear well-fitting, ventilated shoes. Change shoes and socks at least once daily.
    - **between the toes only:** apply twice a day (morning and night) for **1 week** or as directed by a doctor.
    - **on the bottom or sides of the foot:** apply twice a day (morning and night) for **2 weeks** or as directed by a doctor.
  - **for jock itch and ringworm:** apply once a day (morning **or** night) for



**1 week** or as directed by a doctor.

- wash hands after each use
- children under 12 years: ask a doctor

**Other information**

- do not use if seal on tube is broken or is not visible
- store at controlled room temperature 20°-25°C (68°-77°F)
- see carton or tube crimp for lot number and expiration date

**Inactive ingredients**

benzyl alcohol, cetyl alcohol, cetyl palmitate, isopropyl myristate, polysorbate 60, purified water, sodium hydroxide, sorbitan monostearate, stearyl alcohol.

**Questions?**

Call **1-866-923-4914**

DISTRIBUTED BY ONPOINT, INC.  
2 PARAGON DRIVE  
MONTIVALE, NJ 07645

**PRINCIPAL DISPLAY PANEL - 15g Tube Carton**

**Antifungal Cream**

**TERBINAFINE HYDROCHLORIDE CREAM 1%**

■ **CURES MOST ATHLETE'S FOOT**

NET WT 1/2 OZ (15g)

NDC 51143-080-01

Compare to the active ingredient  
in Lamisil AT<sup>®</sup>



- Relieves Itching & Burning
- Full Prescription Strength

LPK-7201-0  
0113-0  
M168

# Antifungal Cream

## TERBINAFINE HYDROCHLORIDE CREAM 1%

■ CURES MOST ATHLETE'S FOOT

NET WT 1/2 OZ (15g)

NO COPY ON THIS  
FLAP FOR LOT #  
AND EXPIRY  
DATE PRINT

**Drug Facts (continued)**

**Other information**

- do not use if seal on tube is broken or is not visible
- store at controlled room temperature 20°-25°C (68°-77°F)
- see carton or tube clamp for lot number and expiration date

**Inactive ingredients:** benzyl alcohol, cetyl alcohol, cetyl palmitate, isopropyl myristate, polysorbate 60, purified water, sodium hydroxide, sorbitan monostearate, stearyl alcohol.

**Questions?** Call 1-866-923-4914

T1174

**Directions**


- adults and children 12 years and older
- use the tip of the cap to break the seal and open the tube
- wash the affected skin with soap and water and dry completely before applying
- for athlete's foot wear well-fitting, ventilated shoes. Change shoes and socks at least once daily.
- between the toes only: apply twice a day (morning and night) for 1 week or as directed by a doctor.
- on the bottom or sides of the foot apply twice a day (morning and night) for 2 weeks or as directed by a doctor.
- for jock itch and ringworm: apply once a day (morning or night) for 1 week or as directed by a doctor.
- wash hands after each use.
- children under 12 years: ask a doctor.



DISPENSED BY: ORION, INC.  
2 PRAGON DR.  
MONTAILE, NJ 0706  
©2013, ALL RIGHTS RESERVED.  
MAY 10, 2013

NO VARNISH  
ON THIS FLAP

NO VARNISH  
ON THIS FLAP



## LIVE BETTER ANTIFUNGAL

terbinafine hydrochloride cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:51143-080
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Terbinafine Hydrochloride (UNII: 012C11ZU6G) (Terbinafine - UNII:G7RIW8S0XP)	Terbinafine	1 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
BENZYL ALCOHOL (UNII: LKG8494WBH)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
CETYL PALMITATE (UNII: 5ZA2S6B08X)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
WATER (UNII: 059QF0K00R)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
SORBITAN MONOSTEARATE (UNII: NVZ4I0H58X)	
STEARYL ALCOHOL (UNII: 2KR89I4HIY)	

### Product Characteristics

<b>Color</b>	WHITE	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51143-080-01	1 in 1 CARTON		
1		15 g in 1 TUBE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA077511	07/02/2007	

**Labeler** - The Great Atlantic & Pacific Tea Company (001367366)

**Registrant** - Taro Pharmaceuticals U.S. A., Inc. (145186370)

## Establishment

Name	Address	ID/FEI	Business Operations
Taro Pharmaceuticals Inc.		206263295	MANUFACTURE(51143-080)

Revised: 3/2013

The Great Atlantic & Pacific Tea Company