

**MEIJER ULTRA LUBRICANT EYE DROPS HIGH PERFORMANCE- polyethylene glycol 400, propylene glycol solution/ drops  
Meijer Distribution, Inc.**

-----  
**Meijer Ultra Lubricant Eye Drops High Performance 15mL and 15mL twin pk (PLD)**

**Active ingredients**

Polyethylene glycol 400 0.4%

Propylene glycol 0.3%

**Purposes**

Lubricant

Lubricant

**Use**

- for the temporary relief of burning and irritation due to dryness of the eye

**Warnings**

For external use only

**Do not use**

- if this product changes color or becomes cloudy
- if you are sensitive to any ingredient in this product

**When using this product**

- do not touch tip of container to any surface to avoid contamination
- replace cap after each use

**Stop use and ask a doctor if**

- you feel eye pain
- changes in vision occur
- redness or irritation of the eye(s) gets worse or lasts more than 72 hours

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- instill 1 to 2 drops in the affected eye(s) as needed
- children under 6 years of age: ask a doctor


**Other information**

- RETAIN THIS CARTON FOR FUTURE REFERENCE
- store at room temperature

**Inactive ingredients**

Aminomethylpropanol, benzalkonium chloride as preservative, boric acid, hypromellose, potassium chloride, purified water, sodium chloride, sorbitol.

**Meijer Ultra Lubricant Eye Drops 15mL**



High Performance  
Ultra Lubricant  
eye drops  
meijer

**Drug Facts**

Active ingredients	Purposes
Polyethylene glycol 400 0.4%.....	Lubricant
Propylene glycol 0.3%.....	Lubricant

**Use**

- for the temporary relief of burning and irritation due to dryness of the eye

**Warnings**  
For external use only

**Do not use**

- if this product changes color or becomes cloudy
- if you are sensitive to any ingredient in this product

**When using this product**

- do not touch tip of container to any surface to avoid contamination
- replace cap after each use

**Stop use and ask a doctor if**

- you feel eye pain
- changes in vision occur
- redness or irritation of the eye(s) gets worse or lasts more than 72 hours

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- instill 1 to 2 drops in the affected eye(s) as needed
- children under 6 years of age: ask a doctor

POISON

**Drug Facts (continued)**

**Other information**

- RETAIN THIS CARTON FOR FUTURE REFERENCE
- store at room temperature

**Inactive ingredients**  
Aminomethylpropanol, benzalkonium chloride as preservative, boric acid, hypromellose, potassium chloride, purified water, sodium chloride, sorbitol.

\*This product is not manufactured or distributed by Novartis AG, owner of the registered trademark Systane® Ultra.

■ TAMPER EVIDENT: DO NOT USE IF IMPRINTED NECKBAND IS BROKEN OR MISSING.

Questions or comments?  
1-888-527-4276

meijer

Compare to Systane® Ultra active ingredients\*

**ultra lubricant eye drops**

Polyethylene glycol 400 0.4%  
Propylene glycol 0.3%

High Performance Protection

**STERILE**

Soothes, Protects and Moisturizes

0.5 FL OZ (15 mL)

DIST. BY  
MEIJER DISTRIBUTION, INC.  
GRAND RAPIDS, MI 49544  
www.meijer.com

MEIJER PHARMACEUTICALS ASSOCIATES  
MONEY BACK GUARANTEE


PID: 3628782

7 08820 17928 8

CEDSU0051MED

LOT  
EXP

# Meijer Ultra Lubricant Eye Drops 15mL twin pack



## MEIJER ULTRA LUBRICANT EYE DROPS HIGH PERFORMANCE

polyethylene glycol 400, propylene glycol solution/ drops

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41250-937
<b>Route of Administration</b>	OPHTHALMIC		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ) (POLYETHYLENE GLYCOL, UNSPECIFIED - UNII:3WJQ0SDW1A)	POLYETHYLENE GLYCOL 400	0.4 g in 100 mL
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3) (PROPYLENE GLYCOL - UNII:6DC9Q167V3)	PROPYLENE GLYCOL	0.3 g in 100 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>POTASSIUM CHLORIDE</b> (UNII: 660YQ98I10)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>AMINOMETHYLPROPANOL</b> (UNII: LU49E6626Q)	
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7)	
<b>BORIC ACID</b> (UNII: R57ZHV85D4)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-937-01	1 in 1 BOX	03/10/2022	
1		15 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		
2	NDC:41250-937-02	2 in 1 BOX	03/10/2022	
2		15 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M018	03/10/2020	

**Labeler** - Meijer Distribution, Inc. (006959555)

**Registrant** - KC Pharmaceuticals, Inc. (174450460)

## Establishment

Name	Address	ID/FEI	Business Operations
KC Pharmaceuticals, Inc.		174450460	manufacture(41250-937) , pack(41250-937) , label(41250-937)

Revised: 12/2023

Meijer Distribution, Inc.