

**DURVET DOG WORM TABS FOR PUPPIES AND SMALL DOGS-
praziquantel/pyrantel pamoate/febantel tablet, chewable**
**DURVET DOG WORM TABS FOR MEDIUM DOGS- praziquantel/pyrantel
pamoate/febantel tablet, chewable**
**DURVET DOG WORM TABS FOR LARGE DOGS- praziquantel/pyrantel
pamoate/febantel tablet, chewable**
Durvet, Inc.

durvet
Dog Worm Tabs™
(praziquantel/pyrantel pamoate/febantel)
CHEWABLE TABLETS FOR DOGS

Consult your veterinarian for assistance in the diagnosis, treatment and control of parasitism. Consult your veterinarian before administering the tablets to weak or debilitated animals. Do not deworm a dog or puppy that is sick.

Consult your veterinarian for diagnosis of the illness and appropriate care.

Each Dog Worm Tabs Chewable Tablets for Puppies and Small Dogs contains 22.7 mg praziquantel, 22.7 mg pyrantel base as pyrantel pamoate and 113.4 mg febantel.

Each Dog Worm Tabs Chewable Tablets for Medium Dogs contains 68.0 mg praziquantel, 68.0 mg pyrantel base as pyrantel pamoate and 340.2 mg febantel.

Each Dog Worm Tabs Chewable Tablets for Large Dogs contains 136.0 mg praziquantel, 136.0 mg pyrantel base as pyrantel pamoate, and 680.4 mg febantel.

DESCRIPTION:

Dog Worm Tabs (praziquantel/pyrantel pamoate/febantel) Chewable Tablets for Dogs are available in three tablet sizes. Each size is scored for convenient oral administration.

USES:

Dog Worm Tabs (praziquantel/pyrantel pamoate/ febantel) Chewable Tablets for Dogs will remove the common tapeworms, *Dipylidium caninum* and *Taenia pisiformis*, remove common hookworms, *Ancylostoma caninum* and *Uncinaria stenocephala*, remove common roundworms, *Toxocara canis* and *Toxascaris leonina*, and remove whipworms, *Trichuris vulpis* in dogs.

WARNING:

KEEP OUT OF REACH OF CHILDREN.

USE DIRECTIONS

DOSAGE AND ADMINISTRATION:

Dog Worm Tabs Chewable Tablets for Dogs may be given directly in the mouth or offered in a small amount of food. You should weigh your dog to make sure you are using the right size and number of tablets. Administer to dogs and puppies* only as follows:

**Dog Worm Tabs
Chewable Tablets for Dogs Dosage Charts**

for Puppies and Small Dogs*
(2 - 25 lbs.)

Body Wt. (lbs.)	No. of Tablets
2 - 4	0.5
5 - 7	1.0
8 - 12	1.5
13 - 18	2.0
19 - 25	2.5

for Medium Dogs
(26 - 60 lbs.)

Body Wt. (lbs.)	No. of Tablets
26 - 30	1.0
31 - 44	1.5
45 - 60	2.0

for Large Dogs
(45 lbs. and greater)

Body Wt. (lbs.)	No. of Tablets
45 - 60	1.0
61 - 90	1.5
91 - 120	2.0

*NOT FOR USE IN PUPPIES LESS THAN 3 WEEKS OF AGE OR DOGS WEIGHING LESS THAN 2 LBS.

FASTING IS NEITHER NECESSARY NOR RECOMMENDED.

RETREATMENT:

Steps should be taken to control fleas and rodents on the premises in order to prevent reinfection; otherwise, retreatment will be necessary. This is especially true in cases of tapeworms transmitted by fleas (*Dipylidium caninum*) where reinfection is almost certain to occur if fleas are not removed from the animal and its environment. If reinfection occurs, tapeworm segments may be observed within one month of the initial treatment.

SIDE EFFECTS:

Isolated incident of either vomiting, bloody stool or watery/profuse stool have been

reported following treatment. If these signs are observed and they persist, consult your veterinarian.

Questions? For questions or to report a suspected side effect, call Durvet, Inc. at 1-800-821-5570.

For additional information about reporting side effects for animal drugs, contact FDA at 1-888-FDA-VETS or <http://www.fda.gov/reportanimalae>.

STORAGE CONDITIONS:

Store at or below 77 °F (25 °C).

Un-blistered whole or partial tablets should be stored in a tightly sealed container.

HOW SUPPLIED:

Dog Worm Tabs Chewable Tablets for Dogs are available in three tablet sizes:

4 tabs/box for Puppies and Small Dogs

2 tabs/box for Medium Dogs

2 tabs/box for Large Dogs

Mfd. for: Durvet, Inc.
100 S.E. Magellan Drive
Blue Springs, MO 64014
www.durvet.com
ISS22XB08

Approved by FDA under NADA # 141-007

U.S. Patent No. 7,348,027

90211067_PA600308X

Principal Display Panel - Puppies and Small Dogs

durvet

Dog Worm Tabs

**(praziquantel, 22.7 mg/pyrantel
pamoate, 22.7 mg/febantel, 113.4 mg)**

Chewable Tablets for Dogs

For puppies and small dogs (2-25 lbs)

Mfd for: Durvet, Inc., Blue Springs, MO 64014

Lot # EXP

90211066_FL600308X ISS22XB08

Approved by FDA under NADA # 141-007

durvet
Dog Worm Tabs
(praziquantel, 22.7 mg/pyrantel pamoate, 22.7 mg/febantel, 113.4 mg)
Chewable Tablets for Dogs
For puppies and small dogs (2-25 lbs)
Mfd for: Durvet, Inc., Blue Springs, MO 64014
Lot# EXP
90211066_FL600308X ISS22XB08
Approved by FDA under NADA # 141-007

durvet
Dog Worm Tabs
(praziquantel, 22.7 mg/pyrantel pamoate, 22.7 mg/febantel, 113.4 mg)
Chewable Tablets for Dogs
For puppies and small dogs (2-25 lbs)
Mfd for: Durvet, Inc., Blue Springs, MO 64014
Lot# EXP
90211066_FL600308X ISS22XB08
Approved by FDA under NADA # 141-007

durvet
Dog Worm Tabs
(praziquantel, 22.7 mg/pyrantel pamoate, 22.7 mg/febantel, 113.4 mg)
Chewable Tablets for Dogs
For puppies and small dogs (2-25 lbs)
Mfd for: Durvet, Inc., Blue Springs, MO 64014
Lot# EXP
90211066_FL600308X ISS22XB08
Approved by FDA under NADA # 141-007

durvet
Dog Worm Tabs
(praziquantel, 22.7 mg/pyrantel pamoate, 22.7 mg/febantel, 113.4 mg)
Chewable Tablets for Dogs
For puppies and small dogs (2-25 lbs)
Mfd for: Durvet, Inc., Blue Springs, MO 64014
Lot# EXP
90211066_FL600308X ISS22XB08
Approved by FDA under NADA # 141-007

Dog Worm Tabs™

(praziquantel/pyrantel pamoate/febantel)

CHEWABLE TABLETS FOR DOGS

Broad Spectrum

Chewable Anthelmintic

for Puppies and
Small Dogs (2-25 lbs)

For the treatment and control of:
**tapeworms, hookworms,
roundworms and whipworms**

4

CHEWABLE TABLETS

EACH TABLET CONTAINS:

22.7 mg praziquantel, 22.7 mg pyrantel base
as pyrantel pamoate, and 113.4 mg febantel

durvet

WARNING: KEEP OUT
OF REACH OF CHILDREN.

4 Chewable Tablets
for Dogs



Puppies and
Small Dogs
(2-25 lbs)

Dog Worm Tabs™

(praziquantel/pyrantel pamoate/febantel)

CHEWABLE TABLETS FOR DOGS



BROAD SPECTRUM
CHEWABLE ANTHELMINTIC
for Puppies and Small Dogs
(2-25 lbs)

Lot:

Exp. Date:

Dog Worm Tabs™

(praziquantel/pyrantel pamoate/febantel)

CHEWABLE TABLETS FOR DOGS



4

CHEWABLE TABLETS

**Broad Spectrum
Chewable Anthelmintic**
for Puppies and
Small Dogs (2-25 lbs)



For the treatment and control of:
**tapeworms, hookworms,
roundworms and whipworms**



CHEWABLE TABLETS

EACH TABLET CONTAINS:

227 mg praziquantel, 227 mg pyrantel base
as pyrantel pamoate, and 113.4 mg febantel



**WARNING: KEEP OUT
OF REACH OF CHILDREN**

Broad Spectrum Chewable Anthelmintic
for Puppies and Small Dogs (2-25 lbs)

Dog Worm Tabs™

(praziquantel/pyrantel pamoate/febantel)

Puppies and Small Dogs (2-25 lbs)



4 Chewable Tablets for Dogs

Broad Spectrum Chewable Anthelmintic for Puppies and Small Dogs (2-25 lbs)



READ PRODUCT INSERT BEFORE USING THIS PRODUCT.
 Consult your veterinarian for assistance in the diagnosis, treatment and control of parasitism. Consult your veterinarian before administering the tablets to weak or debilitated animals. Do not deworm a dog or puppy that is sick. Consult your veterinarian for diagnosis of the illness and appropriate care.

Each Dog Worm Tabs Chewable Tablets for Dogs contains: 22.7 mg praziquantel, 22.7 mg pyrantel base as pyrantel pamoate, and 113.4 mg febantel.

Uses: Will remove the common tapeworms, *Dipylidium caninum* and *Taenia pisiformis*, remove common hookworms, *Ancylostoma caninum* and *Uncinaria stenocephala*, remove common roundworms, *Toxocara canis* and *Toxascaris leonina*, and remove whipworms, *Trichuris vulpis* in dogs.

Dosage and Administration: Dog Worm Tabs Chewable Tablets for Dogs may be given directly in the mouth or offered in a small amount of food. You should weigh your dog to make sure you are using the right size and number of tablets. Administer to dogs and puppies* only as follows:

Body Wt. (lbs.)	No. Tablets
2-4	0.5
5-7	1.0
8-12	1.5
13-18	2.0
19-25	2.5

*NOT FOR USE IN PUPPIES LESS THAN 3 WEEKS OF AGE OR DOGS WEIGHING LESS THAN 2 LBS. **FASTING IS NEITHER NECESSARY NOR RECOMMENDED.**

Retreatment: Steps should be taken to control fleas and rodents on the premises in order to prevent reinfection; otherwise, retreatment will be necessary. This is especially true in cases of Tapeworms transmitted by fleas (*Dipylidium caninum*) where reinfection is almost certain to occur if fleas are not removed from the animal and its environment. If reinfection occurs, tapeworm segments may be observed within one month of the initial treatment.

Side Effects: Isolated incident of either vomiting, bloody stool or watery/pruise stool have been reported following treatment. If these signs are observed and they persist, consult your veterinarian.

Storage Conditions: Store at or below 77° F (25° C). Un-blistered whole or partial tablets should be stored in a tightly sealed container.

Questions? For questions or to report a suspected side effect, call Durvet at 1-800-821-5570.

Mfd. for Durvet, Inc. Approved by FDA under NADA # 141-007
 100 S.E. Magellan Drive U.S. Patent No. 7,348,027
 Blue Springs, MD 64014
 www.durvet.com
 80211088_SH600308X



Principal Display Panel - Medium Dogs

durvet

Dog Worm Tabs

(praziquantel, 68.0 mg/pyrantel pamoate, 68.0 mg/febantel, 340.2 mg)

Chewable Tablets for Dogs

For medium dogs (26-60 lbs)



Dog Worm Tabs™

(praziquantel/pyrantel pamoate/febantel)

CHEWABLE TABLETS FOR DOGS

Broad Spectrum

Chewable Anthelmintic

for Medium Dogs

(26-60 lbs)

For the treatment and control of:

**tapeworms, hookworms,
roundworms and whipworms**

2

CHEWABLE TABLETS

EACH TABLET CONTAINS:

68.0 mg praziquantel, 68.0 mg pyrantel base
as pyrantel pamoate, and 340.2 mg febantel

durvet

**WARNING: KEEP OUT
OF REACH OF CHILDREN.**

2

Chewable Tablets
for Dogs



Medium Dogs
(26-60 lbs)

Dog Worm Tabs™

(praziquantel/pyrantel pamoate/febantel)

CHEWABLE TABLETS FOR DOGS

BROAD SPECTRUM
CHEWABLE ANTHELMINTIC
for Medium Dogs
(26-60 lbs)

Lot:

Exp. Date:

Dog Worm Tabs™

(praziquantel/pyrantel pamoate/febantel)

CHEWABLE TABLETS FOR DOGS



2

CHEWABLE TABLETS

**Broad Spectrum
Chewable Anthelmintic**
for Medium Dogs
(26-60 lbs)



For the treatment and control of:
**tapeworms, hookworms,
roundworms and whipworms**



CHEWABLE TABLETS

EACH TABLET CONTAINS:

68.0 mg praziquantel, 68.0 mg pyrantel base
as pyrantel pamoate, and 340.2 mg febantel



**WARNING: KEEP OUT
OF REACH OF CHILDREN**

Broad Spectrum Chewable Anthelmintic
for Medium Dogs (26-60 lbs)

Medium Dogs
(26-60 lbs)



Chewable Tablets
for Dogs



Dog Worm Tabs™

(praziquantel/pyrantel pamoate/febantel)
CHEWABLE TABLETS FOR DOGS

READ PRODUCT INSERT BEFORE USING THIS PRODUCT.

Consult your veterinarian for assistance in the diagnosis, treatment and control of parasitism. Consult your veterinarian before administering the tablets to weak or debilitated animals. Do not deworm a dog or puppy that is sick. Consult your veterinarian for diagnosis of the illness and appropriate care.

Each Dog Worm Tabs Chewable Tablets for Dogs contains: 68.0 mg praziquantel, 68.0 mg pyrantel base as pyrantel pamoate, and 340.2 mg febantel.

Uses: Will remove the common tapeworms, *Dipylidium caninum* and *Taenia pisiformis*, remove common hookworms, *Ancylostoma caninum* and *Uncinaria stenocephala*, remove common roundworms, *Toxocara canis* and *Toxascaris leonina*, and remove whipworms, *Trichuris vulpis* in dogs.

Dosage and Administration: Dog Worm Tabs Chewable Tablets for Dogs may be given directly in the mouth or offered in a small amount of food. You should weigh your dog to make sure you are using the right size and number of tablets. Administer to dogs only as follows:

Body Wt. (lbs.) No. Tablets

26-30 1.0

31-44 1.5

45-60 2.0

FASTING IS NEITHER NECESSARY NOR RECOMMENDED.

Retreatment: Steps should be taken to control fleas and rodents on the premises in order to prevent reinfection; otherwise, retreatment will be necessary. This is especially true in cases of tapeworms transmitted by fleas (*Dipylidium caninum*) where reinfection is almost certain to occur if fleas are not removed from the animal and its environment. If reinfection occurs, tapeworm segments may be observed within one month of the initial treatment.

Side Effects: Isolated incident of either vomiting, bloody stool or watery/pruise stool have been reported following treatment. If these signs are observed and they persist, consult your veterinarian. **Storage Conditions:** Store at or below 77°F (25°C). Unblistered whole or partial tablets should be stored in a tightly sealed container.

Questions? For questions or to report a suspected side effect, call Durvet at 1-800-821-5570.

Mfd. for Durvet Inc.
100 S.E. Magellan Drive
Blue Springs, MO 64014
www.durvet.com
Approved by FDA under NADA # 141-007
U.S. Patent No. 7,348,027



90211081 SH600909X



7 45801 18304 9

ISS22XB08



CHEWABLE TABLETS

Broad Spectrum Chewable Anthelmintic
for Medium Dogs (26-60 lbs)

Principal Display Panel - Large Dogs


durvet

Dog Worm Tabs

(praziquantel, 136.0 mg/pyrantel pamoate, 136.0 mg/febantel, 680.4 mg)

Chewable Tablets for Dogs

For large dogs (45 lbs and greater)



Dog Worm Tabs™

(praziquantel/pyrantel pamoate/febantel)

CHEWABLE TABLETS FOR DOGS

**Broad Spectrum
Chewable Anthelmintic**
for Large Dogs

(45 lbs and greater)

For the treatment and control of:
**tapeworms, hookworms,
roundworms and whipworms**

2

CHEWABLE TABLETS

EACH TABLET CONTAINS:

136.0 mg praziquantel, 136.0 mg pyrantel base
as pyrantel pamoate, and 680.4 mg febantel

durvet

WARNING: KEEP OUT
OF REACH OF CHILDREN.

2

Chewable Tablets
for Dogs



Large Dogs
(45 lbs and
greater)

Dog Worm Tabs™

(praziquantel/pyrantel pamoate/febantel)

CHEWABLE TABLETS FOR DOGS

BROAD SPECTRUM
CHEWABLE ANTHELMINTIC
for Large Dogs
(45 lbs and greater)

Lot

Exp. Date:

Dog Worm Tabs™

(praziquantel/pyrantel pamoate/febantel)

CHEWABLE TABLETS FOR DOGS



CHEWABLE TABLETS

Broad Spectrum
Chewable Anthelmintic
for Large Dogs
(45 lbs and greater)

For the treatment and control of:
**tapeworms, hookworms,
roundworms and whipworms**



CHEWABLE TABLETS

EACH TABLET CONTAINS:

136.0 mg praziquantel, 136.0 mg pyrantel base
as pyrantel pamoate, and 680.4 mg febantel



durvet

**WARNING: KEEP OUT
OF REACH OF CHILDREN**

Broad Spectrum Chewable Anthelmintic
for Large Dogs (45 lbs and greater)

Dog Worm Tabs™

(praziquantel/pyrantel pamoate/febantel)

CHEWABLE TABLETS FOR DOGS

Large Dogs
(45 lbs and
greater)



Chewable Tablets
for Dogs



Broad Spectrum Chewable Anthelmintic
for Large Dogs (45 lbs and greater)



2

CHEWABLE TABLETS

READ PRODUCT INSERT BEFORE USING THIS PRODUCT.

Consult your veterinarian for assistance in the diagnosis, treatment and control of parasitism. Consult your veterinarian before administering the tablets to weak or debilitated animals. Do not deworm a dog or puppy that is sick. Consult your veterinarian for diagnosis of the illness and appropriate care.

Each Dog Worm Tabs Chewable Tablets for Dogs contains: 136.0 mg praziquantel, 136.0 mg pyrantel base as pyrantel pamoate, and 680.4 mg febantel.

Uses: Will remove the common tapeworms, *Dipylidium caninum* and *Taenia pisiformis*, remove common hookworms, *Ancylostoma caninum* and *Uncinaria stenocephala*, remove common roundworms, *Toxocara canis* and *Toxascaris leonina*, and remove whipworms, *Trichuris vulpis* in dogs.

Dosage and Administration: Dog Worm Tabs Chewable Tablets for Dogs may be given directly in the mouth or offered in a small amount of food. You should weigh your dog to make sure you are using the right size and number of tablets. Administer to dogs only as follows:

Body Wt. (lbs.)	No. Tablets
45-60	1.0
61-90	1.5
91-120	2.0

FASTING IS NEITHER NECESSARY NOR RECOMMENDED.

Retreatment: Steps should be taken to control fleas and rodents on the premises in order to prevent reinfection; otherwise, retreatment will be necessary. This is especially true in cases of tapeworms transmitted by fleas (*Dipylidium caninum*) where reinfection is almost certain to occur if fleas are not removed from the animal and its environment. If reinfection occurs, tapeworm segments may be observed within one month of the initial treatment.

Side Effects: Isolated incident of either vomiting, bloody stool or watery/profuse stool have been reported following treatment. If these signs are observed and they persist, consult your veterinarian. **Storage Conditions:** Store at or below 77°F (25°C). Un-blistered whole or partial tablets should be stored in a tightly sealed container.

Questions? For questions or to report a suspected side effect, call Durvet at 1-800-821-5570.

Mkt. for Durvet, Inc.
100 S.E. Magellan Drive
Blue Springs, MO 64014
www.durvet.com
Approved by FDA under NADA # 141-007
U.S. Patent No. 7,348,027
90211084_SH60C310X



ISS22XB08

DURVET DOG WORM TABS FOR PUPPIES AND SMALL DOGS

praziquantel/pyrantel pamoate/febantel tablet, chewable

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:30798-201
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PRAZIQUANTEL (UNII: 6490C9U457) (PRAZIQUANTEL - UNII:6490C9U457)	PRAZIQUANTEL	22.7 mg
PYRANTEL PAMOATE (UNII: 81BK194Z5M) (PYRANTEL - UNII:4QIH0N49E7)	PYRANTEL	22.7 mg
FEBANTEL (UNII: S75C401OS1) (FEBANTEL - UNII:S75C401OS1)	FEBANTEL	113.4 mg

Product Characteristics

Color	BROWN	Score	2 pieces
Shape	FREEFORM (Bone)	Size	20mm
Flavor	MEAT (Artificial Beef)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:30798-201-63	1 in 1 CARTON		
1		4 in 1 BLISTER PACK		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NADA	NADA141007	12/09/2015	

DURVET DOG WORM TABS FOR MEDIUM DOGS

praziquantel/pyrantel pamoate/febantel tablet, chewable

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:30798-202
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PRAZIQUANTEL (UNII: 6490C9U457) (PRAZIQUANTEL - UNII:6490C9U457)	PRAZIQUANTEL	68.0 mg
PYRANTEL PAMOATE (UNII: 81BK194Z5M) (PYRANTEL - UNII:4QIH0N49E7)	PYRANTEL	68.0 mg
FEBANTEL (UNII: S75C401OS1) (FEBANTEL - UNII:S75C401OS1)	FEBANTEL	340.2 mg

Product Characteristics

Color	BROWN	Score	2 pieces
Shape	FREEFORM (Bone)	Size	25mm
Flavor	MEAT (Artificial Beef)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:30798-202-61	1 in 1 CARTON		
1		2 in 1 BLISTER PACK		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NADA	NADA141007	12/09/2015	

DURVET DOG WORM TABS FOR LARGE DOGS

praziquantel/pyrantel pamoate/febantel tablet, chewable

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:30798-203
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PRAZIQUANTEL (UNII: 6490C9U457) (PRAZIQUANTEL - UNII:6490C9U457)	PRAZIQUANTEL	136.0 mg
PYRANTEL PAMOATE (UNII: 81BK194Z5M) (PYRANTEL - UNII:4QIH0N49E7)	PYRANTEL	136.0 mg
FEBANTEL (UNII: S75C401OS1) (FEBANTEL - UNII:S75C401OS1)	FEBANTEL	680.4 mg

Product Characteristics

Color	BROWN	Score	2 pieces
Shape	FREEFORM (Bone)	Size	32mm
Flavor	MEAT (Artificial Beef)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:30798-203-61	1 in 1 CARTON		
1		2 in 1 BLISTER PACK		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NADA	NADA141007	12/09/2015	

Labeler - Durvet, Inc. (056387798)

Revised: 12/2022

Durvet, Inc.