

CARBON DIOXIDE - carbon dioxide gas
Nordan Smith Welding Supply

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

Carbon Dioxide

CARBON DIOXIDE USP

UN1013

DO NOT REMOVE THIS PRODUCT LABEL.

NON-FLAMMABLE GAS 2

Medipure

RX only. **WARNING:** administration of Carbon Dioxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Carbon Dioxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken. **CAUTION: HIGH PRESSURE LIQUID AND GAS. CAN CAUSE RAPID SUFFOCATION. CAN INCREASE RESPIRATION AND HEART RATE. MAY CAUSE FROSTBITE.** Avoid breathing gas. Store and use with adequate ventilation. Do not get liquid in eyes, on skin, or clothing. Cylinder temperature should not exceed 52°C (125°F). Use equipment rated for cylinder pressure. Close valve after each use and when empty. Use in accordance with the Material Safety Data Sheet (MSDS). **NOTE:** Suck-back into cylinder may cause rupture. Always use a back-flow preventive device in the piping. **FIRST AID: IF INHALED,** remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician. **IN CASE OF FROSTBITE,** obtain medical treatment immediately.

N/S NORDAN SMITH HATTIESBURG, MS. CAS:124-38-9

38302L (08/03)

CARBON DIOXIDE USP
UN1013
 DO NOT REMOVE THIS PRODUCT LABEL.

38302L (08/03)

Medipure

NS
NORDAN SMITH
 HATTIESBURG, MS

Rx only. WARNING: Administration of Carbon Dioxide may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Carbon Dioxide and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken. **CAUTION:** HIGH PRESSURE LIQUID AND GAS. CAN CAUSE RAPID SUFFOCATION. CAN INCREASE RESPIRATION AND HEART RATE. **CAUTION:** MAY CAUSE FROSTBITE. Avoid breathing gas. Store and use with adequate ventilation. Do not get liquid in eyes, on skin, or clothing. Cylinder temperature should not exceed 52°C (125°F). Use equipment rated for cylinder pressure. Close valve after each use and when empty. Use in accordance with the **Material Safety Data Sheet (MSDS)**. **NOTE:** Suck-back into cylinder may cause rupture. Always use a back-flow preventive device in the piping. **FIRST AID:** IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician. **IN CASE OF FROSTBITE,** obtain medical treatment immediately. CAS: 124-38-9

carbon dioxide gas

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:54416-003
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Carbon Dioxide (UNII: 142M471B3J) (Carbon Dioxide - UNII:142M471B3J)	Carbon Dioxide	990 mL in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:54416-003-01	2480 L in 1 CYLINDER		
2	NDC:54416-003-02	4961 L in 1 CYLINDER		
3	NDC:54416-003-03	12403 L in 1 CYLINDER		
4	NDC:54416-003-04	18605 L in 1 CYLINDER		
5	NDC:54416-003-05	947 L in 1 CYLINDER		
6	NDC:54416-003-06	1597 L in 1 CYLINDER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		01/12/1994	

Labeler - Nordan Smith Welding Supply (062456215)

Establishment

Name	Address	ID/FEI	Business Operations
Nordan Smith Welding Supply		062187120	manufacture

Revised: 8/2010

Nordan Smith Welding Supply