

DAKINS HALF- sodium hypochlorite solution
Century Pharmaceuticals, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

dakins half

Sodium Hypochlorite 0.25%

Antimicrobial

Uses

To prevent and treat infections of the skin and tissue.

Pre and post surgery. Cuts, abrasions and skin ulcers.

For external use only.

Stop use and ask a doctor if redness, irritation, swelling or pain persists or increases.

Do not use if sensitive to chlorine compounds.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Pour on or apply to affected area. For wound management, use as an irrigant, cleanser, or the wetting agent for a wet-to-moist dressing. Apply once daily for lightly to moderately exudative wounds.

Apply twice daily for highly exudative or highly contaminated wounds. Protect intact skin with a moisture barrier ointment or skin sealant as needed.

Other Information

Store at room temperature.

May bleach clothing.

Keep container closed when not using.

Purified Water, Sodium Bicarbonate, Sodium Hydroxide

Questions or Comments?

(317) 849-4210 or 1-866-343-2576, Mon-Fri, 9AM to 4 PM EST

Century Pharmaceuticals, Inc. - Indianapolis, IN 46256

NDC 0436-0936-16



CENTURY
Pharmaceuticals, Inc.

473ml (16 FL. OZ.)

Drug Facts

Active Ingredient **Purpose**
Sodium Hypochlorite 0.25% Antimicrobial

Uses
 ■ to prevent and treat infection of the skin and tissue.
 ■ pre and post surgery. ■ cuts, abrasions and skin ulcers.

Warnings
For external use only.

Stop use and ask a doctor if redness, irritation, swelling or pain persists or increases.

Do not use if sensitive to chlorine compounds.


Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
 Pour on or apply to affected area. For wound management, use as an irrigant, cleanser or the wetting agent for a wet-to-moist dressing. Apply once daily for lightly to moderately exudative wounds. Apply twice daily for heavily exudative or highly contaminated wounds. Protect surrounding intact skin with a moisture barrier ointment or skin sealant as needed.

Other Information
 ■ Store at room temperature (20-25° C / 68-77° F).
 ■ May bleach clothing.
 ■ Keep container closed when not using.

Inactive Ingredients
 Purified Water, Sodium Bicarbonate, Sodium Hydroxide.

Questions or Comments?
 (317) 849-4210 or 1-866-343-2576, Mon-Fri, 9 AM to 4 PM EST
 Century Pharmaceuticals, Inc. - Indianapolis, IN 46256



www.dakins.net

DAKINS HALF

sodium hypochlorite solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0436-0936
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM HYPOCHLORITE (UNII: DY38VHM5OD) (HYPOCHLORITE ION - UNII:T5UM7HB19N)	SODIUM HYPOCHLORITE	2.5 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
WATER (UNII: 059QF0K00R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0436-0936-16	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	05/24/2006	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		06/09/1986	

Labeler - Century Pharmaceuticals, Inc. (042815464)

Establishment

Name	Address	ID/FEI	Business Operations
Century Pharmaceuticals, Inc.		042815464	analysis(0436-0936) , label(0436-0936) , manufacture(0436-0936) , pack(0436-0936)

Revised: 2/2019

Century Pharmaceuticals, Inc.