

# **SENNA S- docusate sodium, sennosides tablet**

## **Walgreens**

-----

### **Drug Facts**

#### **Active ingredients (in each tablet)**

Docusate sodium 50 mg  
Sennosides 8.6 mg

#### **Purpose**

Stool softener  
Laxative

#### **Uses**

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6-12 hours

#### **Warnings**

##### **Do not use**

- if you are now taking mineral oil, unless directed by a doctor
- laxative products for longer than 1 week unless directed by a doctor

##### **Ask a doctor before use if you have**

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that continues over a period of 2 weeks

##### **Stop use and ask a doctor if**

you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

##### **If pregnant or breast-feeding,**

ask a health professional before use.

##### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

#### **Directions**

- take preferably at bedtime or as directed by a doctor

<b>age</b>	<b>starting dosage</b>	<b>maximum dosage</b>
adults and children 12 years of age or older	2 tablets once a day	4 tablets twice a day
children 6 to under 12 years	1 tablet once a day	2 tablets twice a day
children 2 to under 6 years	1/2 tablet once a day	1 tablet twice a day
children under 2 years	ask a doctor	ask a doctor

### **Other information**

- **each tablet contains:** calcium 20 mg
- **each tablet contains:** sodium 6 mg VERY LOW SODIUM
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

### **Inactive ingredients**

carnauba wax\*, croscarmellose sodium, D&C yellow #10 aluminum lake, dibasic calcium phosphate dihydrate, FD&C blue #2 aluminum lake\*, FD&C red #40 aluminum lake\*, FD&C yellow #6 aluminum lake, hypromellose\*, magnesium stearate, maltodextrin\*, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol\*, silicon dioxide, sodium benzoate\*, stearic acid, talc\*, titanium dioxide

\*contains one or more of these ingredients

### **Questions or comments?**

Call **1-877-753-3935 Monday-Friday 9AM-5PM EST**

### **Principal Display Panel**

#### **Senna-S**

Docusate sodium 50 mg /

Sennosides 8.6 mg /

Standardized Senna Concentrate

- Natural Vegetable Laxative
- Gently relieves constipation

Compare to Senokot-S® active ingredient

Tablets

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS**

**BROKEN OR MISSING.**

≠ This product is not manufactured or distributed by Purdue Products L.P., distributor of Senokot-S®.

**DISTRIBUTED BY: WALGREENS CO**

**200 WILMOT RD., DEERFIELD, IL 60015**

**walgreens.com**

**Product Labeling**

**Drug Facts (continued)**  
benzoate\*, stearic acid, talc\*, titanium dioxide  
\*contains one or more of these ingredients

**Questions or comments?**  
Call 1-877-753-3935 Monday-Friday  
9AM-5PM EST

†Walgreens Pharmacist Survey Study, November 2014.  
‡This product is not manufactured or distributed by Purdue Products L.P., distributor of Senokot-S®.

DISTRIBUTED BY: WALGREEN CO.  
200 WILMOT RD., DEERFIELD, IL 60015  
**Walgreens**  
**100% SATISFACTION GUARANTEED**  
walgreens.com ©2015 Walgreen Co.

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.**

**Well at Walgreens**

WALGREENS PHARMACIST RECOMMENDED†

**Senna-S**

**Docosate sodium 50 mg /  
Sennosides 8.6 mg /  
Standardized Senna  
Concentrate**

- Natural vegetable laxative
- Gently relieves constipation

**120 TABLETS**  Actual Size

Compare to Senokot-S® active ingredients‡

**Drug Facts**

**Active ingredients (in each tablet)**  
Docosate sodium 50 mg.....Stool softener  
Sennosides 8.6 mg.....Laxative

**Uses**  
■ relieves occasional constipation (irregularity)  
■ generally produces bowel movement in 6 -12 hours

**Warnings**  
**Do not use**  
■ if you are now taking mineral oil, unless directed by a doctor  
■ laxative products for longer than 1 week unless directed by a doctor

**Ask a doctor before use if you have**  
■ stomach pain ■ nausea ■ vomiting  
■ noticed a sudden change in bowel habits that continues over a period of 2 weeks

**Stop use and ask a doctor if you have** rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Drug Facts (continued)**

**Directions**  
■ take preferably at bedtime or as directed by a doctor

age	starting dosage	maximum dosage
adults and children 12 years of age and over	2 tablets once a day	4 tablets twice a day
children 6 to under 12 years	1 tablet once a day	2 tablets twice a day
children 2 to under 6 years	1/2 tablet once a day	1 tablet twice a day
children under 2 years	ask a doctor	ask a doctor

**Other information**  
■ each tablet contains: calcium 20 mg  
■ each tablet contains: sodium 6 mg LOW SODIUM  
■ store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

**Inactive ingredients** carnauba wax\*, croscarmellose sodium, D&C yellow #10 aluminum lake, dibasic calcium phosphate dihydrate, FD&C blue #2 aluminum lake\*, FD&C red #40 aluminum lake\*, FD&C yellow #6 aluminum lake, hypromellose\*, magnesium stearate, maltodextrin\*, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol\*, silicon dioxide, sodium

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

ITEM 484736 W10024-1115-L



3 11917 10914 5

PLD-D18V  
FC003184

Lot No.:  
Exp. Date:

**Well at Walgreens Senna-S orange**

**SENNAS**

docosate sodium, sennosides tablet

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-0785
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DOCUSATE SODIUM</b> (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	50 mg
<b>SENNOSIDES</b> (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	8.6 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>D&amp;C YELLOW NO. 10</b> (UNII: 35SW5USQ3G)	
<b>DIBASIC CALCIUM PHOSPHATE DIHYDRATE</b> (UNII: O7TSZ97GEP)	
<b>FD&amp;C BLUE NO. 2</b> (UNII: L06K8R7DQK)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>POLYVINYL ALCOHOL, UNSPECIFIED</b> (UNII: 532B59J990)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	

## Product Characteristics

<b>Color</b>	orange	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	TCL081;0805;AV;S35
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0785-12	1 in 1 BOX	11/30/2015	02/28/2025
1		120 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:0363-0785-60	60 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/30/2015	02/28/2025

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M007	11/30/2015	02/28/2025

**Labeler** - Walgreens (008965063)

Revised: 10/2023

Walgreens