

**QUALITY CHOICE MAXIMUM STRENGTH ANTACID - aluminum hydroxide,  
magnesium hydroxide, simethicone liquid  
Chain Drug Marketing Association Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Quality Choice Maximum Strength Antacid and Antigas**

**ACTIVE INGREDIENTS (in each 10 mL )**

Aluminum hydroxide (equiv. to dried gel, USP) 800 mg  
Magnesium hydroxide 800 mg  
Simethicone 80 mg

**PURPOSE**

Antacid  
Antacid  
Antigas

**USE(S)**

relieves:

- acid indigestion
- heartburn
- sour stomach
- upset stomach and gas associated with these symptoms

**WARNINGS**

Do not take more than 60 mL in a 24-hour period, or use the maximum dosage of this product for more than 2 weeks, except under the advice and supervision of a doctor.

**ASK A DOCTOR BEFORE USE IF YOU HAVE**

- kidney disease
- a magnesium-restricted diet

**ASK A DOCTOR OR PHARMACIST BEFORE USE IF YOU ARE**

- presently taking a prescription drug. Antacids may interact with certain prescription drugs.

## **STOP USE AND ASK DOCTOR**

if symptoms last more than two weeks

## **KEEP OUT OF REACH OF CHILDREN**

.

## **DIRECTIONS**

- **shake well before use**
- adults and children 12 years and older: take 10 mL - 20 mL two times a day, or as directed by a doctor
- children under 12 years: consult a doctor
- mL = milliliter

## **OTHER INFORMATION**

- **each 10 mL contains:** magnesium 340 mg, sodium 5 mg
- store at 20°C-25°C (68°-77°F)
- do not freeze

## **INACTIVE INGREDIENTS**

ethyl alcohol, flavor, glycerin, hydroxyethyl cellulose, methylparaben, propylene glycol, propylparaben, purified water, saccharin sodium, simethicone emulsion, sorbitol

## **PRINCIPAL DISPLAY PANEL**

NDC 63868-019-12

## **QC**

QUALITY CHOICE

**\*Compare to the Active Ingredients in Maximum Strength Mylanta®**

## **Maximum Strength**

## **Antacid Liquid**

## **Antacid & Antigas**

Aluminum hydroxide 800 mg  
Magnesium hydroxide 800 mg  
Simethicone 80 mg

## **Relieves:**

Acid Indigestion  
Heartburn  
Sour Stomach  
Pressure & Bloating

Original Flavor  
Alcohol content 0.2% v/v

12 FL OZ (355 mL)



# QUALITY CHOICE MAXIMUM STRENGTH ANTACID

aluminum hydroxide, magnesium hydroxide, simethicone liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63868-019
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0) (ALUMINUM HYDROXIDE - UNII:5QB0T2IUN0)	ALUMINUM HYDROXIDE	800 mg in 10 mL
<b>MAGNESIUM HYDROXIDE</b> (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM HYDROXIDE	800 mg in 10 mL
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	80 mg in 10 mL

Inactive Ingredients	
Ingredient Name	Strength
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>HYDROXYETHYL CELLULOSE (2000 MPA.S AT 1%)</b> (UNII: S38J6RZN16)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>SORBITOL</b> (UNII: 506T60A25R)	

Product Characteristics			
<b>Color</b>	WHITE	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	MINT (Lemon mint)	<b>Imprint Code</b>	
<b>Contains</b>			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63868-019-12	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	08/02/2022	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part331	08/02/2022	

**Labeler** - Chain Drug Marketing Association Inc. (011920774)