

## **DOK- docusate sodium capsule**

### **Major Pharmaceuticals**

-----

#### **Drug Facts**

#### **Active ingredient (in each softgel)**

Docusate Sodium 100 mg

#### **Purpose**

Stool softener laxative

#### **Uses**

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 12 to 72 hours

#### **Warnings**

##### **Do not use**

if you are presently taking mineral oil, unless told to do so by a doctor.

##### **Ask a doctor before use if you have**

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that last over 2 weeks

##### **Stop use and ask a doctor if**

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be a signs of a serious condition.
- you need to use a laxative for more than 1 week

##### **If pregnant or breast-feeding,**

ask a health professional before use.

##### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

#### **Directions**

- take only by mouth. Doses may be taken as a single daily dose or in divided doses.

---

adults and children 12 years and over|take 1 to 3 softgels daily.

children 2 to under 12 years of age	take 1 softgel daily
children under 2 years	ask a doctor

### **Other information**

- **each softgel contains:** sodium 6 mg
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

### **Inactive ingredients**

edible ink, FD&C Red #40, FD&C Yellow #6, gelatin, glycerin, polyethylene glycol, propylene glycol\*, purified water sorbitan, sorbitol

\*contains one or more of these ingredients

### **Questions or comments?**

Call **1-877-753-3935 Monday-Friday 9AM-5PM EST**

### **Principal Display Panel**

Compare to the active ingredient in Colace® Regular Strength Stool Softener\*\*

#### **DOK™ 100 mg**

Docusate sodium

Stool Softener Laxative

For Use as a Stool Softener in Treating & Avoiding Constipation

Softgels

\*\*This product is not manufactured or distributed by Purdue Products L.P., distributor of Colace® Regular Strength Stool Softener.

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.**

Distributed by:

Major® Pharmaceuticals

17177 N Laurel Park Drive, Suite 233

Livonia, MI 48152

### **Product Label**

**MAJOR**® NDC 0904-6457-60

Compare to the active ingredient in Colace® Regular Strength Stool Softener\*\*

**DOK™ 100 mg**  
Docusate sodium

Stool Softener Laxative

For Use as a Stool Softener in Treating & Avoiding Constipation

100 Softgels



TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

**Drug Facts**

**Active ingredient (in each softgel)** Purpose  
Docusate sodium 100 mg.....Stool softener/laxative

**Uses**  

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 12 to 72 hours

**Warnings**  
**Do not use** if you are presently taking mineral oil, unless told to do so by a doctor.  
**Ask a doctor before use if you have**  

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over 2 weeks

**Drug Facts (continued under label)**

This product is not manufactured or distributed by Purdue Products L.P., distributor of Colace® Regular Strength Stool Softener.

Distributed by:

**Major® Pharmaceuticals**

17177 N Laurel Park Drive, Suite 233 M-58 Rev 10/17  
Livonia, MI 48152 Re-Order No. 700370



PLD-E11  
LB005109

Lot No.:

Exp. Date:

**PEEL HERE**

**Drug Facts (continued)**

**Stop use and ask a doctor if**  

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

**If pregnant or breast-feeding, ask a health professional before use.**  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**  

- take only by mouth. Doses may be taken as a single daily dose or in divided doses.

adults and children 12 years and over	take 1-3 softgels daily
children 2 to under 12 years of age	take 1 softgel daily
children under 2 years	ask a doctor

**Other information**  

- each softgel contains: sodium 6 mg
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

**Inactive ingredients** edible ink, FD&C red #40, FD&C yellow #6, gelatin, glycerin, polyethylene glycol, propylene glycol\*, purified water, sorbitan, sorbitol\* may contain this ingredient

**Questions or comments?**  
Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

**MAJOR Stool Softener Laxative**

**DOK**

docusate sodium capsule

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0904-6457
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>DOCUSATE SODIUM</b> (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	100 mg

**Inactive Ingredients**

Ingredient Name	Strength
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	
<b>GELATIN</b> (UNII: 2G86QN327L)	
<b>SORBITAN</b> (UNII: 6O92ICV9RU)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	

<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>GLYCERIN</b> (UNII: PDC6A3C00X)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	

### Product Characteristics

<b>Color</b>	orange	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	12mm
<b>Flavor</b>		<b>Imprint Code</b>	P51;S77;SCU1;D2
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0904-6457-60	100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	02/28/2015	02/28/2024
2	NDC:0904-6457-80	1000 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	02/28/2015	02/28/2024

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	02/28/2015	02/28/2024

**Labeler** - Major Pharmaceuticals (191427277)

Revised: 10/2023

Major Pharmaceuticals