

NO DRIP NASAL MIST- oxymetazoline spray liquid
Walgreens Company

No Drip Nasal Spray

Drug Facts

Active Ingredient

Oxymetazoline Hydrochloride 0.05%

Purpose

Nasal Decongestant

Uses

Temporarily relieves nasal congestion due to:

- common cold
- hay fever
- upper respiratory allergies
- temporarily relieves sinus congestion and pressure
- Shrinks swollen membranes so you can breathe more freely

Warnings

Ask a Doctor before use if you have

- heart disease
- high blood pressure
- diabetes
- thyroid disease
- trouble urinating due to enlarged prostate gland.

When using this product

- **Do not use more than directed**
- do not use for more than three days, Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur.
- use of this container by more than one person may spread infection.

stop use and ask a doctor if

symptoms persist.

if pregnant or breast-feeding

ask a health professional before use.

Keep out of the reach of children

if swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Before using for the first time, remove the protective cap from the tip and prime the pump by depressing pump firmly several times. To spray, hold bottle with thumb at base and nozzle between first and second fingers. Without tilting head, insert nozzle into nostril. Fully depress rim with a firm and even stroke, and sniff deeply.
- Wipe nozzle clean after use.
- Adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
- Children under 6 years of age consult a doctor.

Other information

- store between 20° and 25°C (68° to 77°F)
- retain carton for future reference on full labeling

Inactive Ingredients

Benzalkonium Chloride, Disodium EDTA, Glycerin, Microcrystalline Cellulose and Carboxymethylcellulose Sodium, Polyethylene Glycol 300, Povidone, Propylene Glycol, Purified Water, Sodium Phosphate Dibasic, Sodium Phosphate Monobasic

Questions or Comments ?

1-800-222-1087

Principal Panel 0.5 FLOZ Bottle



Walgreens No Drip Nasal Mist
 Nasal Spray
 Oxymetazoline HCL 0.05%
 12 hour Nasal Spray
 Net Wt 0.5 FLOZ (15ml)



Principal display panel- Carton label

Anefrin[®] Nasal Spray

NO DRIP

Walgreens

DO NOT USE IF PRINTED SEAL OVER CAP IS TORN OR MISSING

Drug Facts

Active ingredient Purpose
Oxymetazoline hydrochloride 0.05%...Nasal decongestant

Uses • temporarily relieves nasal congestion due to:
• common cold • hay fever • upper respiratory allergies
• temporarily eases sinus congestion and pressure • shrinks swollen nasal membranes so you can breathe more freely

Warnings

Ask a doctor before use if you have: • heart disease • high blood pressure • thyroid disease • diabetes • trouble urinating due to an enlarged prostate gland

When using this product:
• do not use more than directed
• do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
• temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur
• use of this medicine by more than one person may spread infection

Stop use and ask a doctor if symptoms persist:
• if pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Before using the first time, remove the protective cap from the tip and prime pump by depressing pump firmly several times. To spray, hold bottle with thumb at base and nozzle between first and second fingers. Withdraw slightly, insert nozzle into nostril. Fully depress tip with a firm, even stroke and sniff deeply. Wipe nozzle clean after use.
• adults and children 6 to under 12 years of age with adult supervision: 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
• children under 6 years of age: ask a doctor.

Drug Facts (continued)

Other information

• store between 20° to 25°C (68° to 77°F)
• retain carton for future reference on full labeling

Inactive ingredients

Benzalkonium Chloride, Ethanol, Disodium, Quinine, Monosorbic Cellulose and Carbonylcellulose Sodium, Polyethylene Glycol 300, Povidone, Propylene Glycol, Purified Water, Sodium Phosphate Dibasic, Sodium Phosphate Monobasic

IMPORTANT: KEEP OUTER CARTON FOR FUTURE REFERENCE ON FULL LABELING

Cap Removal Instructions:

To remove cap, rotate cap at base of applicator sides on the two turn impressions with fingers. While squinting, twist cap counterclockwise to remove. Press down to use. Refer to arrows on cap. To reapply cap, turn cap on pump clockwise until it locks.

Walgreens Pharmacy Recommended

Walgreens Pharmacy Supply
This product is not manufactured or distributed by Bayer HealthCare LLC, the distributor of Afrin[®] No Drip Original Pump Mist.

Questions or comments?

1-800-222-1232

©2018 WALGREENS CO.

250 WILMOT RD, DEERFIELD, IL 60015

100% SATISFACTION GUARANTEED

walgreens.com ©2018 Walgreen Co.

Walgreens

Compare to Afrin[®] No Drip Original Pump Mist active ingredient!

NO DRIP NDC 0363-2303-02

Anefrin[®] Nasal Spray

OXYMETAZOLINE HCl 0.05% / NASAL DECONGESTANT

ORIGINAL

12 HOUR

MAXIMUM STRENGTH

- Won't drip from nose or down throat
- Helps relieve congestion

0.5 FL OZ (15 mL)

ACTUAL SIZE

LOT

EXP

ITEM 821358 W00000-0000-0



ORG0518-F

Anefrin[®] Nasal Spray

Walgreens

DO NOT USE IF PRINTED SEAL OVER CAP IS TORN OR MISSING

Drug Facts

Active ingredient Purpose
Oxymetazoline hydrochloride 0.05%...Nasal decongestant

Uses • temporarily relieves nasal congestion due to:
• common cold • hay fever • upper respiratory allergies
• temporarily eases sinus congestion and pressure • shrinks swollen nasal membranes so you can breathe more freely

Warnings

Ask a doctor before use if you have: • heart disease • high blood pressure • thyroid disease • diabetes • trouble urinating due to an enlarged prostate gland

When using this product:

• do not use more than directed
• do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
• temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur
• use of this medicine by more than one person may spread infection

Stop use and ask a doctor if symptoms persist:
• if pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Before using the first time, remove the protective cap from the tip and prime pump by depressing pump firmly several times. To spray, hold bottle with thumb at base and nozzle between first and second fingers.

Withdraw string, insert nozzle into nostril. Fully depress tip with a firm, even stroke and sniff deeply. Wipe nozzle clean after use.

• adults and children 6 to under 12 years of age with adult supervision: 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
• children under 6 years of age: ask a doctor.

Drug Facts (continued)

Other information

• store between 20° to 25°C (68° to 77°F)
• retain carton for future reference on full labeling

Inactive ingredients

Benzalkonium Chloride, Ethanol, Disodium, Quinine, Monosorbic Cellulose and Carbomethylcellulose Sodium, Polyethylene Glycol 300, Povidone, Propylene Glycol, Purified Water, Sodium Phosphate Dibasic, Sodium Phosphate Monobasic

IMPORTANT:
KEEP OUTER CARTON FOR FUTURE REFERENCE ON FULL LABELING

Cap Removal Instructions:

To remove cap, rotate cap at base of opposite sides on the two turn impressions with fingers. While squishing, twist cap counterclockwise to remove. Press down to use. Refer to arrows on cap. To reapply cap, turn cap on pump clockwise until it locks.

Walgreens Pharmacy Recommended
Walgreens Pharmacy Supply
This product is not manufactured or distributed by Bayer HealthCare LLC, the distributor of Afrin[®] No Drip Original Pump Mist.

Questions or comments?

1-800-222-1232
©2011 WALGREENS INC.
250 WILMOT RD. DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
walgreens.com ©2011 Walgreen Co.

Walgreens

Compare to Afrin[®] No Drip Original Pump Mist active ingredient!

NO DRIP NDC 0363-2303-02

Anefrin[®] Nasal Spray

OXYMETAZOLINE HCl 0.05% / NASAL DECONGESTANT

ORIGINAL

12 HOUR

MAXIMUM STRENGTH

- Won't drip from nose or down throat
- Helps relieve congestion

0.5 FL OZ (15 mL)

ACTUAL SIZE

LOT

EXP

ITEM 821358 W00000-0000-0



ORG0518-F



Walgreens No Drip

Nasal Mist

Nasal Spray

Oxymetazoline HCL 0.05%

12 hour Nasal Spray

Net Wt 0.5 FLOZ (15ml)



NO DRIP NASAL MIST

oxymetazoline spray liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-2303
Route of Administration	NASAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYMETAZOLINE HYDROCHLORIDE (UNII: K89MJ0S5VY) (OXYMETAZOLINE - UNII: 8VLN5B44ZY)	OXYMETAZOLINE HYDROCHLORIDE	50 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL 300 (UNII: 5655G9Y8AQ)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
SODIUM PHOSPHATE, MONOBASIC (UNII: 3980JIH2SW)	
SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74)	
POVIDONE (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-2303-52	1 in 1 CARTON	08/30/2018	
1		15 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	08/30/2018	

Labeler - Walgreens Company (008965063)

Revised: 12/2023

Walgreens Company