SINUS PE PLUS ALLERGY- chlorpheniramine maleate and phenylephrine hcl tablet Walgreen Company

Walgreens 44-462- Sinus PE Allergy

Active ingredients (in each tablet)

Chlorpheniramine maleate 4 mg Phenylephrine HCl 10 mg

Purpose

Antihistamine Nasal decongestant

Uses

- temporarily relieves these symptoms due to hay fever (allergic rhinitis) or other upper respiratory allergies:
 - runny nose
 - sneezing
 - itching of the nose or throat
 - itchy, watery eyes
 - sinus congestion and pressure
 - nasal congestion

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- high blood pressure
- heart disease
- thyroid disease
- diabetes
- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- do not exceed recommended dosage
- excitability may occur, especially in children
- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with a fever

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 12 years and over: take 1 tablet every 4 hours. Do not take more than 6 tablets in 24 hours.
- children under 12 years: do not use

Other information

- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

croscarmellose sodium, lactose anhydrous, magnesium stearate, microcrystalline cellulose, silicon dioxide, stearic acid

Questions or comments?

1-800-426-9391

Principal display panel

Walgreens

• WALGREENS • PHARMACIST RECOMMENDED†

NDC 0363-4621-08

Sinus PE + Allergy

CHLORPHENIRAMINE MALEATE 4 mg / ANTIHISTAMINE PHENYLEPHRINE HCl 10 mg / NASAL DECONGESTANT

Maximum Strength

- Relieves sneezing, itchy eyes, runny nose, sinus pressure & congestion
- Pseudoephedrine free

24

TABLETS


ACTUAL SIZE

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

50844 ORG031946208

†Our Pharmacists recommend the Walgreens Brand. We invite you to compare to national brands.

DISTRIBUTED BY: WALGREEN CO.
200 WILMOT RD., DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
walgreens.com © 2021 Walgreen Co.



'Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.





BLISTER IS TORN OR BROKEN

■ children under 12 years: do not use

Take more than 6 tablets in 24 hours.

contact a Poison Control Center right away.

Other information

Directions

C Questions or comments? 1-800-426-9391

Inactive ingredients crossamellose sodium, lactose anhydrous, magnesium stearate, microcrystalline cellulose, silicon dioxide, stearic acid

■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
■ see end flap for expiration date and lot number

■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR

■ squits and children 12 years and over: take 1 tablet every 4 hours. Do not

Keep out of reach of children. In case of overdose, get medical help or If pregnant or breast-teeding, ask a health professional before use. ■ symptoms do not improve within 7 days or occur with a fever

 drowsiness may occur excitability may occur, especially in children ■ do not exceed recommended dosage When using this product

tranquilizers.

Ask a doctor or pharmacist before use If you are taking sedatives or

- a breathing problem such as emphysema or chronic bronchitis difficulty in unination due to enlargement of the prostate gland
- heart disease try roid disease diabetes glaucoma Ask a doctor before use if you have II high blood pressure

pharmacist before taking this product.

do not know if your prescription drug contains an MAOI, ask a doctor or or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you (MAOI) (certain drugs for depression, psychiatric or emotional conditions, Do not use it you are now taking a prescription monoamine oxidase inhibitor

 sjuns coudespou sug biesenie 	gnizsene ≡	■ nasal congestion
itching of the nose or throat	■ runny nose	■ itchy, watery eyes
:səjb	respiratory aller	rhinids) or other upper

USES I temporarily relieves these symptoms due to hay fever (allergic

Chlorpheniramine maleate 4 mg Active ingredients (in each tablet) Purpose

иоптамяочи тоидоя EEP OUTER PACKAGE FOR COMPLETE

■ nervousness, dizziness, or sleeplessness occur Stop use and ask a doctor if Nasal decongestant Antihistamina ■ use caution when driving a motor vehicle or operating machinery

■ alcohol, sedablves and tranquilizers may increase drowsiness ■ avoid alcoholic beverages

Drug Facts (continued)

Phenylephrine HCI 10 mg

Drug Facts

Walgreens 🛭

B-2201-462-08-HR ORG031946208

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

W30RG1221-F REV0122

NDC 0363-4621-08



Sinus PE + Allergy

CHLORPHENIRAMINE MALEATE 4 mg / ANTIHISTAMINE PHENYLEPHRINE HCI 10 mg / NASAL DECONGESTANT

Maximum Strength

- · Relieves sneezing, itchy eyes, runny nose, sinus pressure & congestion
- Pseudoephedrine free

TABLETS

ACTUAL SIZE

B9811R2

Walgreens 44-462

SINUS PE PLUS ALLERGY

chlorpheniramine maleate and phenylephrine hcl tablet

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-4621	
Route of Administration	ORAL			

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
CHLORPHENIRAMINE MALEATE (UNII: V1Q0090J9Z) (CHLORPHENIRAMINE - UNII: 3U6I01965U)	CHLORPHENIRAMINE MALEATE	4 mg		
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg		

Inactive Ingredients				
Ingredient Name	Strength			
CROSCARMELLOSE SODIUM (UNII: M280L1HH48)				
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)				
MAGNESIUM STEARATE (UNII: 70097M6I30)				
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)				
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)				
STEARIC ACID (UNII: 4ELV7Z65AP)				

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	7mm	
Flavor		Imprint Code	44;462	
Contains				

I	Packaging					
4	# Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:0363- 4621-08	1 in 1 CARTON	01/25/2022			
1	L	24 in 1 BLISTER PACK; Type 0: Not a Combination Product				

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M012	01/25/2022		

Labeler - Walgreen Company (008965063)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(0363-4621), pack(0363-4621)

Establishment				
Name	Address	ID/FEI	Business Operations	
LNK International, Inc.		117025878	manufacture(0363-4621)	

Revised: 1/2024 Walgreen Company