

**FIRST AID POCKET PACK - 40 PIECES - bacitracin zinc, neomycin sulfate, polymyxin b sulfate, benzalkonium chloride, lidocaine, isopropyl alcohol, benzalkonium chloride
Ready America, Inc.**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

First Aid Pocket Pack 40 Pieces

Active Ingredients

Active Ingredient:Bacitracin Zinc 400 units

Neomycin Sulfate 5mg (equivalent to 3.5 mg Neomycin base)

Polymyxin B Sulfate 5000 units

Purpose

Triple Antibiotic

Uses: To help prevent infection in:
minor cuts; scrapes; burns

Warnings

For external use only.

Do not use: in eyes; over large areas of the body;

If allergic to any of the ingredients; for more than one week unless directed by a physician.

Stop use and consult a doctor:

if the condition persists or gets worse; a rash or other allergic reaction develops

Keep out of reach of children.

If ingested, contact a Poison

Control Center right away.

Directions

Directions: clean affected area; apply small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily; may be covered with a sterile bandage

Other information:

Store at room temperature.

Inactive Ingredient

water

Genuine Triple Antibiotic

First Aid Ointment

To Help Prevent Infection

Each Gram Contains:

Bacitracin Zinc 400 units

Neomycin Sulfate 5 mg

(equivalent to 3.5 mg

Neomycin base)

Polymyxin B Sulfate 5000 units

Net Wt. 0.5g ; (1/64 oz)

Manufactured in CHINA for

GENUINE FIRST AID.

Triple Antibiotic Ointment 10pcs

Net wt. 0.9g (1/32oz)

100

Triple Antibiotic

Active Ingredients

ACTIVE INGREDIENTS:

Benzalkonium Chloride 0.13%

Lidocaine HCL 0.5%

Purpose

Purpose: First aid antiseptic, external analgesic

Uses

First aid to help prevent infection and for the temporary relief of pain and itching associated with:

Minor Cuts

Scrapes

Burns

Warnings

For external use only

Do not use: In eyes, in large quantities, over raw blistered areas, or on deep puncture wounds, animal bites or serious burns, for more than one week

Do not use:
in the eyes or apply over large areas of the body.
longer than 1 week unless directed by a doctor.
in large quantities, particularly over raw surfaces or blistered areas.

Ask a doctor before use if you have deep puncture wounds, animal bites or serious burns.

When using this product, avoid contact with the eyes.

Stop use and ask a doctor if
condition worsens
symptoms persist for more than 7 days
condition clears up and occurs again within a few days

Keep out of reach of Children.

If ingested, contact a Poison Control Center right away.

Directions

Adults and children 2 years of age and older
clean affected area.

apply a small amount of this product on the area 1 to 3 times daily.

may be covered with a sterile bandage

children under 2 years of age: consult a doctor

Other Information:

Store at room temperature (do not freeze).

Taper evident sealed packets.

Do not use packet if opened or torn.

Inactive Ingredients

Aloe vera, cetyl alcohol, diazolidinyl urea, edetate disodium, glycerin, glyceryl monostearate, methylparaben, mineral oil, polyethylene glycol, propylene glycol, propylparaben, purified water, stearic acid, irolamine

LOT/EXP: Made in CHINA

20130301

GFA Production Xiamen Co., Ltd
No. 20 Huli Industrial Park, Meixi Road, Tong'an, Xiamen, Fujian, China 361100

Tel: 86-592-7269515 Fax: 86-592-7269528 Http: //www.gfaproduct.com

Genuine First Aid Burn Cream

Antiseptic Pain Relief With Aloe

Net Wt 0.9g (1/32 oz)

Manufactured in CHINA for

Genuine First Aid.

Active Ingredient

Active Ingredient:

Isopropyl Alcohol, 70% v/v

Purpose

Antiseptic

Use

For preparation of skin before injection.

Warnings

For external use only.

Flammable - keep away from fire or flame

Store at room temperature 15-30 degree Celsius (59-86 degree Fahrenheit)

Do not use: with electrocautery, in the eyes.

Stop use if irritation and redness develop. If condition persists for more than 72 hours, consult your doctor.

Keep out of reach of children. If swallowed,

get medical help or contact a Poison Control

Center right away.

Directions

Wipe Injection site vigorously and discard.

Inactive Ingredient

Purified water.

LOT/EXP: Made in CHINA

20140301

Alcohol Cleansing Pad

Genuine First Aid LLC, Clearwater FL 33755

www.GenuineFirstAid.com

1/pouch

GENUINE FIRST AID

100 Alcohol cleansing pads

Reorder GFAP-39-02

Active Ingredient

Active Ingredient:

Benzalkonium Chloride 0.40%

Purpose

Antiseptic

Use

For Professional and Hospital use. Helps prevent infection. Antiseptic cleansing of face, hands and body without soap and water.

Warnings

Warning: For external use only.

Keep out of reach of children: If swallowed, get medical help or contact a Poison Control Center right away.

Stop use if unusual redness, swelling or other symptoms occur. Consult a physician immediately.

Do not use in the eyes or over large areas of the body.

Directions

Tear open packet, unfold towelette and use to cleanse desired skin area. Discard towelette appropriately after single use.

Inactive Ingredients

Inactive Ingredient: Purified water

LOT/EXP: Made in CHINA

20130301

Antiseptic Towelette

Genuine First Aid LLC, Clearwater FL 33755

www.GenuineFirstAid.com

1/pouch

GENUINE FIRST AID

Genuine First Aid Burn Cream

Antiseptic Pain Relief With Aloe

Net Wt 0.9g (1/32 oz)

Manufactured in CHINA for

Genuine First Aid.

First Aid Pocket Pack 40 pieces
(for wound care)

Big Value

Convenient Size

Fits in luggage, briefcase or purse

Be prepared
away from home

Recommended by
Health Care Professionals

ReadyAmerica
The disaster supply professionals

REORDER AST-001

Antiseptic Towelette

Toallitas Antisepicas



ISO 9001:2010

Genuine First Aid LLC, Clearwater FL 33755
www.GenuineFirstAid.com



GENUINE FIRST AID®



DRUG FACTS - Antiseptic Towelette

Active Ingredient: Benzalkonium Chloride 0.40% Purpose: First Aid Antiseptic

Use: For Professional and Hospital use. Helps prevent infection. Antiseptic cleansing of face, hands and body without soap and water.

Warnings: For external use only. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

If unusual redness, swelling or other symptoms occur, consult a physician immediately.

Do not use: In the eyes, or over large areas of the body.

Directions: Tear open packet, unfold towelette and use to cleanse desired skin area. Discard towelette appropriately after single use.

Inactive ingredient: Purified water

Made in CHINA

LOT/EXP:

20130301

--- TEAR HERE ---

Reorder BC-001

Genuine First Aid Burn Cream

**Antiseptic Pain Relief
With Aloe**

ACTIVE INGREDIENTS:

Benzalkonium

Chloride 0.13%

Lidocaine HCL 0.5%

Net Wt 0.9g • (1/32 oz)



Manufactured in CHINA for
GENUINE FIRST AID.

Drug Facts

Purpose: First aid antiseptic,
external analgesic

Uses: First aid to help prevent
infection and for the temporary
relief of pain and itching

associated with: • minor cuts
• scrapes • burns

Warnings:

For external use only

Do not use • in eyes • in large
quantities • over raw blistered
areas, or on deep puncture
wounds, animal bites or serious
burns • for more than one week
Keep out of reach of children.

If ingested, contact a Poison
Control Center right away.

Directions: • clean affected area
• apply small amount not more
than 3 times daily • may be
covered with a sterile bandage

Other information:

Store at room temperature

LOT/EXP:

20130301

REORDER ACP-001

Alcohol Cleansing Pad

Toallitas Humedas con Alcohol



ISO 9001:2010



Genuine First Aid LLC, Clearwater FL 33755
www.GenuineFirstAid.com



GENUINE FIRST AID®



DRUG FACTS - Alcohol Cleansing Pad

Active Ingredient:

Isopropyl Alcohol, 70% v/v

Purpose:

Antiseptic

Use: For preparation of the skin before injection.

Warnings: For external use only.

Flammable - keep away from fire or flame.

Do not use: with electrocautery, in the eyes

Stop use if irritation and redness develop.

If condition persists for more than 72 hours,
consult your doctor.

Keep out of reach of children. If swallowed,
get medical help or contact a Poison Control
Center right away.

Directions: Wipe injection site vigorously and
discard.

Other information: Store at room temperature
15°-30° C (59°-86° F)

Inactive ingredient: Purified water.

----- TEAR HERE -----

LOT/EXP:

Made in CHINA

20130301

Reorder TAO-001

Genuine Triple Antibiotic

**First Aid Ointment
To Help Prevent Infection**

Each Gram Contains:
Bacitracin Zinc 400 units
Neomycin Sulfate 5 mg
(equivalent to 3.5 mg
Neomycin base)
Polymyxin B Sulfate 5000 units
Net Wt 0.5g • (1/64 oz)



Manufactured in CHINA for
GENUINE FIRST AID.

Drug Facts

Uses: To help prevent infection
in • minor cuts • scrapes • burns
Warnings:

For external use only

Do not use • in eyes • over large
areas of the body • if allergic to
any of the ingredients • for more
than one week unless directed
by a physician

Stop use and consult a doctor
• if the condition persists or gets
worse • a rash or other allergic
reaction develops

Keep out of reach of children.

If ingested, contact a Poison
Control Center right away.

Directions: • clean affected area
• apply small amount of this product
(an amount equal to the surface
area of the tip of a finger) on the
area 1 to 3 times daily • may be
covered with a sterile bandage
Other information:

Store at room temperature
LOT/EXP:

20130118

First Aid Pocket Pack 40 pieces

Primeros Auxilios paquete de bolsillo

40 pieces
(para el cuidado
de heridas)

**Big
Value!
Gran Oferta**

Convenient size

Fits in luggage,
briefcase, or purse

Tamaño conveniente
cabe en el maletín,
equipaje, y bolsa


Be Prepared

away from home

Estar preparados
fuera de casa

Recommended by
Health Care
Professionals

Recomendado por
profesionales de
la salud



READY AMERICA
THE DISASTER SUPPLY PROFESSIONALS

First Aid Pocket Pack 40 pieces

Primeros Auxilios paquete de bolsillo

40 pieces
(para el cuidado
de heridas)


74011 First Aid Pocket Pack

Qty	Item Description
6	Adhesive Bandage 1" x 3"
9	Adhesive Bandage 3" x 3/4"
6	Adhesive Bandage 1 3/4" x 3/8"
3	X-Large Strip
1	Knuckle Bandage
1	Fingertip Bandage
1	Butterfly Closure
1	Antibiotic Ointment
1	Burn Cream
6	Alcohol Pads
3	Antiseptic Towelettes
1	First Aid Guide
1	Case w/label
40	# of Pieces

74011 Primeros Auxilios paquete de bolsillo

Qty	Descripción de Artículos
6	Venda Adhesiva 1" x 3"
9	Venda Adhesiva 3" x 3/4"
6	Venda Adhesiva 1 3/4" x 3/8"
3	Banda Extra Large
1	Venda Para Hombro
1	Vendaje para las puntas de los dedos
1	Cierre de Mariposa
1	Formado Antibiótico
1	Crema para Quemaduras
6	Toallitas de Alcohol
3	Toallitas Antisépticas
1	Guía de Primeros Auxilios
1	Caja con etiqueta
40	# piezas

READY AMERICA
THE DISASTER SUPPLY PROFESSIONALS
Manufactured in China
for Ready America, Inc.,
Escondido, CA 92029
www.readyamerica.com



FIRST AID POCKET PACK - 40 PIECES

bacitracin zinc, neomycin sulfate, polymyxin b sulfate, benzalkonium chloride, lidocaine, isopropyl alcohol, benzalkonium chloride kit

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76007-011

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76007-011-40	1 in 1 KIT		

Quantity of Parts		
Part #	Package Quantity	Total Product Quantity
Part 1	1 TUBE	0.5 g
Part 2	1 PACKET	0.9 g
Part 3	6 PACKET	3.0 mL
Part 4	3 PACKAGE	2.4 mL

Part 1 of 4
<p>GENUINE TRIPLE ANTIBIOTIC</p> <p>bacitracin zinc,neomycin sulfate,polymyxin b sulfate ointment</p>

Product Information	
Item Code (Source)	NDC:52124-0003
Route of Administration	TOPICAL

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN ZINC	400 [iU] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B SULFATE	5000 [iU] in 1 g

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52124-0003-1	0.5 g in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	02/04/2011	

Part 2 of 4

GENUINE FIRST AID BURN ANTISEPTIC PAIN RELIEF WITH ALOE

benzalkonium chloride, lidocaine cream

Product Information

Item Code (Source)	NDC:52124-0004
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 g
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
MINERAL OIL (UNII: T5L8T28FGP)	
POLYETHYLENE GLYCOL (UNII: 3WJQ0SDW1A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52124-0004-1	0.9 g in 1 PACKET		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333A	02/04/2011	

Part 3 of 4

ALCOHOL CLEANSING PAD

isopropyl alcohol liquid

Product Information

Item Code (Source)	NDC:52124-0002
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	70 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52124-0002-1	0.5 mL in 1 PACKET		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	02/04/2011	

Part 4 of 4

ANTISEPTIC TOWELETTE

benzalkonium chloride swab

Product Information

Item Code (Source)	NDC:52124-0001
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength	Strength	
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)		BENZALKONIUM CHLORIDE	0.40 mL in 100 mL	
Inactive Ingredients				
Ingredient Name		Strength		
WATER (UNII: 059QF0KO0R)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52124-0001-1	0.8 mL in 1 PACKAGE		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final		part333A	02/04/2011	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final		part333A	02/04/2011	

Labeler - Ready America, Inc. (794644286)

Revised: 2/2011

Ready America, Inc.