

**BISACODYL- bisacodyl suppository**  
**A-S Medication Solutions**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Bisacodyl Suppositories**

***Drug Facts***

***Active ingredient (in each suppository)***

Bisacodyl USP, 10 mg

***Purpose***

Stimulant Laxative

***Uses***

- relieves occasional constipation
- this product generally produces a bowel movement in 15 minutes to 1 hour

**Warnings**

**For rectal use only**

**Do not use**

when abdominal pain, nausea, or vomiting are present.

**Ask a doctor before use if you have** a sudden change in bowel habits that lasts over a period 2 weeks.

**When using this product** you may experience

- rectal burning
- mild cramps
- abdominal discomfort
- faintness

**Stop use and ask a doctor if**

- you have rectal bleeding or you fail to have bowel movement after using a laxative. These may be signs of a serious condition.
- you need to use a laxative product for more than one week

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- tear off one suppository from the strip
- peel apart the wrapper
- continue peeling apart to almost the full length of the suppository (see illustration at the right)
- gently remove the suppository from the wrapper
- lie on your side and push suppository, with pointed end first, high into the rectum so it will not slip out
- retain it for about 15 to 20 minutes.
- **Do not exceed recommended dose**
- if suppository seems soft, place in refrigerator for a short time before use

adults and children 12 years and over 1 suppository once daily  
children under 12 years Ask a doctor

### Other information

- store at temperatures below 25 C (77F)
- Made in India

**Inactive ingredient** hard fat


**Questions or Comments?** 1-800-540-3765

### HOW SUPPLIED

Product: 50090-5385

NDC: 50090-5385-0 6 SUPPOSITORY in a BLISTER PACK

### BISACODYL SUPPOSITORY



## BISACODYL

bisacodyl suppository

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50090-5385(NDC:57896-443)
Route of Administration	RECTAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BISACODYL (UNII: 10 X0709 Y6 I) (DEACETYLBISACODYL - UNII:R09078 E41 Y)	BISACODYL	10 mg

### Inactive Ingredients

Ingredient Name	Strength
-----------------	----------

FAT, HARD (UNII: 8334LX7S21)

### Product Characteristics

Color	white	Score	
Shape	BULLET	Size	
Flavor		Imprint Code	
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50090-5385-0	6 in 1 BLISTER PACK; Type 0: Not a Combination Product	11/20/2020	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	11/01/2019	

**Labeler** - A-S Medication Solutions (830016429)

### Establishment

Name	Address	ID/FEI	Business Operations
A-S Medication Solutions		830016429	RELABEL(50090-5385)

Revised: 12/2020

A-S Medication Solutions