

**STOOL SOFTENER- docusate sodium capsule, liquid filled
KROGER COMPANY**

kro 406

Active ingredient (in each softgel)

Docusate Sodium 100 mg

Purpose

Stool Softener Laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 12 to 72 hours

Warnings

Ask a doctor before use if you

- have stomach pain, nausea or vomiting
- have a sudden change in bowel habits that lasts longer than 2 weeks
- are presently taking mineral oil

Stop use and ask a doctor if

- you need to use a laxative longer than 1 week
- you have rectal bleeding or fail to have a bowel movement. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- Take only by mouth.

| | |
|---|--|
| Adults and children 12 years of age and older | 1 to 3 capsules daily. May be taken as a single daily dose or in divided doses. |
| Children 2 to under 12 years of age | 1 capsule daily |

Other information

- **each softgel contains:** sodium 7 mg. very low sodium
- store at 59°-77°F (15°-25°C)
- keep tightly closed
- product of Romania
- **Tamper Evident:** Do not use if imprinted seal under cap is missing or broken.

Inactive ingredients

gelatin, glycerin, PEG, purified water, sorbitol special. Contains less than 1% of D&C red #33, edible ink, FD&C red #40, FD&C yellow #6 (sunset yellow), titanium dioxide

Package Label

COMPARE TO the active ingredient in COLACE® REGULAR STRENGTH STOOL SOFTENER *See back side

NDC 30142-407-01

Kroger

Stool Softener

Docusate Sodium 100 mg
STOOL SOFTENER LAXATIVE

Gentle, Dependable, Stimulant-Free

actual size
100 SOFTGELS

OUR PHARMACIST RECOMMENDED

Drug Facts

Active ingredient (in each softgel)
Docusate Sodium 100 mg.....Stool Softener Laxative

Purpose
Stool Softener Laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 12 to 72 hours

Warnings

Ask a doctor before use if you

- have stomach pain, nausea or vomiting
- have a sudden change in bowel habits that lasts longer than 2 weeks
- are presently taking mineral oil

Stop use and ask a doctor if

- you need to use a laxative longer than 1 week
- you have rectal bleeding or fail to have a bowel movement

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of the reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions • Take only by mouth.

| | |
|---|---|
| Adults and children 12 years of age and older | 1 to 3 softgels daily. May be taken as a single daily dose or in divided doses. |
| Children 2 to under 12 years of age | 1 softgel daily |
| Children under 2 years | Ask a doctor |

Other information

- each softgel contains: sodium 7 mg, very low sodium
- store at 59°-77°F (15°-25°C)
- keep tightly closed
- product of Romania
- **Tamper Evident:** Do not use if imprinted seal under cap is missing or broken.

Inactive ingredients gelatin, glycerin, PEG, purified water, sorbitol special. Contains less than 1% of D&C red #33, edible ink, FD&C red #40, FD&C yellow #6 (sunset yellow), titanium dioxide.

DISTRIBUTED BY THE KROGER CO., CINCINNATI, OHIO 45202

QUALITY GUARANTEE 800-632-6900 | www.kroger.com

*Colace® is a registered trademark of Purdue Products L.P., Stamford, CT 06901. Purdue Products L.P. is not affiliated with The Kroger Co. or this product.

REV 406-0320

0 41260 01016 3

STOOL SOFTENER

docusate sodium capsule, liquid filled

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:30142-407 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|----------|
| DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG) | DOCUSATE SODIUM | 100 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |
| D&C RED NO. 33 (UNII: 9DBA05BB0L) | |
| POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ) | |
| FD&C RED NO. 40 (UNII: WZB9127XOA) | |
| GELATIN (UNII: 2G86QN327L) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| SORBITOL (UNII: 506T60A25R) | |
| WATER (UNII: 059QF0KO0R) | |
| FD&C YELLOW NO. 6 (UNII: H77VEI93A8) | |
| MANNITOL (UNII: 3OWL53L36A) | |

Product Characteristics

| | | | |
|-----------------|--|---------------------|----------|
| Color | red ((Two-toned- white and clear red)) | Score | no score |
| Shape | OVAL | Size | 12mm |
| Flavor | | Imprint Code | SCU2 |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:30142-407-01 | 100 in 1 BOTTLE; Type 0: Not a Combination Product | 03/01/2020 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M007 | 03/01/2020 | |

Labeler - KROGER COMPANY (006999528)

Registrant - Geri-Care Pharmaceutical Corp (611196254)

Revised: 10/2023

KROGER COMPANY